






Dynamic Measurements of 1000 Microstrains Using Chirped-Pulse Phase-Sensitive Optical Time-Domain Reflectometry

Hari Datta Bhatta , Luis Costa , Andres Garcia-Ruiz , Maria R. Fernandez-Ruiz , Hugo F. Martins, Moshe Tur, *Life Fellow, IEEE, Fellow, OSA*, and Miguel Gonzalez-Herraez 

Abstract—This paper extends the capabilities of chirped-pulse phase-sensitive optical time-domain reflectometry to the measurement of large dynamic strains over hundreds of meters of standard single-mode fiber. Benefitting from single-shot strain measurements, this technique has already demonstrated dynamic strains of the order of submicrostrains with a sensitivity of picostrains-per-root-Hertz. Yet, for large dynamic strains, it relies on the accumulation of incremental measurements, where each trace is cross correlated with its predecessor to determine the relative change of strain. However, practical time records of measured high slew-rate applied perturbations contain disturbing outliers. We then detail and analyze a post-processing strategy to mitigate this limitation. Through this strategy, we are able to achieve for the first time (to our knowledge) high signal-to-noise Rayleigh-backscattering-based distributed measurements of large and fast dynamic strains of a longitudinally vibrating 4 m section at the end of 210 m of a single-mode fiber: from peak to peak 150–1190 $\mu\epsilon$ at vibration frequency of 400 Hz and 50 Hz, respectively.

Index Terms—Distributed sensing, dynamic strain sensing, median filtering, noise accumulation, optical time domain reflectometry, reference updating.

I. INTRODUCTION

DISTRIBUTED fiber optic sensors are currently of immense importance as they are capable of efficiently monitoring bridges, buildings, aircrafts and trains/railway tracks, preventing leakage and theft from oil and gas pipelines, and providing cost-effective perimeter protection [1]–[3].

Manuscript received January 27, 2019; revised May 23, 2019 and June 26, 2019; accepted July 3, 2019. Date of publication July 15, 2019; date of current version September 18, 2019. The work of H. D. Bhatta was performed in the framework of ITN-FINESSE, funded by the European Union's Horizon 2020 research and innovation program under the Marie Skłodowska-Curie Action grant agreement n.° 722509. Additional support was obtained from EC H2020 (project DOMINO, ERANET Cofund Water Works 2014 call) and Spanish MINECO (project DOMINO, project TEC2015-71127-C2-2-R and project RTI2018-097957-B-C31), UAH (FPI contract) and Regional Program SINFOTON2-CM: P2018/NMT-4326. (*Corresponding author: Hari Datta Bhatta.*)

H. D. Bhatta and M. Tur are with the School of Electrical Engineering, Tel-Aviv University, Tel-Aviv 6997801, Israel (e-mail: haridattab@mail.tau.ac.il; tur@post.tau.ac.il).

L. Costa, A. Garcia-Ruiz, M. R. Fernandez-Ruiz, H. F. Martins, and M. Gonzalez-Herraez are with the Departamento de Electronica, Universidad de Alcalá, Alcalá de Henares 28805, Spain (e-mail: luis.duarte@uah.es; andres.garcia@uah.es; rosario.fernandezr@uah.es; h.fidalgo@uah.es; miguel.gonzalez@uah.es).

Color versions of one or more of the figures in this paper are available online at <http://ieeexplore.ieee.org>.

Digital Object Identifier 10.1109/JLT.2019.2928621

The most widespread fiber-optic discretely-multiplexed or distributed strain/temperature sensing techniques available today are based on either fiber Bragg gratings (FBGs) technology, [2], or on light scattering phenomena (Raman, Brillouin and Rayleigh scattering) [1], [2]. While Raman-based technologies, in general, are not suitable for strain sensing [1], Brillouin sensors are sensitive to both temperature and strain, and perform well along standard single-mode fibers [4]. They are truly distributed and can reach tens of kilometers at the expense of very long measurement time. Nevertheless, small distances of the order of 100 meters have been previously interrogated for dynamic perturbations through fast-BOTDA (Brillouin Optical Time Domain Analysis) or slope-assisted BOTDA [4], at sampling rates of up to kHz's, accurately measuring strain signals of hundreds of Hz. Recently, the optical chain chirp BOTDA (OCC-BOTDA) technique, [5], was shown to offer sampling speeds as high as 6.25 MHz for a 50 m long fiber. Besides individual advantages and limitations in Brillouin based sensor interrogators [4]–[6], all BOTDA-based techniques share the disadvantageous need to access both ends of the fiber. Also, these setups employ ~ 11 GHz microwave technology, as is commonly the case also for dynamic Brillouin Optical Time Domain Reflectometry (BOTDR), which uses only the near end of the fiber [7].

On the other hand, FBG technology, though able to achieve a large number of discrete sensing points through multiplexing, is not yet operational as a fully distributed alternative [8], [9], since a special, quite expensive fiber is required, having FBGs inscribed over its whole length. In addition, the interrogation of such a draw-tower FBG fiber is quite demanding and as of today is limited in range to tens of meters and in terms of sampling rates to a couple of hundred Hz.

Regular Optical Time Domain Reflectometry (OTDR), introduced a few decades ago [10], is an efficient method for distributed inspection of signal losses and damages over long optical fibers, relying on the Rayleigh backscattered power of *incoherent* light as a function of its time of flight [1]. By increasing the coherence of the pulse through the use of a narrow linewidth laser, a new variant, named Φ OTDR (phase-sensitive OTDR) is achieved. Here, light waves backscattered from buried-in refractive index inhomogeneities, lying within the interrogating pulse width at a given time, will interfere during detection. The result will be a noise-like optical power trace, which remains constant for each successive measurement in an

unperturbed fiber. Any local perturbation to the fiber will change the relative optical phases among the relevant scatterers, which significantly affect the shape of the trace of the backscattered optical power. This high sensitivity of the received power to minute fiber disturbances has been suitably adapted for applications in vibration/intrusion measurements and monitoring of large perimeters [11]–[14]. The technique, however, is unable to accurately measure the amplitude of the perturbation, since the resulting change in the back-scattered optical power is not linearly correlated to the applied perturbation.

In order to achieve a quantitative true estimation of the measurand (e.g., strain), some modifications are required in the basic simple Φ OTDR setup. Various time domain approaches involving single or multiple probing pulses were proposed [15]–[19], where the interference between Rayleigh reflections from nearby locations on the fiber is used to infer environmentally-induced phase and strain changes. Pulse interrogation using full coherence reception was used to improve linearity at the expense of requiring laser coherence compatible with the length of the fiber under test [20], [21]. All these techniques have enabled fast (kHz) measurements of dynamic strains over kilometers-long fibers, up to amplitudes of a few microstrains [19], [22].

Before moving to pulse interrogation techniques, which are augmented by the scanning of the optical frequency, it is important to mention pure Optical Frequency Domain Reflectometry (OFDR) techniques, where range information is generally deduced from Fourier processing of the measured complex transfer function of the fiber [23]. While of comparable performance to OTDR-based techniques for distributed acoustic sensing of phase perturbation, these highly coherent setups offer the quantitative determination of large dynamic strains, albeit currently limited to a few tens of meters [24], [25].

Adding optical scanning to Φ OTDR can provide accurate measurements of both strain and temperature, as proposed and demonstrated in [26]. As a way to describe the technique, let us zoom-in on two scatterers among the many responsible for the Rayleigh backscattering in the fiber. Denoting the reference distance between them by d and the refractive index in their vicinity by n , their contribution to the reflected intensity in a coherent OTDR setup depends, among other factors, on the term:

$$\vartheta = \frac{2\pi\nu nd}{c} \quad (1)$$

where ν is the optical frequency and c is the vacuum velocity of light. When strain, being the focus of this paper, is applied to the section containing these two scatterers, d will be modified by Δd (where $\varepsilon = \Delta d/d$ is the strain) and n by Δn ($\Delta n/n = -0.22\varepsilon$) for standard single mode optical fibers at around 1550 nm [26]). While ϑ of Eq. (1) will change as well, together with its contribution to the reflected intensity, its reference value can be restored by appropriate change in the optical frequency:

$$\Delta\vartheta = \frac{2\pi}{c} [\Delta\nu \cdot nd + \Delta n \cdot \nu d + \Delta d \cdot \nu n] \quad (2)$$

Clearly, $\Delta\vartheta$ can be made zero if ν is changed to $\nu + \Delta\nu$ so that:

$$\frac{\Delta\nu}{\nu} = - \left[\frac{\Delta d}{d} + \frac{\Delta n}{n} \right] = -0.78\varepsilon \quad (3)$$

(For the case of temperature-only change see [26], [27]). Thus, if one probes the above mentioned section with a series of pulses, each with a slightly different optical frequency, properly granulated and controlled, the resulting pattern of intensity *vs.* frequency will appear to shift under the applied strain and Eq. (3) can be used to translate the measured frequency shift into strain values.

This method of phase compensation of the induced strain by a frequency sweep has been already successfully applied to the static or quasi-static measurements of temperature [26], [27], strain [28], [29], and birefringence [30] in the fiber. However, the commonly used pulse-to-pulse frequency scanning is rather slow, calling for faster techniques, suitable to dynamic scenarios (For a review of dynamic strain sensing see [31]).

A recently introduced interrogation technique, termed CP- Φ OTDR [32], [33], replaces the pulse-to-pulse frequency scanning by a single chirped pulse, potentially offering high interrogation speed, obviously limited by the time of flight in the fiber under test, namely, its length. Following the CP- Φ OTDR success in recording small dynamic strains [32], [34], down to a sensitivity of $p\varepsilon/\sqrt{\text{Hz}}$, [35], [36], it is the purpose of this paper to demonstrate the capabilities of this technique to measure *large* dynamic strains over hundreds of meters. Yet, for dynamic strains of high slew rates, processing of the recorded intensity traces relies on the accumulation of incremental measurements, [27], [32], where each spatial resolution cell is cross-correlated with its predecessor to determine the relative change of strain [32]. It turns out, though, that CP- Φ OTDR-obtained practical time records of high slew-rate applied perturbations contain disturbing outliers. The paper then presents and analyzes an innovative median-based post-processing strategy in an attempt to mitigate this limitation. Through this strategy, we were able to achieve for the first time (to our knowledge) high signal-to-noise, Rayleigh-based distributed measurements of large and fast dynamic strains of a longitudinally vibrating 4 m section at the end of 210 m of a single mode fiber from 150 $\mu\varepsilon$ (peak-to-peak) at a vibration frequency of 400 Hz to 1190 $\mu\varepsilon$ at 50 Hz. Preliminary results of this work were presented at [37].

The following Section II details the CP- Φ OTDR technique and its application to large dynamic strains, including the introduction of a median-based technique to mitigate the presence of outliers for large dynamic strains. Section III describes the experimental setup, while Section IV presents the experimental results. A summary of the paper contents appears in Section V.

II. THE CP- Φ OTDR TECHNIQUE

A. The Principle of the Technique

A recently introduced interrogation technique, termed CP- Φ OTDR [32], [33], replaces the pulse-to-pulse frequency scanning by a single chirped pulse, potentially offering very high interrogation speed, obviously limited by the time of flight in the fiber under test, namely, its length, but also by other factors to be discussed below. Here, interrogation is performed using a linearly frequency modulated optical pulse of temporal width τ_p and bandwidth $\delta\nu$, properly derived from a source, whose coherence time needs to exceed τ_p . The pulse chirped

bandwidth, $\delta\nu$, must cover the anticipated range of applied strain (at around 1550 nm, $1 \mu\epsilon$ (microstrain) will cause a frequency shift of 150 MHz). Each chirped pulse generates a random looking backscattered optical intensity trace, $P(t)$, on a fast photodetector of a bandwidth of at least $\delta\nu$. The value of $P(t)$ at time t_z (the time elapsed since the pulse entered the fiber) represents contributions from scatterers in the fiber segment $S(t_z, \tau_p) = [V_g(t_z - \tau_p)/2, V_g t_z/2]$ (V_g is the group velocity). For the measurement of strain, a *temporal* sub-trace, centered around t_z and of duration $\tau_w \leq \tau_p$, is initially extracted, serving as a reference. The same t_z -centered sub-trace is then extracted from a subsequent scan, and compared with the reference one. Since the pulse is chirped and following the rationale behind Eqs. (2–3), it is expected that if a (relative) strain of magnitude ϵ , has been applied between the two scans, the two sub-traces will approximately overlap after a relative temporal shift of Δt (positive or negative, depending on the sign of ϵ), corresponding to a frequency change, given by [32],

$$\Delta\nu(\epsilon) = \left(\frac{\delta\nu}{\tau_p}\right) \Delta t \quad (4)$$

In practice, Δt is estimated from the two sub-traces by one of the common methods for time delay estimation [38], most frequently by the relatively fast cross-correlation of the two signals, hopefully resulting in a single distinctive peak whose horizontal (time) location gives the value of Δt .

Finally, combining Eqs. (3) and (4) we find:

$$\epsilon = \mp \left(\frac{1}{0.78}\right) \cdot \left(\frac{1}{\nu_o}\right) \cdot \left(\frac{\delta\nu}{\tau_p}\right) \cdot \Delta t \quad (5)$$

where the choice of sign depends on the nature of the chirp: minus for in-chirp ascending frequencies and positive for descending ones.

Due to the use of a τ_w -wide time window, the spatial resolution of the CP- Φ OTDR technique is the convolution of the pulse width, τ_p , and time window, τ_w , multiplied by $V_g/2$. Thus, the application of our processing technique to the center of a fiber segment of length $\Delta z = V_g t_p/2$, takes into account contributions from scatterers mostly within Δz_g , but also from some in the two $V_g \tau_w/4$ -wide smaller sections adjacent to the two edges of Δz . While the spatial resolution may gain from decreasing the width of the time-window, too small values of τ_w may give rise to noisy cross-correlations, and consequently, erroneous estimates of Δt , $\Delta\nu$ and ϵ .

B. Adjustments Necessary for the Measurement of Large Dynamic Strains

Using an initial reference for all subsequent traces may not be feasible for the measurement of large strains. Clearly, strain variations of $1000 \mu\epsilon$ require an *impractical* chirp width, $\delta\nu$, of 150 GHz (at 1550 nm). Therefore, a differential, incremental approach, already suggested in [27], [32], is adopted, where the i -th trace is compared to the $(i - 1)$ -th one ($i = 1$ is the initial reference state of the fiber under test), and the estimated strain

differentials, $\Delta\epsilon_i$ are then added to obtain the final strain [32]:

$$\epsilon \left(t = \frac{n}{\text{Sample Rate}} \right) = \sum_{i=1}^n \Delta\epsilon_i \quad (6)$$

However, the maximum allowed value of $\Delta\epsilon_i$ must obey yet another constraint. As explained in [32], too large strain changes between consecutive traces may result in a cross-correlation that compares traces originating from *partially different* scatterers. Instead of a unique correlation peak, such cross-correlations may exhibit a few peaks of fairly close magnitudes and the likelihood of producing an anomalous estimate of Δt , called an *outlier*, becomes too high. It was empirically found, [32], that to reduce the probability of appearance of outliers, the strain change between consecutive traces should obey

$$|\Delta\epsilon_i| \lesssim \alpha \cdot \delta\nu/\nu \quad (\alpha \sim (0.03 - 0.05)/0.78) \quad (7)$$

i.e., the allowed strain change *should not* give rise to a frequency change, $\Delta\nu$, that exceeds 3–5% of the chirp bandwidth $\delta\nu$. Nevertheless, due to their statistical nature [39], [40], outliers may show up even when (7) is obeyed, see Section IV.

Thus, strain signals of high slew rate may call for scan rates *much higher* than required by the Nyquist criterion. Since the scan rate is limited from above by the fiber length, a signal of a given slew rate may also dictate the *maximum* admissible total length of the fiber.

C. The Appearance of Outliers and a Proposed Strategy for the Mitigation of Their Effect

It turns out, though, that the random nature of the Rayleigh backscattered traces may give rise to problematic cross-correlations even when $\Delta\epsilon_i$ obeys Eq. (7). Thus, a sequence of correct differential strains, $\{\Delta\epsilon_i\}$, may be interposed by a series of wrong values, originating from indistinctive multiple cross-correlation peaks, where the highest peak is not the correct one, see Section IV below and Fig. 2 (middle pane). Since this wrong peak may occur anywhere within the full dynamic range defined by $\delta\nu$, the resulting outlier differential can be as large as the allowable measurand dynamic range. Adding up all the estimated differentials, *including* the outlier ones, results in signal distortion (signal sharp discontinuities, [37]).

However, as long as the outliers are isolated, median filtering can eliminate them. Completely isolated outliers can be eliminated by a 3-point median filter while twin-isolated ones need a 5-point filter. Since anyway, large dynamic scans require high over scan rates, i.e., sampling rates well above twice the signal bandwidth, it can be easily shown that under such conditions median filter of a single digit order barely distort the signal (see Section IV for quantitative estimates).

III. THE EXPERIMENTAL SETUP

The setup used for the interrogation is shown in Fig. 1. An optical carrier signal from a highly coherent external cavity laser (ECL) diode ($\lambda_0 = c/\nu_0 = 1550$ nm, $\Delta\lambda \sim 20$ KHz) is modulated by a Mach-Zehnder electro-optic modulator (EOM) which is driven by a $\tau_p = 35$ ns long, $\delta\nu = 5$ GHz wide linearly chirped RF pulse, centered at 6.5 GHz. This complex pulse is




Fig. 1. Experimental Setup for the CP- Φ OTDR technique (solid lines represent optical fibers, while dashed lines stand for electrical connections). Acronyms: ECL: Highly coherent laser diode, EOM: electro optic modulator, SOA: Semiconductor optical amplifier, working in as a switch, VOA: Variable optical attenuator, EDFA: Erbium doped fiber amplifier, CIR: circulator. FUT: fiber under test, PD: photo detector. DAQ: data acquisition, AWG: Arbitrary waveform generator.

generated by a high speed arbitrary waveform generator (AWG) and has the form:

$$V_{chirp}(t) = V_0 \cos \left[2\pi \cdot f_c t + \frac{2\pi\delta\nu}{2\tau_p} t^2 \right] \text{rect}(t/\tau_p) \quad (8)$$

where ‘rect’ equals 1 for $|t/\tau_p| \leq 0.5$ and 0 elsewhere, and f_c is the center frequency of the generated RF pulse. In order to function properly as a frequency upconverter, the EOM is biased at *minimum* transmission so that its transfer function becomes [41]:

$$E_{out}(t) = E_{in} \sin \left[\frac{\pi V_{chirp}(t)}{2V_\pi} \right] \exp(j2\pi\nu_0 t) \quad (9)$$

where E_{in} and $E_{out}(t)$ are the source electric field and the Mac-Zehnder output fields, respectively, and V_π is the voltage required by the EOM to change its transmission from null to maximum. The resulting $E_{out}(t)$ indeed contains the electromagnetic field signal of interest:

$$E_{chirp}(t) = V_0 \exp \left[j \left(2\pi \cdot (\nu_0 + 6.5 \cdot 10^9) t + \frac{2\pi\delta\nu}{2\tau_p} t^2 \right) \right] \text{rect}(t/\tau_p) \quad (10)$$

along with both an image signal, centered around $[\nu_0 - 6.5 \cdot 10^9]$ Hz, and higher harmonics of the 6.5 GHz chirp around ν_0 [41]. A sharp narrowband spectral filter (having a steep attenuation slope of 800 dB/nm) precedes the first EDFA in order to load it only with the signal of interest, Eq. (10). Preceding the filter are (i) a variable optical attenuator, (ii) an isolator, and (iii) an extinction-enhancer SOA, driven by a 35 ns wide rectangular pulse from another channel of the AWG.

After properly amplified by the Erbium-doped fiber amplifier, the probing pulse enters the FUT through a circulator, which also directs the Rayleigh back-scattered light into the photodetector (of 9.5 GHz bandwidth) following some additional amplification, spectral cleaning (the second narrowband filter) and power adjustment. The photodiode output current is then sampled by a 13 GHz wideband oscilloscope at a sampling rate of 40 GHz.

The FUT comprised a ~ 4 m fiber segment (at the end of a 210 m spool of single-mode fiber), clamped between an anchoring point and mechanical shaker, which applied a sinusoidal longitudinal strain. To avoid any mechanically-induced noise to the setup, the shaker was placed on a different optical table. Driven by an audio oscillator and a power amplifier, the shaker could excite the FUT with different power frequencies and strain amplitudes. The collected traces were windowed, and the strain was then estimated by cross-correlating successive trace acquisitions using the same time window, centered at the center of the FUT. The interrogation pulse repetition (i.e., scan) rate was set to 200 kHz. For each experiment, data were sequentially and continuously collected into the scope memory, whose limited size allowed for the recording of no more than 160 msec of data for processing.

IV. RESULTS AND DISCUSSION

This section describes typical CP- Φ OTDR-based measurements of fast strain vibrations, significantly larger than demonstrated before by any other Rayleigh-based technique.

A. Outliers

Figure 2 shows the cross-correlation result for four consecutive traces from a 50 Hz, 750 $\mu\epsilon$ vibrations. Clearly, the cross-correlation associated with traces 1 and 2, Fig. 2 (top), is characterized by an unambiguous clear solitary peak, indicating that trace 2 lags trace 1 by -0.59 ns (center of mass evaluation of peak location). This value can be converted through Eq. (5) to a strain step of 0.56 $\mu\epsilon$. Since the scan period was 5 μsec , this represents a slew-rate (strain gradient) of $1.12 \cdot 10^5 \mu\epsilon/\text{sec}$, a value quite commensurate with the strain gradient of a 50 Hz, 750 $\mu\epsilon$ vibrations close to its maximum rate of descent. However, the cross-correlation between traces 2 and 3, Fig. 2 (middle), is quite ambiguous, and judging the time shift from any of the major peaks produces an erroneous too high value, namely: an outlier. Nevertheless, when paired with trace 4, Fig. 2 (bottom), trace 3 behaves nicely, producing again a valid $\Delta\epsilon$. The temporal density of outliers tends to grow with the signal slew rate, eventually limiting the performance envelope of this sensing method. However, as long as these outliers are rare and temporally isolated, they can be effectively eliminated by *median* filtering the individual strain differences, as demonstrated below.

B. The Measurement of Large Dynamic Strains

We start with peak-to-peak longitudinal vibrations of 1190 $\mu\epsilon$ at 50 Hz. The sub-trace length for the cross-correlation, τ_w , and the pulse width, τ_p , are both 35 nsec (offering a spatial resolution of ~ 3.5 m), and all other experimental parameters were mentioned in Section III. Fig. 3 shows the temporal evolution of the measured differential strains, $\{\Delta\epsilon_i\}$, obtained from a point in the middle of the vibrating section. While the top part of the figure is contaminated by isolated outliers, the 5-point median filtered differential strains $\{\Delta\epsilon_i\}$, middle pane, are clean enough to generate, after integration, Eq. (6), the good quality signal of Fig. 3 (bottom). Note that this is possible due to the low density of




Fig. 2. Cross-correlation between 3 pairs of 4 consecutive traces in a 50 Hz, 750 $\mu\epsilon$ experiment. Both the {1, 2} (top) and {3, 4} (bottom) pairs give rise to cross-correlations with unambiguous peaks, whose distances from the $t = 0$ mark (-0.594 ns and -0.649 ns in the top and bottom frames, see insets) are reasonable for the given vibration, see text. The middle frame, representing the cross-correlations of the {2, 3} pair is clearly useless: automatic processing of cross-correlations based on the location of the highest peak will predict a jump of 19.7 ns, which is equivalent to the unrealistic positive strain jump of 18.64 $\mu\epsilon$, clearly representing an outlier.

outliers. Even in the regions of higher outlier density, especially near regions of high slew rates of the signal, at least 3 out of 5 of every successive samples comprise good estimates, so a 5-point median filtering strategy proves sufficient. Due to the overscan rate, replacing our 5-point median filter by a 7-point one changes the recovered signal by a normalized rms difference of less than 10^{-3} .

Referring now to Eq. (7), and using the values of the relevant experimental parameters, we find that the maximum




Fig. 3. Strain results for a 50 Hz, 1190 $\mu\epsilon$ (peak-to-peak) vibration experiment. Top: The incremental strain differentials, $\{\Delta\epsilon_i\}$, quite populated with isolated outliers, which were removed by 5-point median filtering (middle frame). Integrating the now cleaned differential strains result in the measured strain of the bottom curve.

recommended change of strain between consecutive scans is $\Delta\epsilon \leq 1 \mu\epsilon$ (for $\alpha = 0.03$ of Eq. (7)). With our scan rate of 200 kHz, the maximum change of our 50 Hz, 1190 $\mu\epsilon$ strain signal between consecutive scans is 1 $\mu\epsilon$, thereby complying with Eq. (7) constraint but very close to its limit.

A 3D map showing the strain as a function of both distance and time appears in Fig. 4, displaying some same-time, distance-dependent non-uniformities. Note that these non-uniformities could be an additional source of outliers. Indeed, since the sub-traces used for the cross-correlations make use of points over a $\sim V_g\tau_w/2$ -long distance, spatial non-uniformities that may also depend on time (e.g., strain gradients within the sub-trace) may spoil the theoretically expected shift symmetry of consecutive traces, thereby giving rise to outliers.

Three Power Spectral Densities (PSD), calculated via Hanning-weighted periodograms, [42], appear in Fig. 5. The top one is that of the measured strain of Fig. 3. The low and rather flat bottom curve represents the PSD of strain noise at a *non-vibrating* point along the fiber, where due to the low




Fig. 4. Strain results for the 50 Hz, 1190 $\mu\epsilon$ vibration experiment as a function of both time and distance, demonstrating the distributed nature of this dynamic technique.




Fig. 5. Hanning window based Periodograms. Bottom: Spectral analysis of the strain signal from a non-vibrating point, without resorting to reference updates, see text. Middle curve: Same data as for the bottom curve but processed with incremental updates. Top: Spectral analysis of the signal of Fig. 3. Spectral resolution is limited by the 160 msec record length. The noise level at 50 Hz is estimated (from the top curve) to be $0.1 \mu\epsilon/\sqrt{\text{Hz}}$.

amplitude of the signal, an initial reference trace could successfully be cross-correlated with all subsequent traces (A detailed analysis of the noise-floor and strain resolution for this technique is detailed in [36]). The same non-vibrating-point strain could be also estimated by our method of integrating incremental contributions, $\{\Delta\epsilon_i\}$, this time by making the $(i-1)$ -th trace the reference for the i -th one. The PSD of the resulting $\epsilon(t)$ strain for the same non-vibrating point appears as the middle curve in Fig. 5, displaying the expected $1/f^2$ noise accumulation during the integration process [32]. Going now to the top curve, representing the PSD of our 50 Hz, 1190 $\mu\epsilon$ signal, we observe that its associated noise has a frequency dependence similar to that of the middle curve, hinting to the penalty the method suffers from noise accumulation leading to an estimated noise level of $0.1 \mu\epsilon/\sqrt{\text{Hz}}$ at 50 Hz, and lower at higher frequencies. While the higher noise level in the presence of the signal is still under investigation, we suspect it may relate to the reason behind Eq. (7), [32]: too large strain differences between consecutive scans lead to their correlation being calculated between scattered signals from fiber sections that are too non-overlapping, eventually leading to indistinct correlation peaks and outliers. But even when (7) is obeyed, the larger the signal the less the overlap and the more noisy is the spectrum. Additionally, insufficient removal of the effect of the outliers may also contribute. Note




Fig. 6. Results for experiments with vibrations of {200 Hz, 250 $\mu\epsilon$ } and {400 Hz, 150 $\mu\epsilon$ }.

that for much lower strain levels, sensitivity been shown to be as low as $10^{-12} \epsilon/\sqrt{\text{Hz}}$, [36].

Nevertheless, Figs. 3 and 5 present quite clean strain traces. Since the noise appears to be signal-dependent, it is difficult to give an accurate estimate of its signal-to-noise-ratio (SNR). Based on: (i) the power of the signal in the bottom curve of Fig. 3; (ii) the power of the no-signal noise (middle curve of Fig. 5); and (iii) the observation that this noise lies 25–30 dB below the top curve of Fig. 5, we roughly estimate the SNR of the 50 Hz signal to be better than 40 dB. Harmonic rejection is seen to exceed 28 dB (Fig. 5), attesting to the linearity of the CP- Φ OTDR technique when measuring a large ($>1000 \mu\epsilon$) dynamic signal.

Attempts to move to significantly higher strain amplitudes at 50 Hz, i.e., higher slew rate, failed due to the high probability of outliers, apparently as a results of disobeying Eq. (7). Lowering the vibration amplitude made it possible to measure faster (200 and 400 Hz) vibrations, as shown in Fig. 6, using the same median filtering procedure. The slew rates of these signal are approximately the same as in Fig. 3.

V. CONCLUSIONS

We have shown for the first time the measurement of *large dynamic* strains using CP- Φ OTDR over a 210-meter fiber with a spatial resolution of ~ 3.5 -meter. To successfully measure large strains (1190 $\mu\epsilon$ @ 50 Hz, 250 $\mu\epsilon$ @ 200 Hz, and 150 $\mu\epsilon$ @ 400 Hz), continuous reference updating has been employed. This was required in order to ensure accurate time-delay estimations, as there is a limit to the frequency-shift, that may be accurately measured from shot to shot for a given chirp bandwidth. By updating the reference, we achieved a measurement of differential time-delays, which may then be converted into differential strains. Integrating the differential strain signal for a given position then yields the relative strain measurement over time. To work well for signals with high gradients (resulting from large amplitudes and/or high frequencies), sampling rates much higher than those required by the Nyquist criterion must be used: Here, 200 kHz for the above-mentioned, much slower signals.

We also show that sparse outliers, obtained from this method of interrogation, may be readily removed by median filtering of the differential strains. The appearance of outliers seems to be statistically driven [40], with increased probabilities for

occurrence when larger frequency shifts relative to the chirp bandwidth are encountered. These outliers may also be related to non-homogeneities in the perturbation along the correlation window, or extremely low SNR.

Median filtering will have negligible effect on signal integrity as long as the sampling rate is much higher than the signal bandwidth, regardless of the temporal shape of the signal.

Though vastly increasing the range of dynamic strain measurements, the consecutive updating of the reference for the calculation of the strain differentials accumulates errors, characterized by a $1/f^2$ spectral shape. Like the number of outliers, these errors tend to magnify as the signal slew-rate increases. It also appears that the noise is signal-dependent. This characteristic of the method, as well as its linearity, sensitivity and resolution, as a function all relevant parameters, are currently under study.

Hitting the fiber with a wideband, multi-GHz signal raises the issue of the influence of chromatic dispersion, which controls the propagation of the spectrum $\mathfrak{S}(E_{chirp}(t))$ of the incident signal, Eq. (10), by the multiplicative factor $\exp[j0.5\beta_2(\omega - \omega_0)^2z]$, with $\beta_2 = -20 \text{ ps}^2\text{km}^{-1}$ at around 1550 nm for silica-based single mode fibers, [43]. Interestingly, for $\delta\nu \cdot \tau_p \gg 1$, $\mathfrak{S}(E_{chirp}(t))$ is proportional to $\exp[-j\tau_p/(4\Delta\omega)(\omega - \omega_0)^2] \cdot \text{rect}[(\omega - \omega_0)/\Delta\omega]$, where $\Delta\omega = 2\pi B$. Thus, chromatic dispersion only modifies the coefficient of the quadratic term, $(\omega - \omega_0)^2$, maintaining the chirp character of the signal and just affects the pulse width. Substituting the relevant values from our experiment shows that the chromatic dispersion-induced contribution to the coefficient of the quadratic frequency term is 4 orders of magnitude smaller than that of the applied chirp, and thus can be considered negligible.

We believe this experiment paves the way to new applications, where there is a need for dynamic interrogation, in fields such as aeronautics and structural health monitoring. New research should be done in search of better post-processing methods for the reduction of the accumulated error and removal of the outliers.

REFERENCES

- [1] A. H. Hartog, *An Introduction to Distributed Optical Fibre Sensors*. Boca Raton, FL, USA: CRC Press, 2018.
- [2] D. A. Krohn and T. W. MacDougall, *Fiber Optic Sensors: Fundamentals and Applications*. Bellingham, WA, USA: SPIE, 2015.
- [3] C. Boller and F.-K. Chang, *Encyclopedia of Structural Health Monitoring*. Hoboken, NJ, USA: Wiley, 2009.
- [4] A. Motil, A. Bergman, and M. Tur, "State of the art of Brillouin fiber-optic distributed sensing," *Opt. Laser Technol.*, vol. 78, pp. 81–103, 2016.
- [5] D. Zhou *et al.*, "Single-shot BOTDA based on an optical chirp chain probe wave for distributed ultrafast measurement," *Light, Sci. Appl.*, vol. 7, 2018, Art. no. 32.
- [6] H. Zhang *et al.*, "Recent progress in fast distributed Brillouin optical fiber sensing," *Appl. Sci.*, vol. 8, 2018, Art. no. 1820.
- [7] B. Li, L. Luo, Y. Yu, K. Soga, and J. Yan, "Dynamic strain measurement using small gain stimulated Brillouin scattering in STFT-BOTDR," *IEEE Sens. J.*, vol. 17, no. 9, pp. 2718–2724, May 2017.
- [8] M. Rothhardt, M. Becker, C. Chojetzki, E. Lindner, and H. Bartelt, "Fabrication and applications of Draw Tower Gratings," in *Proc. Photon. Fiber Technol.*, 2016, Paper BTh1B.1.
- [9] B. A. Childers *et al.*, "Use of 3000 Bragg grating strain sensors distributed on four 8-m optical fibers during static load tests of a composite structure," *Proc. SPIE*, 2001. [Online]. Available: <http://dx.doi.org/10.1117/12.429650>
- [10] M. K. Barnoski and S. M. Jensen, "Fiber waveguides: A novel technique for investigating attenuation characteristics," *Appl. Opt.*, vol. 15, pp. 2112–2115, 1976.
- [11] C. E. Lee and H. F. Taylor, "Apparatus and method for fiber optic intrusion sensing," U.S. Patent 5 194 847, Mar. 16, 1993.
- [12] J. C. Juarez, E. W. Maier, K. N. Choi, and H. F. Taylor, "Distributed fiber optic intrusion sensor system," *J. Lightw. Technol.*, vol. 23, no. 6, pp. 2081–2087, Jun. 2005.
- [13] Y. L. Lu, T. Zhu, L. A. Chen, and X. Y. Bao, "Distributed vibration sensor based on coherent detection of phase-OTDR," *J. Lightw. Technol.*, vol. 28, no. 22, pp. 3243–3249, Nov. 2010.
- [14] G. Z. Qin, T. Zhu, L. Chen, and X. Y. Bao, "High sensitivity distributed vibration sensor based on polarization-maintaining configurations of phase-OTDR," *IEEE Photon. Technol. Lett.*, vol. 23, no. 15, pp. 1091–1093, Aug. 2011.
- [15] J. P. Dakin and C. Lamb, "Distributed fibre optic sensor system," U.S. Patent G B22 222 47A, 1990.
- [16] J. Posey, G. A. Johnson, and S. T. Vohra, "Strain sensing based on coherent Rayleigh scattering in an optical fibre," *Electron. Lett.*, vol. 36, pp. 1688–1689, 2000.
- [17] S. J. Russell, J. P. W. Hayward, and A. B. B. Lewis, "Method and apparatus for acoustic sensing using multiple optical pulses," U.S. Patent G B24 427 45B, 2008.
- [18] A. Masoudi, M. Belal, and T. P. Newson, "A distributed optical fibre dynamic strain sensor based on phase-OTDR," *Meas. Sci. Technol.*, vol. 24, no. 8, 2013. [Online]. Available: <https://doi.org/10.1088/0957-0233/24/8/085204>
- [19] A. Masoudi and T. P. Newson, "High spatial resolution distributed optical fiber dynamic strain sensor with enhanced frequency and strain resolution," *Opt. Lett.*, vol. 42, pp. 290–293, 2017.
- [20] Z. Pan, K. Liang, Q. Ye, H. Cai, R. Qu, and Z. Fang, "Phase-sensitive OTDR system based on digital coherent detection," in *Optical Sensors and Biophotonics*, vol. 8311, J. Popp, D. Matthews, J. Tian, and C. Yang, Eds. Bellingham, WA, USA: SPIE, 2011.
- [21] A. H. Hartog, and K. Kader, "Distributed fiber optic sensor system with improved linearity," U.S. Patent 917 014 9B2, 2012.
- [22] Y. Muanenda, "Recent advances in distributed acoustic sensing based on phase-sensitive optical time domain reflectometry," *J. Sensors*, vol. 2018, 2018, Art. no. 3897873. [Online]. Available: <https://doi.org/10.1155/2018/3897873>
- [23] M. Froggatt and J. Moore, "High-spatial-resolution distributed strain measurement in optical fiber with Rayleigh scatter," *Appl. Opt.*, vol. 37, pp. 1735–1740, 1998.
- [24] S. T. Kreger, J. W. Klein, N. A. A. Rahim, and J. J. Bos, "Distributed Rayleigh scatter dynamic strain sensing above the scan rate with optical frequency domain reflectometry," *Proc. SPIE*, vol. 9480, 2015. [Online]. Available: <https://doi.org/10.1117/12.2177578>
- [25] D. P. Zhou, L. Chen, and X. Bao, "Distributed dynamic strain measurement using optical frequency-domain reflectometry," *Appl. Opt.*, vol. 55, pp. 6735–6739, 2016.
- [26] Y. Koyamada, M. Imahama, K. Kubota, and K. Hogari, "Fiber-optic distributed strain and temperature sensing with very high measure and resolution over long range using coherent OTDR," *J. Lightw. Technol.*, vol. 27, no. 9, pp. 1142–1146, May 2009.
- [27] S. Liehr, Y. S. Muanenda, S. Münzenberger, and K. Krebber, "Relative change measurement quantities using dual-wavelength coherent OTDR," *Opt. Express*, vol. 25, no. 2, pp. 720–729, 2017.
- [28] S. Liehr, S. Münzenberger, and K. Krebber, "Wavelength-scanning coherent OTDR for dynamic high strain resolution sensing," *Opt. Express*, vol. 26, no. 8, pp. 10573–10588, 2018.
- [29] L. Zhou *et al.*, "Distributed strain and vibration sensing system based on phase-sensitive OTDR," *IEEE Photon. Technol. Lett.*, vol. 27, no. 17, pp. 1884–1887, Sep. 2015.
- [30] M. A. Soto, X. Lu, H. F. Martins, M. Gonzalez-Herraez, and L. Thévenaz, "Distributed phase birefringence measurements based on polarization correlation in phase-sensitive optical time-domain reflectometers," *Opt. Express*, vol. 23, no. 19, pp. 24923–24936, 2015.
- [31] A. Masoudi and T. P. Newson, "Contributed review: Distributed optical fibre dynamic strain sensing," *Rev. Sci. Instrum.*, vol. 87, no. 1, 2016, Art. no. 011501.
- [32] J. Pastor-Graells, H. F. Martins, A. Garcia-Ruiz, S. Martin-Lopez, and M. Gonzalez-Herraez, "Single-shot distributed temperature and strain tracking using direct detection phase-sensitive OTDR with chirped pulses," *Opt. Express*, vol. 24, no. 12, pp. 13121–13133, 2016.

- [33] M. R. Fernandez-Ruiz, J. Pastor-Graells, H. F. Martins, A. Garcia-Ruiz, S. Martin-Lopez, and M. Gonzalez-Herraez, "Laser phase-noise cancellation in chirped-pulse distributed acoustic sensors," *J. Lightw. Technol.*, vol. 36, no. 4, pp. 979–985, Feb. 2018.
- [34] J. Xiong, Z. Wang, Y. Wu, Y. Chen, J. Li, and Y. Rao, "High performance CP- Φ OTDR utilizing the negative band," in *Proc. 26th Int. Conf. Opt. Fiber Sensors*, 2018, Paper FB5.
- [35] L. Costa, H. F. Martins, S. Martin-Lopez, M. R. Fernández-Ruiz, and M. Gonzalez-Herraez, "Reaching $p\epsilon/\sqrt{\text{Hz}}$ sensitivity in a distributed optical fiber strain sensor," in *Proc. 26th Int. Conf. Opt. Fiber Sensors*, 2018, Paper TuD3.
- [36] L. Costa, H. F. Martins, S. Martin-Lopez, M. R. Fernández-Ruiz, and M. Gonzalez-Herraez, "Fully distributed optical fiber strain sensor with $10^{-12} \mu\epsilon/\sqrt{\text{Hz}}$ sensitivity," *J. Lightw. Technol.*, to be published, doi: [10.1109/JLT.2019.2904560](https://doi.org/10.1109/JLT.2019.2904560).
- [37] H. D. Bhatta *et al.*, "Extending the measurement of true dynamic strain via chirped-pulse phase-sensitive optical time domain reflectometry to 100's of microstrains," in *Proc. 26th Int. Conf. Opt. Fiber Sensors*, 2018, Paper WF14.
- [38] G. Jacovitti and G. Scarano, "Discrete time techniques for time delay estimation," *IEEE Trans. Signal Process.*, vol. 41, no. 2, pp. 525–533, Feb. 1993.
- [39] L. Zhang, L. D. Costa, Z. Yang, M. A. Soto, M. Gonzalez-Herraez, and L. Thevenaz, "Analysis and reduction of large errors in Rayleigh-based distributed sensor," *J. Lightw. Technol.*, to be published, doi: [10.1109/JLT.2019.2917746](https://doi.org/10.1109/JLT.2019.2917746).
- [40] J. Ianniello, "Time delay estimation via cross-correlation in the presence of large estimation errors," *IEEE Trans. Acoust., Speech, Signal Process.*, vol. ASSP-30, no. 6, pp. 998–1003, Dec. 1982.
- [41] O. Shlomovits, T. Langer, and M. Tur, "The effect of source phase noise on stimulated Brillouin amplification," *J. Lightw. Technol.*, vol. 33, no. 12, pp. 2639–2645, Jun. 2015.
- [42] A. Oppenheim and R. Shafer, *Discrete-Time Signal Processing*, 3rd ed. Englewood Cliffs, NJ, USA: Prentice-Hall, 2014.
- [43] G. Agrawal, *Nonlinear Fiber Optics*. New York, NY, USA: Academic, 2013.

Hari Datta Bhatta received the B.E. degree in electronics and communication from Kantipur Engineering College (Tribhuvan University), Nepal, in 2006, and the M.Sc. degree in lasers and photonics from Ruhr University Bochum, Germany, in 2016. Since 2017, he has been working toward the Ph.D. degree with the School of Electrical Engineering, Tel Aviv University, Israel. During his Ph.D. studies, he has also performed short-term fiber-optic sensing research with the University of Alcalá, Spain, and with Ecole Polytechnique Federal de Lausanne, Switzerland. His research at Tel-Aviv University is focused on Brillouin-based fiber-optic dynamic and distributed sensing.

Luis Costa received the M.Sc. degree in engineering physics from the University of Porto, Porto, Portugal, in 2015. He is currently a Doctoral Research Fellow with the Photonics Engineering Group, University of Alcalá, Alcalá de Henares, Spain. His research activities focus on the research and development of postprocessing methods for the improvement of distributed acoustic sensing systems.

Andres Garcia-Ruiz received the physics degree from the University of Salamanca, Salamanca, Spain, in 2013. He is currently working toward the Ph.D. degree with the Photonics Engineering Group (GRIFO), University of Alcalá, Alcalá de Henares, Spain. His main area of research covers distributed fiber optic sensors and their applications.

Maria R. Fernandez-Ruiz received the Ph.D. degree in telecommunications from the University of Quebec, Quebec City, QC, Canada, in 2016. She is currently a Postdoctoral Research Fellow with the Photonics Engineering Group, University of Alcalá, Alcalá de Henares, Spain. Her research activities focus on the development of novel techniques for enhancing the performance (resolution, range) of distributed optical sensing systems, and simple and efficient techniques for characterization of complex-envelope optical signals.

Hugo F. Martins received the Ph.D. degree in physics under jointly-awarded Ph.D. program from the University of Porto, Porto, Portugal, and the University of Alcalá, Alcalá de Henares, Spain, in 2014. The topic of the doctoral dissertation was the use of Raman Effect to assist distributed and remote fiber sensing.

He is currently associated with Instituto de Óptica "Daza de Valdés," Madrid, Spain. He is an author or coauthor of more than 60 papers in international refereed journals and conference contributions. His research career is mainly focused on distributed optical fiber sensing, mainly the use of phase-sensitive optical time-domain reflectometry for distributed vibration/intrusions and temperature/strain detection along large structures/perimeters.

Dr. Martins has received several important scientific recognitions, including the award of best Ph.D. thesis in optics and photonics of 2014 in Portugal by the "Sociedade Portuguesa de Óptica e Fotónica" (Portuguese Society of Optics and Photonics).

Moshe Tur (F'98–LF'17) received the B.Sc. degree in mathematics and physics from Hebrew University, Jerusalem, Israel, in 1969, the M.Sc. degree in applied physics from the Weizmann Institute of Science, Rehovot, Israel, in 1973, and the Ph.D. degree from Tel-Aviv University, Tel-Aviv, Israel, in 1981.

After spending two years with Stanford University (Information Systems Laboratory and Ginzton Laboratory), researching innovative fiber-optic technologies, he joined in 1983 the Faculty of Engineering, Tel-Aviv University, where he is presently the Gordon Professor (Emeritus) of Electrical Engineering with the School of Electrical Engineering. There, he has established an advanced fiber-optic sensing and communication laboratory. He has authored or coauthored more than 680 journal and conference technical papers with emphasis on fiber-optic sensing (mainly in structural health monitoring, using fiber Bragg gratings and the Brillouin and Rayleigh effects), advanced fiber-optic communication systems, as well as on polarization mode dispersion and microwave photonics. He also holds ten issued patents and a few patent applications. He has been involved in many international collaborations with leading universities world-wide, and also participated in a number of European Projects and activities: INCO, SENARIO (Structural Health Monitoring), SARISTU (Structural Health Monitoring), COST-299, COST-TD1001, and Horizon 2020 ITN-FINESSE.

Dr. Tur became a Fellow of OSA (the Optical Society of America) in 1998. In September 2018, he was the recipient of a Life-Time Achievement Award by the International Optical Fibre Sensor Community for his outstanding contributions.

Miguel Gonzalez-Herraez received the M.Eng. and D.Eng. degrees from the Polytechnic University of Madrid, Madrid, Spain, in 2000 and 2004, respectively. While working toward the D.Eng. degree, he worked first as a Research Assistant and then as a Postdoctoral Fellow with the Applied Physics Institute, Spanish Council for Research, Madrid, Spain, and had several long stays at Nanophotonics and Metrology Laboratory, the Swiss Federal Institute of Technology of Lausanne, Switzerland. In October 2004, he was appointed an Assistant Professor with the Department of Electronics, University of Alcalá, Alcalá de Henares, Spain, where he was promoted to an Associate Professor in June 2006, and to the Full Professor in January 2018. His research interest focuses on the wide field of nonlinear interactions in optical fibers.