

Received December 20, 2018, accepted January 21, 2019, date of publication January 25, 2019, date of current version February 12, 2019.

Digital Object Identifier 10.1109/ACCESS.2019.2895162

# **Attribute Control Chart Using the Repetitive Sampling Under Neutrosophic System**

# MUHAMMAD ASLAM®

Department of Statistics, Faculty of Science, King Abdulaziz University, Jeddah 21551, Saudi Arabia e-mail: aslam ravian@hotmail.com

This work was supported by the Deanship of Scientific Research (DSR), King Abdulaziz University, Jeddah, under Grant 130-45-D1440.

**ABSTRACT** In this paper, an attribute control chart using the repetitive sampling under the neutrosophic statistics system is discussed. The necessary measures of the proposed control chart under the neutrosophic statistics system are given. The control chart coefficients of the proposed control chart are determined using an algorithm under neutrosophic statistics system. The efficiency of the proposed control chart in terms of neutrosophic average run length is discussed over the existing control chart under neutrosophic statistics system. From the comparison studies, it is found that the proposed control chart under neutrosophic statistics system is more sensitive in detecting a shift in the process as compared with the existing control chart under neutrosophic statistics system. An industrial application of the proposed control chart under neutrosophic statistics system is also given.

INDEX TERMS Attribute chart, average run length, control chart, neutrosophic logic, shift.

# I. INTRODUCTION

The Shewhart control charts have been widely used in the industry to monitor the controlling the number of nonconforming items or defective items during the manufacturing process. The Shewhart control chart consists of three control limits are known as upper control limit (UCL), lower control limit (LCL) and the central limit (CL). A process is declared as out-of-control if the plotting statistic exceed the LCL or UCL. The control charts help to keep the process near the CL and minimize the non-conforming items. The Shewhart X-bar control chart is applied when the data is continuous and Shewhart np control chart is used when data is discrete. The X-bar control chart is more informative than the attribute control chart. However, the earlier control chart cannot be applied when the purpose is monitoring of nonconforming items. In addition, the np-control chart is quite simple and easy to apply in the industry. Further, as mentioned by [1], the attribute control chart can also be applied when the quality of interest is categorical. However, fuzzy approach [2] has the ability to monitor more than one quality characteristics simultaneously.

The fuzzy logic is applied when the parameters or the observations are imprecise or unclear. The fuzzy attribute control charts can be applied to monitor the categorical characteristics in indeterminacy environment. According to [3] "Due to the emphasis on the user's feelings and psychological

factors, there are many fuzzy attributes of quality from the fitness-for-use viewpoint. As a result, there are not only two distinct judgments (applicable or inapplicable) when evaluating the quality from a fitness point of view. In this sense, considering the fuzzy property of fitness-for-use quality is more practical". The fuzzy chart for monitoring attribute data was proposed by [4]. The economic aspects of fuzzy attribute chart were considered by [5]. The application of such fuzzy charts is given by [6] and [7]. Later on, [8], [9], and [10] designed charts to monitor imprecise data. The fuzzy charts using weighted average methods was considered by [2] and [11]. The range chart was proposed by [12]. A detailed discussion and applications can be seen in [2], [3], and [13]–[24].

Reference [25] proposed the repetitive sampling which is used when there is no decision on the information of the first sample. This sampling found to be more efficient than the single sampling scheme in average sample number (ASN) and average run length (ARL). A rich literature is available on the repetitive sampling in the area of acceptance sampling and the control charts. The control chart based on the process capability index (PCI) using this sampling was considered by [26]. Reference [27] worked on an attribute and variable charts using this sampling scheme. A detailed discussion and applications of charts using the repetitive sampling can be seen in [28]–[33].



According to [34] "A logic in which each proposition is estimated to have the percentage of truth in a subset T, the percentage of indeterminacy in a subset I, and the percentage of falsity in a subset F, where T, I, F are defined above, is called Neutrosophic Logic (NL)". The NL is the extension of the traditional fuzzy approach. Therefore, the neutrosophic statistics (NS) is untiled the NL is the generalization of the classical statistics. The NS is applied when the data is ambiguous, vague and uncertain. Reference [35] and [36] introduced neutrosophic numbers in rock engineering. Reference [37]–[40] introduced the NS in acceptance sampling plans. Reference [41] introduced the NS in the area of control chart. The variance of proposed chart using the NS was proposed by [42]. Reference [43] proposed the chart to monitor failure censored reliability using the NS.

According to the best of our knowledge, there is no work on attribute control chart using repetitive sampling under the NS. In this paper, an attribute control chart using the repetitive sampling under the neutrosophic statistics system is discussed. The necessary measures of the proposed control chart under the neutrosophic statistics system are given. The control chart coefficients of the proposed control chart are determined using an algorithm under neutrosophic statistics system. The efficiency of the proposed control chart in terms of neutrosophic average run length (NARL) is discussed over the existing control chart under neutrosophic statistics system. From the comparison studies, it is found that the proposed control chart under neutrosophic statistics system is more sensitive in detecting a shift in the process as compared to the existing control chart under neutrosophic statistics system. An industrial application of the proposed control chart under neutrosophic statistics system is also given.

## II. DESIGN OF CHART USING THE NS

Let  $n_N \in \{n_L, n_U\}$  be a neutrosophic random sample is taken from the population having some uncertain observations,  $D_N \in \{D_L, D_U\}$  be neutrosophic defective values recorded from  $n_N \in \{n_L, n_U\}$  and  $p_N \in \{p_L, p_U\}$  be the neutrosophic probability of non-conforming items. Based on this information, [41] defined the following form of the neutrosophic binomial distribution

$$\sum_{d_{N}=|LCL_{N}|+1}^{|UCL_{N}|} {n \choose d_{N}} p_{N}^{d_{N}} (1-p_{N})^{n-d_{N}}, \quad d_{N}=0, 1, \dots, n;$$

$$d_{N} \in \{d_{L}, d_{U}\}, \quad p_{N} \in \{p_{L}, p_{U}\}$$
 (1)

where |y| denotes the positive integer values.

We propose the following attribute control chart using the repetitive sampling under the neutrosophic statistical interval method (NSIM).

Step-1: Record the number of non-conforming items  $D_N \in \{D_L, D_U\}$  from  $n_N \in \{n_L, n_U\}$ .

Step-2: If  $LCL_{N2} \leq D_N \leq UCL_{N2}$ ; the process is an incontrol state. Note here that  $LCL_{N2} \in \{LCL_{L2}, LCL_{U2}\}$  and  $UCL_{N2} \in \{UCL_{L2}, UCL_{U2}\}$  are inner neutrosophic lower limits and neutrosophic upper limits, respectively.

Step-3: If  $D_N \ge UCL_{N1}$  or  $D_N \le LCL_{N1}$ ; the process is declared as out-of-control. Note here that  $LCL_{N1} \in \{LCL_{L1}, LCL_{U1}\}$  and  $UCL_{N1} \in \{UCL_{L1}, UCL_{U1}\}$  are outer neutrosophic lower limits and neutrosophic upper limits, respectively.

The proposed attribute control chart is the generalization of several control charts. For example, the proposed control chart reduces to [41] under the NS when no repetitive sampling is needed. The proposed control chart also reduces to [27] when no uncertain observations or parameters are noted in the data. The neutrosophic in-control control limits for the proposed chart are given by

$$UCL_{N1} = np_{N0} + k_{N1}\sqrt{np_{N0}(1 - p_{N0})};$$

$$p_{N0} \in \{p_{L0}, p_{U0}\}, \quad k_{N1} \in \{k_{L1}, k_{U1}\} \quad (2)$$

$$UCL_{N2} = np_{N0} + k_{N2}\sqrt{np_{N0}(1 - p_{N0})};$$

$$p_{N0} \in \{p_{L0}, p_{U0}\}, \quad k_{N2} \in \{k_{L2}, k_{U2}\} \quad (3)$$

$$LCL_{N1} = np_{N0} - k_{N1}\sqrt{np_{N0}(1 - p_{N0})};$$

$$p_{N0} \in \{p_{L0}, p_{U0}\}, \quad k_{N1} \in \{k_{L1}, k_{U1}\} \quad (4)$$

$$LCL_{N2} = np_{N0} - k_{N2}\sqrt{np_{N0}(1 - p_{N0})};$$

$$p_{N0} \in \{p_{L0}, p_{U0}\}, \quad k_{N2} \in \{k_{L2}, k_{U2}\} \quad (5)$$

Note here that  $k_{N1} \in \{k_{L1}, k_{U1}\}$  and  $k_{N2} \in \{k_{L2}, k_{U2}\}$  are the neutrosophic coefficients. Now, we derive the necessary measures to assess the performance of the proposed attribute control chart when the process is in-control state at  $p_{N0} \in \{p_{L0}, p_{U0},\}$ . According to the above-mentioned attribute control chart, the process will be out-of-control at the first sample when  $D_N \geq UCL_{N1}$  or  $D_N \leq LCL_{N1}$ . Therefore, the neutrosophic probability that the process is in-control, say  $P_{\text{in}N1}^0$  at first sample is given by

$$P_{\text{inN1}}^{0} = P\{LCL_{N1} \le D_{N} \le LCL_{N1} | p_{N0}\}$$
 (6)

Using Eq. (1), it can be written as follows

$$P_{\text{inN1}}^{0} = \sum_{d_{N} = |\text{LCL}_{\text{N1}}|+1}^{|\text{UCL}_{\text{N1}}|+1} \binom{n}{d_{N}} p_{N0}^{d_{N}} (1 - p_{N0})^{n - d_{N}};$$

$$d_{\text{N}} = 0, 1, \dots, n; \quad d_{N} \in \{d_{L}, d_{U}\},$$

$$p_{N0} \in \{p_{L0}, p_{U0}\}, \quad UCL_{N1} \in \{UCL_{L1}, UCL_{U1}\};$$

$$LCL_{N1} \in \{LCL_{L1}, LCL_{U1}\}$$
(7)

In case, when there is no decision about the state of the process at the first sample, the operational process of the control chart will be repeated. The probability of the repetition, say  $P_{reptN}^0$  is given by

$$P_{repN}^{0} = \sum_{d_{N}=|\text{UCL}_{N2}|+1}^{UCL_{N1}} \binom{n}{d_{N}} p_{N0}^{d_{N}} (1 - p_{N0})^{n - d_{N}} + \sum_{d_{N}=|\text{LCL}_{N1}|+1}^{LCL_{N2}} \binom{n}{d_{N}} p_{N0}^{d_{N}} (1 - p_{N0})^{n - d_{N}};$$

$$UCL_{N1} \in \{UCL_{L1}, UCL_{U1}\},$$

$$LCL_{N1} \in \{LCL_{L1}, LCL_{U1}\},$$

$$UCL_{N2} \in \{UCL_{L2}, UCL_{U2}\},$$

$$LCL_{N2} \in \{LCL_{L2}, LCL_{U2}\}$$
(8)



**TABLE 1.** The NARL when  $n_N \in [50, 50]$ .

	NARL <sub>N0</sub> =300	NARL <sub>N0</sub> =370	
$k_N$	[3.80810797, 0.10773763),(	[(3.4805580, 0.05542655),	
	2.8508100, 0.02145566)]	(3.4521577, 0.09645442)]	
$p_{N0}$	[0.0292,0.142]	[0.0379,0.028]	
С	ARL <sub>N1</sub>	ARL <sub>N1</sub>	
0	[304.41, 319.69]	[372.15, 374.49]	
0.01	[289.89, 290.00]	[352.07, 356.48]	
0.02	[276.23, 263.46]	[333.31, 339.53]	
0.05	[239.78, 199.26]	[283.92, 294.37]	
0.08	[209.16, 152.59]	[243.22, 256.45]	
0.1	[191.43, 128.56]	[220.04, 234.53]	
0.2	[126.43, 58.58]	[137.77, 154.27]	
0.3	[86.98, 29.56]	[90.47, 105.73]	
0.4	[61.94, 16.22]	[61.85, 75.01]	
0.5	[45.43, 9.51]	[43.76, 54.82]	
0.8	[20.59, 2.53]	[18.20, 24.61]	
0.9	[16.40, 1.73]	[14.17, 19.56]	
0.95	[14.73, 1.44]	[12.58, 17.54]	
1.0	[13.27, 1.20]	[11.22, 15.78]	
1.5	[5.43, 1]	[4.21, 6.40]	
2.0	[2.68, 1]	[1.94, 3.15]	

The neutrosophic probability that the process is in-control state using the repetitive sampling is given by

$$P_{inN}^{0} = \frac{P_{inN1}^{0}}{1 - P_{ientN}^{0}}; \quad P_{inN}^{0} \in \left\{ P_{inL}^{0}, P_{inU}^{0} \right\}$$
(9)

The neutrosophic average run length (NARL) when the process is at  $p_{N0} \in \{p_{L0}, p_{U0}, \}$  is defined by

$$NARL_{N0} = \frac{1}{1 - \left\{\frac{P_{\text{inNI}}^{0}}{1 - P_{\text{reptN}}^{0}}\right\}};$$

$$NARL_{N0} \in \{NARL_{NL}, NARL_{NU}\} \quad (10)$$

We now derive the necessary measures when the process is shifted from in-control state to out-of-control state due to some uncountable factors. Suppose  $p_{N1} = (1+c)p_{N0}$   $p_{N1} \in \{p_{L1}, p_{U1}\}$  denote the neutrosophic percent defective at the shifted process, where c is shift constant. Therefore, the neutrosophic probability that the process is in-control at  $p_{N1} \in \{p_{L1}, p_{U1}\}$ , say  $P_{i_{N1}}^1$  at first sample is given by

$$P_{\text{inN1}}^{0} = P\{LCL_{N1} \le D_{N} \le LCL_{N1}|p_{N0}\}$$
 (11)

Using Eq. (1), it can be written as follows

$$P_{\text{inN1}}^{1} = \sum_{d_{N} = |\text{LCL}_{\text{N1}}|+1}^{|\text{UCL}_{\text{N1}}|} \binom{n}{d_{N}} p_{N1}^{d_{N}} (1 - p_{N1})^{n - d_{N}};$$

$$d_{N} = 0, 1, \dots, n; \quad d_{N} \in \{d_{L}, d_{U}\},$$

$$p_{N1} \in \{p_{L1}, p_{U1}\}, \quad UCL_{N1} \in \{UCL_{L1}, UCL_{U1}\};$$

$$LCL_{N1} \in \{LCL_{L1}, LCL_{U1}\}$$
(12)

In case, when there is no decision about the state of the process at the first sample, the operational process of the control

chart will be repeated. The probability of the repetition, say  $P_{reptN}^1$  is given by

$$P_{repN}^{1} = \sum_{d_{N}=|\text{UCL}_{N2}|+1}^{UCL_{N1}} \binom{n}{d_{N}} p_{N1}^{d_{N}} (1-p_{N1})^{n-d_{N}} + \sum_{d_{N}=|\text{LCL}_{N1}|+1}^{LCL_{N2}} \binom{n}{d_{N}} p_{N1}^{d_{N}} (1-p_{N1})^{n-d_{N}};$$

$$UCL_{N1} \in \{UCL_{L1}, UCL_{U1}\};$$

$$LCL_{N1} \in \{LCL_{L1}, LCL_{U1}\}$$
(13)

The neutrosophic probability that the process is incontrol state using the repetitive sampling is given by

$$P_{inN}^{1} = \frac{P_{inN1}^{1}}{1 - P_{ientN}^{1}}; \quad P_{inN}^{1} \in \left\{P_{inL}^{1}, P_{inU}^{1}\right\}$$
 (14)

The neutrosophic average run length (NARL) when the process is at  $p_{N1} \in \{p_{L1}, p_{U1}, \}$  is defined by

$$NARL_{N1} = \frac{1}{1 - \left\{ \frac{P_{\text{inN1}}^{1}}{1 - P_{\text{reptN}}^{1}} \right\}};$$

$$NARL_{N1} \in \{NARL_{NL}, NARL_{NU}\}$$
 (15)

Suppose that  $r_{0N} \in \{r_{0L}, r_{0U}\}$  denotes the pre-fixed values of  $NARL_{N0} \in \{NARL_{NL}, NARL_{NU}\}$ . The values of neutrosophic control chart coefficients  $k_{N1} \in \{k_{L1}, k_{U1}\}$  and  $k_{N2} \in \{k_{L2}, k_{U2}\}$  and  $NARL_{N1} \in \{NARL_{NL}, NARL_{NU}\}$  are determined for various combinations of  $r_{0N} \in \{r_{0L}, r_{0U}\}$ , c and  $n_N \in \{n_L, n_U\}$  placed in Tables 1-3. From Tables 1-3, we note that values of indeterminacy interval of  $NARL_{N1} \in \{NARL_{NL}, NARL_{NU}\}$  decrease as  $n_N \in \{n_L, n_U\}$  increases from  $n_N \in \{50, 50\}$  to  $n_N \in \{150, 150\}$ . For an example, when  $NARL_{N0} \in \{300, 300\}$ ,

VOLUME 7, 2019 15369



**TABLE 2.** The NARL when  $n_N \in [150, 50]$ .

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		ARL <sub>N0</sub> =300	ARL <sub>N0</sub> =370
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$k_N$	[(3.2059705, 0.23039384)	[(3.03770802, 0.03943507),(
c         ARLNI         ARLNI           0         [304.24, 306.77]         [371.97, 388.0445]           0.01         [286.61, 282.13]         [327.69,342.437]           0.02         [270.21, 259.80]         [287.91,301.2283]           0.05         [227.43, 204.33]         [194.38,203.6801]           0.08         [192.66, 162.37]         [132.17,138.4758]           0.1         [173.06, 140.06]         [103.07,107.9297]           0.2         [105.02, 70.96]         [33.59,35.03192]           0.3         [67.24, 39.15]         [13.19,13.70168]           0.4         [45.03, 23.17]         [5.97,6.190185]           0.5         [31.33, 14.52]         [2.99,3.100434]           0.8         [12.58, 4.61]         [1,1.66]           0.9         [9.72, 3.34]         [1,1]           0.95         [8.60, 2.86]         [1,1]           1.0         [7.64, 2.47]         [1,1]           1.5         [2.79, 0.66]         [1,1]		3.2300457, 0.07855410]	3.0061115, 0.01933103)]
0         [304.24, 306.77]         [371.97, 388.0445]           0.01         [286.61, 282.13]         [327.69,342.437]           0.02         [270.21, 259.80]         [287.91,301.2283]           0.05         [227.43, 204.33]         [194.38,203.6801]           0.08         [192.66, 162.37]         [132.17,138.4758]           0.1         [173.06, 140.06]         [103.07,107.9297]           0.2         [105.02, 70.96]         [33.59,35.03192]           0.3         [67.24, 39.15]         [13.19,13.70168]           0.4         [45.03, 23.17]         [5.97,6.190185]           0.5         [31.33, 14.52]         [2.99,3.100434]           0.8         [12.58, 4.61]         [1,1.66]           0.9         [9.72, 3.34]         [1,1]           0.95         [8.60, 2.86]         [1,1]           1.0         [7.64, 2.47]         [1,1]           1.5         [2.79, 0.66]         [1,1]	$p_{N0}$	[0.0162,0.0361]	[0.1174, 0.2145]
0.01         [286.61, 282.13]         [327.69,342.437]           0.02         [270.21, 259.80]         [287.91,301.2283]           0.05         [227.43, 204.33]         [194.38,203.6801]           0.08         [192.66, 162.37]         [132.17,138.4758]           0.1         [173.06, 140.06]         [103.07,107.9297]           0.2         [105.02, 70.96]         [33.59,35.03192]           0.3         [67.24, 39.15]         [13.19,13.70168]           0.4         [45.03, 23.17]         [5.97,6.190185]           0.5         [31.33, 14.52]         [2.99,3.100434]           0.8         [12.58, 4.61]         [1,1.66]           0.9         [9.72, 3.34]         [1,1]           0.95         [8.60, 2.86]         [1,1]           1.0         [7.64, 2.47]         [1,1]           1.5         [2.79, 0.66]         [1,1]	С	ARL <sub>N1</sub>	ARL <sub>N1</sub>
0.02         [270.21, 259.80]         [287.91,301.2283]           0.05         [227.43, 204.33]         [194.38,203.6801]           0.08         [192.66, 162.37]         [132.17,138.4758]           0.1         [173.06, 140.06]         [103.07,107.9297]           0.2         [105.02, 70.96]         [33.59,35.03192]           0.3         [67.24, 39.15]         [13.19,13.70168]           0.4         [45.03, 23.17]         [5.97,6.190185]           0.5         [31.33, 14.52]         [2.99,3.100434]           0.8         [12.58, 4.61]         [1,1.66]           0.9         [9.72, 3.34]         [1,1]           0.95         [8.60, 2.86]         [1,1]           1.0         [7.64, 2.47]         [1,1]           1.5         [2.79, 0.66]         [1,1]	0	[304.24, 306.77]	[371.97, 388.0445]
0.05         [227.43, 204.33]         [194.38,203.6801]           0.08         [192.66, 162.37]         [132.17,138.4758]           0.1         [173.06, 140.06]         [103.07,107.9297]           0.2         [105.02, 70.96]         [33.59,35.03192]           0.3         [67.24, 39.15]         [13.19,13.70168]           0.4         [45.03, 23.17]         [5.97,6.190185]           0.5         [31.33, 14.52]         [2.99,3.100434]           0.8         [12.58, 4.61]         [1,1.66]           0.9         [9.72, 3.34]         [1,1]           0.95         [8.60, 2.86]         [1,1]           1.0         [7.64, 2.47]         [1,1]           1.5         [2.79, 0.66]         [1,1]	0.01	[286.61, 282.13]	[327.69,342.437]
0.08         [192.66, 162.37]         [132.17,138.4758]           0.1         [173.06, 140.06]         [103.07,107.9297]           0.2         [105.02, 70.96]         [33.59,35.03192]           0.3         [67.24, 39.15]         [13.19,13.70168]           0.4         [45.03, 23.17]         [5.97,6.190185]           0.5         [31.33, 14.52]         [2.99,3.100434]           0.8         [12.58, 4.61]         [1,1.66]           0.9         [9.72, 3.34]         [1,1]           0.95         [8.60, 2.86]         [1,1]           1.0         [7.64, 2.47]         [1,1]           1.5         [2.79, 0.66]         [1,1]	0.02	[270.21, 259.80]	[287.91,301.2283]
0.1         [173.06, 140.06]         [103.07,107.9297]           0.2         [105.02, 70.96]         [33.59,35.03192]           0.3         [67.24, 39.15]         [13.19,13.70168]           0.4         [45.03, 23.17]         [5.97,6.190185]           0.5         [31.33, 14.52]         [2.99,3.100434]           0.8         [12.58, 4.61]         [1,1.66]           0.9         [9.72, 3.34]         [1,1]           0.95         [8.60, 2.86]         [1,1]           1.0         [7.64, 2.47]         [1,1]           1.5         [2.79, 0.66]         [1,1]	0.05	[227.43, 204.33]	[194.38,203.6801]
0.2     [105.02, 70.96]     [33.59,35.03192]       0.3     [67.24, 39.15]     [13.19,13.70168]       0.4     [45.03, 23.17]     [5.97,6.190185]       0.5     [31.33, 14.52]     [2.99,3.100434]       0.8     [12.58, 4.61]     [1,1.66]       0.9     [9.72, 3.34]     [1,1]       0.95     [8.60, 2.86]     [1,1]       1.0     [7.64, 2.47]     [1,1]       1.5     [2.79, 0.66]     [1,1]	0.08	[192.66, 162.37]	[132.17,138.4758]
0.3     [67.24, 39.15]     [13.19,13.70168]       0.4     [45.03, 23.17]     [5.97,6.190185]       0.5     [31.33, 14.52]     [2.99,3.100434]       0.8     [12.58, 4.61]     [1,1.66]       0.9     [9.72, 3.34]     [1,1]       0.95     [8.60, 2.86]     [1,1]       1.0     [7.64, 2.47]     [1,1]       1.5     [2.79, 0.66]     [1,1]	0.1	[173.06, 140.06]	[103.07,107.9297]
0.4     [45.03, 23.17]     [5.97,6.190185]       0.5     [31.33, 14.52]     [2.99,3.100434]       0.8     [12.58, 4.61]     [1,1.66]       0.9     [9.72, 3.34]     [1,1]       0.95     [8.60, 2.86]     [1,1]       1.0     [7.64, 2.47]     [1,1]       1.5     [2.79, 0.66]     [1,1]	0.2	[105.02, 70.96]	[33.59,35.03192]
0.5     [31.33, 14.52]     [2.99,3.100434]       0.8     [12.58, 4.61]     [1,1.66]       0.9     [9.72, 3.34]     [1,1]       0.95     [8.60, 2.86]     [1,1]       1.0     [7.64, 2.47]     [1,1]       1.5     [2.79, 0.66]     [1,1]	0.3	[67.24, 39.15]	[13.19,13.70168]
0.8     [12.58, 4.61]     [1,1.66]       0.9     [9.72, 3.34]     [1,1]       0.95     [8.60, 2.86]     [1,1]       1.0     [7.64, 2.47]     [1,1]       1.5     [2.79, 0.66]     [1,1]	0.4	[45.03, 23.17]	[5.97,6.190185]
0.9     [9.72, 3.34]     [1,1]       0.95     [8.60, 2.86]     [1,1]       1.0     [7.64, 2.47]     [1,1]       1.5     [2.79, 0.66]     [1,1]	0.5	[31.33, 14.52]	[2.99,3.100434]
0.95     [8.60, 2.86]     [1,1]       1.0     [7.64, 2.47]     [1,1]       1.5     [2.79, 0.66]     [1,1]	0.8	[12.58, 4.61]	[1,1.66]
1.0 [7.64, 2.47] [1,1] 1.5 [2.79, 0.66] [1,1]	0.9	[9.72, 3.34]	[1,1]
1.5 [2.79, 0.66] [1,1]	0.95	[8.60, 2.86]	[1,1]
	1.0	[7.64, 2.47]	[1,1]
2.0 [1.24, 1] [1,1]	1.5	[2.79, 0.66]	[1,1]
	2.0	[1.24, 1]	[1,1]

**TABLE 3.** The NARL when  $NARL_{N0} = 300$  and 370.

	ARL <sub>N0</sub> =300	ARL <sub>N0</sub> =370
nn	[50,150]	[20,200]
kn	[(3.41163588, 0.01374361),(	[(3.4033867, 0.08835755),(
	3.1956378, 0.03093748)]	3.47013388, 0.17708702)]
p <sub>N0</sub>	[0.0393,0.036]	[0.1324,0.0172]
С		
0	[304.24,314.04]	[370.82, 374.81]
0.01	[287.97, 288.78]	[347.78, 349.30]
0.02	[272.76, 265.89]	[326.43, 325.84]
0.05	[232.69, 209.05]	[271.18, 265.99]
0.08	[199.73, 166.06]	[226.76, 218.87]
0.1	[180.77, 143.21]	[201.97, 193.00]
0.2	[113.72, 72.47]	[117.60, 107.72]
0.3	[75.02, 39.94]	[72.38, 64.27]
0.4	[51.51, 23.61]	[46.69, 40.54]
0.5	[36.59, 14.79]	[31.34, 26.80]
0.8	[15.38, 4.68]	[11.40, 9.58]
0.9	[12.01, 3.39]	[8.53, 7.18]
0.95	[10.68, 2.91]	[7.43, 6.27]
1.0	[9.53, 2.51]	[6.50, 5.49]
1.5	[3.61, 2.31]	[2.02, 1.78]
2.0	[1.66, 1]	[1, 1]

 $n_N \in \{50, 50\}$  and c = 0.01, the indeterminacy interval of  $NARL_{N1} \in \{NARL_{NL}, NARL_{NU}\}$  is [286.615, 282.1398] and it is [289.8948, 290.0023] when  $n_N \in \{150, 150\}$ .

The following neutrosophic algorithm is applied to find the values of  $k_{N1} \in \{k_{L1}, k_{U1}\}$  and  $k_{N2} \in \{k_{L2}, k_{U2}\}$  and  $NARL_{N1} \in \{NARL_{NL}, NARL_{NU}\}.$ 

Step-1: Pre-fix the values of  $n_N \in \{n_L, n_U\}$  and c.

Step-2: Determine the values of  $p_{N0} \in \{p_{L0}, p_{U0}, \}$ ,  $k_{N1} \in \{k_{L1}, k_{U1}\}$  and  $k_{N2} \in \{k_{L2}, k_{U2}\}$  such that

 $NARL_{N0} \in \{NARL_{NL}, NARL_{NU}\} \ge r_{0N} \in \{r_{0L}, r_{0U}\}$ . Several combinations of  $p_{N0} \in \{p_{L0}, p_{U0}, \}, k_{N1} \in \{k_{L1}, k_{U1}\}$  and  $k_{N2} \in \{k_{L2}, k_{U2}\}$  will exist where  $NARL_{N0} \ge r_{0N}$ .

Step-3: Select those values of  $p_{N0} \in \{p_{L0}, p_{U0}, \}$ ,  $k_{N1} \in \{k_{L1}, k_{U1}\}$  and  $k_{N2} \in \{k_{L2}, k_{U2}\}$  where  $NARL_{N0}$  is same or very close to  $r_{0N} \in \{r_{0L}, r_{0U}\}$ .

Step-4: Use the values of  $p_{N0} \in \{p_{L0}, p_{U0}, k_{N1} \in \{k_{L1}, k_{U1}\} \text{ and } k_{N2} \in \{k_{L2}, k_{U2}\} \text{ to find } NARL_{N1} \in \{NARL_{NL}, NARL_{NU}\} \text{ for various shifts.}$ 



**TABLE 4.** The comparison in NARL when  $ARL_{N0} = 370$  when  $n_N \in [50, 50]$ .

С	Existing Chart	Proposed Chart
0	[371.80, 384.87]	[372.15, 374.49]
0.01	[333.48, 339.55]	[352.07, 356.48]
0.02	[298.49, 299.67]	[333.31, 339.53]
0.05	[213.04, 207.24]	[283.92, 294.37]
0.08	[152.57, 145.26]	[243.22, 256.45]
0.1	[122.81, 115.64]	[220.04, 234.53]
0.2	[45.54, 41.31]	[137.77, 154.27]
0.3	[19.77, 17.54]	[90.47, 105.73]
0.4	[9.88, 8.66]	[61.85, 75.01]
0.5	[5.59, 4.88]	[43.76, 54.82]
0.8	[1.84, 1.66]	[18.20, 24.61]
0.9	[1.49, 1.36]	[14.17, 19.56]
0.95	[1.37, 1.27]	[12.58, 17.54]
1.0	[1.28, 1.20]	[11.22, 15.78]
1.5	[1.00, 1.00]	[4.21, 6.40]
2.0	[1.00, 1.00]	[1.94, 3.15]

### **III. SIMULATION STUDY**

A control chart under the NS is said to be more efficient than the other if provides the smaller values of NARL at same parameters. The smaller the values of NARL means the quick indication about the shift in the process. Here, we will discuss the advantages of the proposed control chart over the neutrosophic attribute control chart proposed by [41].

# A. COMPARISON IN THE NARL VALUES

We first present the theoretical comparison between the proposed control chart with the attribute control chart proposed by [41]. For fair comparison, we set the same values of all specified neutrosophic parameters. The values of NARL when  $NARL_{N0} \in \{370, 370\}$  and  $n_N \in \{50, 50\}$  are given in Table 4.

The Table 4 clearly indicates that the values of indeterminacy interval of NARL from the proposed control are smaller than the control chart proposed by [41] at all values of c. For an example, when c=0.01, the values of indeterminacy interval in NARL are  $NARL_{N1} \in \{333.48, 339.55\}$  from the proposed control chart and indeterminacy interval in NARL are  $NARL_{N1} \in \{352.07, 356.48\}$  from [41] control chart. By comparing both control charts, it can be seen that for the proposed control chart a shift in the process can be expected in between  $333-339^{th}$  samples while at the same parameters, the existing attribute control chart gives indication between  $352-356^{th}$  samples. From this comparison, we conclude that the proposed control chart is more efficient than chart proposed by [41] in detecting the shift in the process.

# **B. COMPARISON USING SIMULATION**

We also show the advantage of the proposed control chart over the existing neutrosophic attribute chart using the simulated data. The data is generated from the neutrosophic binomial distribution with neutrosophic parameters  $n_N \in$ 




FIGURE 1. The proposed chart for the simulated data.

{150, 150} and  $p_{N0} \in \{0.1174, 0.2145\}$ . We generated 50 sample from the neutrosophic binomial distribution. The first 25 values are generated from the in-control process and next 25 are generated at shifted process when c = 0.3. For this simulation study, we have  $NARL_{N0} \in \{370, 370\}$ ,  $n_N \in \{150, 150\}$ ,  $k_{N1} \in \{3.0377, 0.0394\}$  and  $k_{N2} \in \{3.0061, 0.0193\}$ . The calculated neutrosophic control limits are shown in Figure 1. The values of statistic  $D_N \in \{D_L, D_U\}$ 

VOLUME 7, 2019 15371




FIGURE 2. The existing chart for the simulated data.

are recorded and plotted in Figure 1. From Figure 1, it is clear that the proposed control chart detects shift at the 11<sup>th</sup> sample. The values of  $D_N \in \{D_L, D_U\}$  are also recoded for the existing control and plotted on Figure 2. From Figure 2, we note that the existing control chart does not provide any signal about the shift in the process. By comparing both figures, we reach the conclusion that the proposed chart is more sensitive in the detecting the shift as compared to [41] control chart.

# **IV. CASE STUDY**

A juice company situated in the Lahore, Pakistan is interested to use the proposed control chart for monitoring of nonconforming product. As mentioned by [44] "Frozen orange juice concentrate is packed in 6-oz cardboard cans. These cans are formed on a machine by spinning them from cardboard stock and attaching a metal bottom panel. By inspection of a can, we may determine whether, when filled, it could possibly leak either on the side seam or around the bottom joint. Such a nonconforming can have an improper seal on either the side seam or the bottom panel". During the inspection, the industrial experimenter is uncertain about the classification of some items either conforming or non-conforming. Due to the uncertainty, the industrial engineers can expect the percent non-conforming product from 0.028 to 0.0379. In this situation, when some observations are unclear and uncertain, the attribute control chart using the classical statistics cannot be applied for the monitoring of non-conforming

TABLE 5. Neutrosophic data of juice company [41].

0 1		0 1	
Sample	No.of	Sample	No.of
number	nonconforming	number	nonconforming
	units D <sub>i</sub>		units
1	[12,13]	16	[8,8]
2	[15,15]	17	[10,10]
3	[8,10]	18	[5,8]
4	[10,10]	19	[13,13]
5	[4,4]	20	[11,13]
6	[7,7]	21	[20,20]
7	[16,16]	22	[18,20]
8	[9,11]	23	[24,24]
9	[14,14]	24	[15,15]
10	[10,10]	25	[9,12]
11	[5,8]	26	[12,12]
12	[6,8]	27	[7,10]
13	[17,17]	28	[13,15]
14	[12,15]	29	[9,9]
15	[22,22]	30	[6,9]

items. For this real example, let  $n_N \in \{50, 50\}$  and  $NARL_{N0} \in \{370, 370\}$ . The neutrosophic data is taken from [41] and reported in Table 5. The values of  $D_N \in \{D_L, D_U\}$  are plotted on Figure 3 and Figure 4 for the proposed control chart and [41] control chart, respectively. From Figures 3 and 4, it can be noted that some several samples are in the repetition and indeterminacy areas in Figure 3. We also note that some points are near the control limits, which needs






FIGURE 3. The proposed chart for the real data.




FIGURE 4. The existing chart for the real data.

industrial engineers attention. Figure 4 shows that the process is in-control state and indicate no point near the control limits.

# V. CONCLUDING REMARKS

In this manuscript, an attribute control chart using the repetitive sampling under the neutrosophic statistics system is discussed. The necessary measures of the proposed control chart under the neutrosophic statistics system are given. The proposed control chart is more sensitive and adequate to be used in uncertainty environment than the existing attribute control chart under classical statistics. From the simulation study and real example, it is concluded that the proposed control chart is more efficient in detecting a shift in the process. Therefore, the use of the proposed control chart in the industry will be helpful in minimize the non-conforming items in uncertainty. The proposed chart using other sampling scheme or for the big data can be considered for future research.

# **ACKNOWLEDGEMENTS**

The author would like to thank the editor and the reviewers for their valuable suggestions to improve the quality of this manuscript. The author, therefore, gratefully acknowledge the DSR technical and financial support.

### **REFERENCES**

- O. Engin, A. Çelik, and I. Kaya, "A fuzzy approach to define sample size for attributes control chart in multistage processes: An application in engine valve manufacturing process," *Appl. Soft Comput.*, vol. 8, pp. 1654–1663, Sep. 2008.
- [2] S. Sorooshian, "Fuzzy approach to statistical control charts," J. Appl. Math., vol. 2013, Aug. 2013, Art. no. 745153.
- [3] S. Hou, H. Wang, and S. Feng, "Attribute control chart construction based on fuzzy score number," *Symmetry*, vol. 8, no. 12, p. 139, 2016.
- [4] A. J. Duncan, "A chi-square chart for controlling a set of percentage," *Ind. Qual. Control*, vol. 7, no. 3, pp. 11–15, 1950.
- [5] C. W. Bradshaw, Jr., "A fuzzy set theoretic interpretation of economic control limits," Eur. J. Oper. Res., vol. 13, pp. 403–408, Aug. 1983.
- [6] R. H. Williams and R. M. Zigli, "Ambiguity impedes quality in the service industries," *Qual. Prog.*, vol. 20, pp. 14–17, Jul. 1987.
- [7] K.-L. Hsieh, L.-I. Tong, and M.-C. Wang, "The application of control chart for defects and defect clustering in IC manufacturing based on fuzzy theory," *Expert Syst. Appl.*, vol. 32, pp. 765–776, Apr. 2007.
- [8] M. Gülbay, C. Kahraman, and D. Ruan, "α cut fuzzy control charts for linguistic data," *Int. J. Intell. Syst.*, vol. 19, no. 12, pp. 1173–1195, 2004.
- [9] M. Gülbay and C. Kahraman, "Development of fuzzy process control charts and fuzzy unnatural pattern analyses," *Comput. Statist. Data Anal.*, vol. 51, pp. 434–451, Nov. 2006.
- [10] M. Gülbay and C. Kahraman, "An alternative approach to fuzzy control charts: Direct fuzzy approach," *Inf. Sci.*, vol. 177, pp. 1463–1480, Mar. 2007.
- [11] H. Taleb and M. Limam, "On fuzzy and probabilistic control charts," Int. J. Prod. Res., vol. 40, no. 12, pp. 2849–2863, 2002.
- [12] M.-H. Shu and H.-C. Wu, "Fuzzy X and R control charts: Fuzzy dominance approach," Comput. Ind. Eng., vol. 61, pp. 676–685, Oct. 2011.
- [13] B. S. Gildeh and N. Shafiee, "X-MR control chart for autocorrelated fuzzy data using D<sub>p,q</sub> -distance," *Int. J. Adv. Manuf. Technol.*, vol. 81, pp. 1047–1054, Nov. 2015.
- [14] Z. S. Morabi, M. S. Owlia, M. Bashiri, and M. H. Doroudyan, "Multi-objective design of X̄ control charts with fuzzy process parameters using the hybrid epsilon constraint PSO," *Appl. Soft Comput.*, vol. 30, pp. 390–399, May 2015.
- [15] L. A. Zadeh, "Fuzzy sets as a basis for a theory of possibility," Fuzzy Sets Syst., vol. 100, pp. 9–34, Sep. 1999.
- [16] M. H. F. Zarandi, A. Alaeddini, and I. B. Turksen, "A hybrid fuzzy adaptive sampling—Run rules for Shewhart control charts," *Inf. Sci.*, vol. 178, pp. 1152–1170, Feb. 2008.
- [17] H. Alipour and R. Noorossana, "Fuzzy multivariate exponentially weighted moving average control chart," *Int. J. Adv. Manuf. Technol.*, vol. 48, pp. 1001–1007, Jun. 2010.

VOLUME 7, 2019 15373



- [18] A. Faraz and A. F. Shapiro, "An application of fuzzy random variables to control charts," Fuzzy Sets Syst., vol. 161, pp. 2684–2694, Oct. 2010.
- [19] S. Şentürk, N. Erginel, I. Kaya, and C. Kahraman, "Fuzzy exponentially weighted moving average control chart for univariate data with a real case application," *Appl. Soft Comput.*, vol. 22, pp. 1–10, Sep. 2014.
- [20] S. Ghobadi, K. Noghondarian, R. Noorossana, and S. M. S. Mirhosseini, "Developing a fuzzy multivariate CUSUM control chart to monitor multinomial linguistic quality characteristics," *Int. J. Adv. Manuf. Technol.*, vol. 79, pp. 1893–1903, Aug. 2015.
- [21] S. Şentürk, "Construction of fuzzy C control charts based on fuzzy rule method," Anadolu Üniversitesi Bilim Ve Teknoloji Dergisi A-Uygulamalı Bilimler ve Mühendislik, vol. 18, no. 3, pp. 563–572, 2017.
- [22] Y. Wu, R. Lu, P. Shi, H. Su, and Z.-G. Wu, "Analysis and design of synchronization for heterogeneous network," *IEEE Trans. Cybern.*, vol. 48, no. 4, pp. 1253–1262, Apr. 2018.
- [23] Y. Wu and R. Lu, "Event-based control for network systems via integral quadratic constraints," *IEEE Trans. Circuits Syst.*, *I, Reg. Papers*, vol. 65, no. 4, pp. 1386–1394, Apr. 2018.
- [24] Y. Wu, H. R. Karimi, and R. Lu, "Sampled-data control of network systems in industrial manufacturing," *IEEE Trans. Ind. Electron.*, vol. 65, no. 11, pp. 9016–9024, Nov. 2018.
- [25] R. E. Sherman, "Design and evaluation of a repetitive group sampling plan," *Technometrics*, vol. 7, no. 1, pp. 11–21, 1965.
- [26] L. Ahmad, M. Aslam, and C.-H. Jun, "Designing of X-bar control charts based on process capability index using repetitive sampling," *Trans. Inst. Meas. Control*, vol. 36, no. 3, pp. 367–374, 2014.
- [27] M. Aslam, M. Azam, and C.-H. Jun, "New attributes and variables control charts under repetitive sampling," *Ind. Eng. Manage. Syst.*, vol. 13, no. 1, pp. 101–106, 2014.
- [28] M. Aslam, N. Khan, M. Azam, and C.-H. Jun, "Designing of a new monitoring t-chart using repetitive sampling," *Inf. Sci.*, vol. 269, pp. 210–216, Jun. 2014.
- [29] M. Aslam, M. Azam, and C.-H. Jun, "New attributes and variables control charts under repetitive sampling," *Ind. Eng. Manage. Syst.*, vol. 13, no. 1, pp. 101–106, 2014.
- [30] M. Azam, M. Aslam, and C.-H. Jun, "Designing of a hybrid exponentially weighted moving average control chart using repetitive sampling," *Int. J. Adv. Manuf. Technol.*, vol. 77, pp. 1927–1933, Apr. 2015.
- [31] M. Aslam, N. Khan, and C.-H. Jun, "A new S<sup>2</sup> control chart using repetitive sampling," J. Appl. Statist., vol. 42, pp. 2485–2496, Apr. 2015.
- [32] S. Phanyaem, "Generally weighted moving average sign control chart using repetitive sampling," in *Proc. Int. MultiConf. Eng. Comput. Scientists*, 2018, pp. 1–4.
- [33] O. A. Adeoti, "A new double exponentially weighted moving average control chart using repetitive sampling," *Int. J. Qual. Rel. Manage.*, vol. 35, no. 2, pp. 387–404, 2018.
- [34] F. Smarandache, "Neutrosophic logic-a generalization of the intuitionistic fuzzy logic," *Multispace Multistructure Neutrosophic Transdisciplinarity*, vol. 4, p. 396, 2010. [Online]. Available: https://arxiv.org/ pdf/math/0303009
- [35] J. Chen, J. Ye, and S. Du, "Scale effect and anisotropy analyzed for neutrosophic numbers of rock joint roughness coefficient based on neutrosophic statistics," *Symmetry*, vol. 9, no. 10, p. 208, 2017.
- [36] J. Chen, J. Ye, S. Du, and R. Yong, "Expressions of rock joint roughness coefficient using neutrosophic interval statistical numbers," *Symmetry*, vol. 9, no. 7, p. 123, 2017.
- [37] M. Aslam, "A new sampling plan using neutrosophic process loss consideration," Symmetry, vol. 10, no. 5, p. 132, 2018.
- [38] M. Aslam, "Design of sampling plan for exponential distribution under neutrosophic statistical interval method," *IEEE Access*, vol. 6, pp. 64153–64158, 2018.
- [39] M. Aslam and O. Arif, "Testing of grouped product for the weibull distribution using neutrosophic statistics," *Symmetry*, vol. 10, no. 9, p. 403, 2018
- [40] M. Aslam and M. A. Raza, "Design of new sampling plans for multiple manufacturing lines under uncertainty," *Int. J. Fuzzy Syst.*, pp. 1–15, Oct. 2018, doi: 10.1007/s40815-018-0560-x.
- [41] M. Aslam, R. A. R. Bantan, and N. Khan, "Design of a new attribute control chart under neutrosophic statistics," *Int. J. Fuzzy Syst.*, pp. 1–8, Nov. 2018, doi: 10.1007/s40815-018-0577-1.
- [42] M. Aslam, N. Khan, and M. Z. Khan, "Monitoring the variability in the process using neutrosophic statistical interval method," *Symmetry*, vol. 10, no. 11, p. 562, 2018.

- [43] M. Aslam, N. Khan, and M. Albassam, "Control chart for failure-censored reliability tests under uncertainty environment," *Symmetry*, vol. 10, no. 12, p. 690, 2018.
- [44] D. C. Montgomery, Introduction to Statistical Quality Control. Hoboken, NJ, USA: Wiley, 2007.



MUHAMMAD ASLAM received the M.Sc. degree in statistics from GC University, Lahore, with the Chief Minister of the Punjab merit scholarship, in 2004, the M.Phil. degree in statistics from GC University, with the Governor of the Punjab merit scholarship, in 2006, and the Ph.D. degree in statistics from the National College of Business Administration and Economics, Lahore, in 2010, under the supervision of Dr. M. Ahmad. He was a Lecturer of statistics with Edge College

System International, from 2003 to 2006. He was also a Research Assistant with the Department of Statistics, GC University, from 2006 to 2008. Then, he joined the Forman Christian College University, as a Lecturer, in 2009, where he was an Assistant Professor, from 2010 to 2012 and was also an Associate Professor, from 2012 to 2014. He was an Associate Professor of statistics with the Department of Statistics, Faculty of Science, King Abdulaziz University, Jeddah, Saudi Arabia, from 2014 to 2017. He taught summer course as a Visiting Faculty of statistics at Beijing Jiaotong University, China, in 2016. He is currently a Full Professor of statistics with the Department of Statistics, King Abdulaziz University, Jeddah, Saudi Arabia. He has published more than 305 research papers in national and international well reputed journals including for example, the IEEE Access, the Journal of Applied Statistics, the European Journal of Operation Research, Information Sciences, the Journal of Process Control, the Journal of the Operational Research Society, Applied Mathematical Modeling, the International Journal of Advanced Manufacturer Technology, Communications in Statistics, the Journal of Testing and Evaluation, and the Pakistan Journal of Statistics. His papers have been cited more than 2400 times with h-index 25 and i-10 index 68 (Google Coalitions). His papers have been cited more than 1100 times with h-index 19 (Web of Science Coalitions). He has authored one book published in Germany. He has been an HEC approved Ph.D. supervisor, since 2011. He supervised five Ph.D. theses, more than 25 M.Phil. theses, and three M.Sc. theses. He is currently supervising one Ph.D. thesis and more than five M.Phil. theses in statistics. His interests include reliability, decision trees, industrial statistics, acceptance sampling, rank set sampling, neutrosophic statistics, and applied statistics. He is a member of the Editorial Board of the Electronic Journal of Applied Statistical Analysis, the Asian Journal of Applied Science and Technology, and the Pakistan Journal of Commence and Social Sciences. He is also a member of the Islamic Countries Society of Statistical Sciences. He received meritorious services award in research from the National College of Business Administration and Economics, Lahore, in 2011, and the Research Productivity Award, for the year 2012, by the Pakistan Council for Science and Technology. His name Listed at 2nd Position among Statistician in the Directory of Productivity Scientists of Pakistan, 2013. His name Listed at 1st Position among Statistician in the Directory of Productivity Scientists of Pakistan, 2014. He got 371 positions in the list of top 2210 profiles of Scientist of Saudi Institutions, 2016. He is selected for the Innovative Academic Research and Dedicated Faculty Award, 2017, by SPE, Malaysia. He received the King Abdulaziz University Excellence Awards in Scientific Research for the paper Aslam, M., Azam, M., Khan, N. and Jun, C.-H. (2015). A New Mixed Control Chart to Monitor the Process, International Journal of Production Research, 53 (15), 4684–4693, and the King Abdulaziz University Citation Award for the paper Azam, M., Aslam, M. and Jun, C.-H. (2015). Designing of a Hybrid Exponentially Weighted Moving Average Control Chart Using Repetitive Sampling, International Journal of Advanced Manufacturing Technology, 77:1927-1933, in 2018. He is reviewer of more than 50 well reputed international journals. He has reviewed more than 140 research papers for various well reputed international journals. He is appointed as an External Examiner with The University of Dodoma, Tanzania, from 2016 to 2017-from 2018 to 2019 triennium.