

Received July 22, 2019, accepted July 25, 2019, date of publication August 5, 2019, date of current version August 19, 2019.

Digital Object Identifier 10.1109/ACCESS.2019.2933188

# Families of Travelling Waves Solutions for Fractional-Order Extended Shallow Water Wave Equations, Using an Innovative Analytical Method

HASSAN KHAN<sup>1</sup>, SHOAB<sup>2</sup>, DUMITRU BALEANU<sup>3,4</sup>, POOM KUMAM<sup>5,6</sup>, AND JAMEEL F. AL-ZAIDY<sup>7</sup>

<sup>1</sup>Department of Mathematics, Abdul Wali Khan University Mardan (AWKUM), Mardan 23200, Pakistan

<sup>2</sup>Department of Mathematics, Allama Iqbal Open University (AIOU), Islamabad 44000, Pakistan

<sup>3</sup>Department of Mathematics, Faculty of Arts and Sciences, Çankaya University, 06530 Ankara, Turkey

<sup>4</sup>Institute of Space Sciences, 077125 Măgurele, Romania

<sup>5</sup>Center of Excellence in Theoretical and Computational Science (TaCS-CoE), Department of Mathematics, Faculty of Science, King Mongkut's University of Technology Thonburi (KMUTT), Bangkok 10140, Thailand

<sup>6</sup>Department of Medical Research, China Medical University Hospital, China Medical University, Taichung 40402, Taiwan

<sup>7</sup>Department of Mathematics, Faculty of Sciences and Arts, King Khalid University, Abha 61421, Saudi Arabia

Corresponding authors: Hassan Khan (hassanmath@awkum.edu.pk) and Poom Kumam (poom.kum@kmutt.ac.th)

The work of P. Kumam was supported in part by the Center of Excellence in Theoretical and Computational Science (TaCS-CoE), and in part by the Department of Mathematics, Faculty of Science, King Mongkut's University of Technology Thonburi (KMUTT), Bangkok, Thailand.

**ABSTRACT** In the present research article, an efficient analytical technique is applied for travelling waves solutions of fractional partial differential equations. The investigated problems are reduced to ordinary differential equations, by a variable transformation. The solutions of the resultant ordinary differential equations are expressed in the term of some suitable polynomials, which provide trigonometric, hyperbolic and rational function solutions with some free parameters. To confirm the reliability and novelty of the current work, the proposed method is applied for the solutions of (2+1) and (3+1)-dimensional fractional-order extended shallow water wave equations.

**INDEX TERMS** Analytical method, shallow water wave equations, families of solutions.

## I. INTRODUCTION

Fractional partial differential equations (FPDEs) are frequently used in different areas of applied sciences such as engineering, fluid mechanics, solid-state, propagation of waves, plasma physics, biology, the heat flow phenomena, quantum mechanics, optical fibers and so on. Due to applications mentioned above, the researchers have taken keen interest in the study of FPDEs. In this connection, several mathematicians have developed different techniques for the numerical and analytical solutions of FPDEs [1]–[8]. For example, Xu et al. have extended Homotopy perturbation method (HPM) to solve PDEs of fractal order [9], [10]. Wu and Baleanu have applied variational iteration method (VIM) for the fractional order Burgers's flow equation [11]. Duan and Baleanu have reviewed the ADM besides its modifications including the multistage ADM for FPDEs

with given initial and boundary conditions [12]. To obtain travelling wave solutions, Raslan et al. have applied modified tanh method to EW and MEW equations of fractional-order [13]. To calculate the exact solutions of the fractional Sharma-Tasso-Olver (STO) equations and generalized reaction Duffing models, Jafari et al. have used the fractional sub-equation method [14]. Finite element method (FEM) is used to solve symmetric space-FPDEs with the Riesz fractional operator [15]. Besides these methods, some mathematicians have used other methods such as Jacobi elliptic expansion method [16], exp-function method [17], fractional reduced differential transform method (FRDTM) [18], Lie algebra method [19], finite difference method (FDM) [20],  $(\frac{G}{G})$ -expansion method [21], [22] and many other numerical and analytical methods.

Among these methods, for constructing exact solutions of nonlinear FPDEs, many researchers have used  $(\frac{G}{G})$ -expansion method [23]–[25]. This simple and efficient method uses a variable transformation which converts a

The associate editor coordinating the review of this manuscript and approving it for publication was Yilun Shang.

FPDE into nonlinear integer order ordinary differential equation (ODE). The solution of the resultant ODE is expressed in the form of a polynomial in  $\frac{G'}{G}$  consists of some free parameters. The function  $G = G(\xi)$  satisfies an arbitrary ODE. By substituting this polynomial in resultant nonlinear ODE and by comparing the coefficients of  $(\frac{G'}{G})$ , a system of algebraic equations is obtained, which provide trigonometric, hyperbolic and rational function solutions.

The shallow water wave equations (SWWEs) govern fluid flow in the seas, oceans, estuaries, channels, rivers and coastal regions. These equations also arise in debris and atmospheric flows. SWWEs can also be used to predict storm surge levels, tides and coastline changes from ocean currents, hurricanes and to study dredging feasibility. By the variants of the SWWEs geophysical flows can also be modeled correctly. The SWWEs describe incompressible flow evaluation, ignoring the change in density along the flow depth. SWWEs are also applicable to cases where the depth of fluid is much smaller than horizontal scale of the flow. The (2 + 1) and (3 + 1)-dimensional extended SWWEs are given as [26]:

$$v_{xt} + av_{xy} + v_{xxy} - 2v_y v_{xx} - 4v_x v_{xy} = 0, \tag{1}$$

$$v_{yt} + av_{xy} + v_{xxy} - 3v_y v_{xx} - 3v_x v_{xy} = 0, \tag{2}$$

and

$$v_{yzt} + av_{xyz} + v_{xxyz} - 6v_{xy} v_{xz} - 6v_x v_{xyz} = 0, \tag{3}$$

where  $a$  is an arbitrary constant. These equations are obtained by adding the terms  $av_{xy}$  and  $av_{xyz}$  to SWWEs appear in them. Equations (1), (2) and (3) are important to study dispersive waves. These equations can also be reduced to KdV equations by supposing  $y = x$  and  $a = 0$ .

The fractional order extended SWWEs (FSWWEs) in (2 + 1) and (3 + 1)-dimensions are obtained by replacing the integer-order derivatives in (1), (2) and (3) by fractional-order derivatives and get:

$$v_{xt}^{\beta\alpha} + av_{xy}^{\beta\gamma} + v_{xxy}^{3\beta\gamma} - 2v_y^{\gamma} v_{xx}^{2\beta} - 4v_x^{\beta} v_{xy}^{\beta\gamma} = 0, \tag{4}$$

$$v_{yt}^{\gamma\alpha} + av_{xy}^{\beta\gamma} + v_{xxy}^{3\beta\gamma} - 3v_y^{\gamma} v_{xx}^{2\beta} - 3v_x^{\beta} v_{xy}^{\beta\gamma} = 0, \tag{5}$$

Similarly, the (3 + 1)-dimensional extended FSWWE is given as:

$$v_{yzt}^{\gamma\delta\alpha} + av_{xyz}^{\beta\gamma\delta} + v_{xxyz}^{3\beta\gamma\delta} - 6v_{xy}^{\beta\gamma} v_{xz}^{\beta\delta} - 6v_x^{\beta} v_{xyz}^{\beta\gamma\delta} = 0, \tag{6}$$

where  $0 < \alpha, \beta, \gamma, \delta \leq 1$ . The fractional derivatives involved in equations (4-6) are defined in Riemann-liouville derivative's sense. The definition and some properties of this derivative of order  $\alpha$  are listed as follow [27]:

$$D_t^\alpha v(t) = \begin{cases} \frac{1}{\Gamma(1-\alpha)} \frac{d}{dt} \int_0^t (t-\tau)^{-\alpha} (v(\tau) - v(0)) d\tau, & 1 > \alpha > 0, \\ (v^{(n)}(t))^{(\alpha-n)}, & n+1 > \alpha \geq n, \quad n \geq 1. \end{cases}$$

$$D_t^\alpha (m(t)n(t)) = n(t)D_t^\alpha m(t) + m(t)D_t^\alpha n(t)$$

$$D_t^\alpha t^\gamma = \frac{\Gamma(1+\gamma)}{\Gamma(1+\gamma-\alpha)} t^{\gamma-\alpha}$$

$$D_t^\alpha m(n(t)) = m'_n[n(t)]D_t^\alpha n(t) = D_g^\alpha m[n(t)](g'(t))^\alpha.$$

Before this research work, mathematicians have solved equations (1-3) with the help of analytical and numerical methods. Bekir and Aksoy in [26] have used exp-function method to solve the equations (1-3) analytically. In [28] Faisal and Kumar have solved equation (1) and (2) by using extended form of  $(\frac{G'}{G})$ -expansion method. Similarly, Bekir and Aksoy in [29] have used simple  $(\frac{G'}{G})$ -expansion method and obtained six solutions of equations (1-3). In [30] Alkahtani and Atangana have solved the fractional order SWWEs. Seadawy et al. have suggested the same method for the solutions of a system of SWWE [31]. In [32] Ray has solved different FSWWEs by using a novel method.

The aim of this paper is to solve extended FSWWEs given in equations (4-6) by using  $(\frac{G'}{G})$ -expansion method in extended form. The direct implementation of the present method to the given problems, makes it superior over other methods present in literature. That is, problems are solved without any discretization or linearization and avoid any unrealistic assumption in providing a number of exact solutions in various families.

The onward representation of the paper is structured as: Section.2 describes the  $(\frac{G'}{G})$ -expansion Method. Section.3 consist exact solutions for the three targeted problems. In Section.4 the results and graphs are discussed while Section.5 concludes our whole study.

## II. THE $(\frac{G'}{G})$ -expansion Method

In this part of the paper, the methodology of  $(\frac{G'}{G})$ -expansion method for the solutions of FPDEs of the form:

$$F(v, D_t^\alpha v, D_{x_1}^\beta v, D_{x_2}^\gamma v, vD_{x_1}^\beta v, \dots) = 0, \quad 0 < \alpha, \beta, \gamma \leq 1, \tag{7}$$

is presented. Where  $v$  is a function of  $x_1, x_2, x_3, x_n$  and  $t$ .

The procedure of the present method is as follows:

*Step.1:* First, we transform equation (7) into a nonlinear ODE of the form:

$$T(V, V', V'', VV', \dots) = 0, \tag{8}$$

the derivatives of  $V$  are w.r.t  $\xi$ . The complex transformation is an appropriate transformation to use for FPDEs. The general form of this transformation is given as:

$$\xi = a \frac{t^\alpha}{\Gamma(\alpha+1)} + b \frac{x_1^\beta}{\Gamma(\beta+1)} + \dots + \xi_0, \tag{9}$$

where  $a, b, \dots, \xi_0$  are unknown constants.

*Step.2:* The series form solution,  $V(\xi)$  of equation (8) is expressed in term of  $(\frac{G'}{G})$  polynomial as [21]:

$$V(\xi) = \sum_{i=-m}^m a_i \left(\frac{G'(\xi)}{G(\xi)}\right)^i, \tag{10}$$

where  $a_i$ 's are unknowns and function  $G(\xi)$  is satisfying the ODE given below:

$$G''(\xi) + AG'(\xi) + BG(\xi) = 0, \tag{11}$$

where A and B are unknown constants.

By the general solution of equation (11) [21]:

$$\left(\frac{G'}{G}\right) = \begin{cases} \frac{\frac{\sqrt{Z}}{2} D_1 \sinh(\frac{\sqrt{Z}}{2} \xi) + D_2 \cosh(\frac{\sqrt{Z}}{2} \xi)}{D_1 \cosh(\frac{\sqrt{Z}}{2} \xi) + D_2 \sinh(\frac{\sqrt{Z}}{2} \xi)} - \frac{A}{2} & Z > 0 \\ \frac{\frac{\sqrt{-Z}}{2} - D_1 \sin(\frac{\sqrt{-Z}}{2} \xi) + D_2 \cos(\frac{\sqrt{-Z}}{2} \xi)}{D_1 \cos(\frac{\sqrt{-Z}}{2} \xi) + D_2 \sin(\frac{\sqrt{-Z}}{2} \xi)} - \frac{A}{2} & Z < 0 \\ \frac{D_2}{D_1 + D_2 \xi} - \frac{A}{2} & Z = 0 \end{cases} \quad (12)$$

where  $D_1$  and  $D_2$  are unknown constants and  $Z = A^2 - 4B$ .

The number  $m$  present in equation (10) called balance number and can be obtained by taking the homogeneous balance between derivative of the highest order and nonlinear term involve in equation (8). To find  $m$ , we use following two formulae [21]:

$$D\left(\frac{d^q V}{d\xi^q}\right) = m + q \text{ and } D(V^p \left(\frac{d^q V}{d\xi^q}\right)^s) = mp + s(q + m), \quad (13)$$

where  $D$  means degree and  $m$  is the degree of  $V(\xi)$  i.e.  $D(V(\xi)) = m$ .

Step.3: By putting (10) into (8) a polynomial in  $(\frac{G'}{G})$  is formed and after coefficients comparison a system of non-linear algebraic equations in free parameters is obtained.

Step.4: In last step the obtained system of algebraic equations is solved by using a mathematical software, which provides the unknown coefficients given in equation (10). Thus, some exact solutions/families for equation (7) are obtained.

### III. PROBLEMS

In present section, the proposed method is applied to the following examples:

Problem 1: Consider the first extended FSWWE given in equation (4):

$$v_{xt}^{\beta\alpha} + a v_{xy}^{\beta\gamma} + v_{xxx}^{3\beta\gamma} - 2v_y^\gamma v_{xx}^{2\beta} - 4v_x^\beta v_{xy}^{\beta\gamma} = 0, \quad (14)$$

applying the transformation

$$v(x, t) = v(\xi), \text{ where } \xi = k_1 \frac{x^\beta}{\Gamma(1 + \beta)} + k_2 \frac{y^\gamma}{\Gamma(1 + \gamma)} - c \frac{t^\alpha}{\Gamma(1 + \alpha)}, \quad (15)$$

we get an ODE, integrating ODE and taking constant of integration zero, we have

$$k_1^2 k_2 V''' + (k_2 a - c)V' - 3k_1 k_2 (V')^2 = 0, \quad (16)$$

where  $V' = \frac{dV}{d\xi}$ ,  $c$  represents the speed of the traveling wave while  $k_1$  and  $k_2$  are constants.

For homogenous number  $m$ , we consider the homogeneous balance between highest derivative  $V'''$  and  $(V')^2$  given in equation (16). So, by using equation (13) we get  $m = 1$ . Now putting  $m = 1$  in (10) we get the following  $(\frac{G'}{G})$  solution for (14):

$$V(\xi) = \sum_{i=-1}^1 a_i \left(\frac{G'(\xi)}{G(\xi)}\right)^i = a_{-1} \left(\frac{G'(\xi)}{G(\xi)}\right)^{-1} + a_0 + a_1 \left(\frac{G'(\xi)}{G(\xi)}\right)^1, \quad (17)$$

where  $a_1, a_0$  and  $a_{-1}$  are constants to be calculated later.

Now putting equation (17) in equation (16) and using equation (11), we get a polynomial in  $\frac{G'(\xi)}{G(\xi)}$ , equating the coefficients of same power of  $(\frac{G'}{G})$ , a system of algebraic equations is obtained and after solving it by using Maple, we get the following two solutions.

Case 1:

$$a_0 = a_0, a_{-1} = 2k_1 B, a_1 = 0 \text{ and } c = -4k_1^2 k_2 B + k_2 a + k_1^2 k_2 A^2 \quad (18)$$

Case 2:

$$a_0 = a_0, a_{-1} = 0, a_1 = -2k_1 \text{ and } c = -4k_1^2 k_2 B + k_2 a + k_1^2 k_2 A^2 \quad (19)$$

Considering case.1 and suppose that  $Z = A^2 - 4B$  for simplicity in calculation, we get the following families of solutions

Family1: When  $Z < 0$  then equations (17) and (12) implies the following periodic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_1(x, y, t) = a_0 - 2k_1 B \left( \frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2} \right)^{-1}, \quad (20)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_2(x, y, t) = a_0 + 2k_1 B \left( \frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2} \xi\right) - \frac{A}{2} \right)^{-1}, \quad (21)$$

where  $\xi = \left(k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4k_1^2 k_2 B + k_2 a + k_1^2 k_2 A^2)t^\alpha}{\Gamma(\alpha+1)}\right)$

Family2: When  $Z > 0$  then equations (17) and (12) implies the following hyperbolic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_3(x, y, t) = a_0 + 2k_1 B \left( \frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2} \xi\right) - \frac{A}{2} \right)^{-1}, \quad (22)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_4(x, y, t) = a_0 + 2k_1 B \left( \frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2} \xi\right) - \frac{A}{2} \right)^{-1}, \quad (23)$$

where  $\xi = \left(k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4k_1^2 k_2 B + k_2 a + k_1^2 k_2 A^2)t^\alpha}{\Gamma(\alpha+1)}\right)$

Family3: When  $Z = 0$  then equations (17) and (12) implies the following rational solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_5(x, y, t) = a_0 + 2k_1 B \left(-\frac{A}{2}\right)^{-1}, \quad (24)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_6(x, y, t) = a_0 + 2k_1 B \left(\frac{1}{\xi} - \frac{A}{2}\right)^{-1}, \quad (25)$$

where  $\xi = (k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4 k_1^2 k_2 B + k_2 a + k_1^2 k_2 A^2) r^\alpha}{\Gamma(\alpha+1)})$ .

Now considering case.2 and suppose that  $Z = A^2 - 4B$  for simplicity in calculation, we get further two families of solutions given as:

**Family4:** When  $Z < 0$  then equations (17) and (12) implies the following periodic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_7(x, y, t) = a_0 + 2k_1 \left(\frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2}\right), \quad (26)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_8(x, y, t) = a_0 - 2k_1 \left(\frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2} \xi\right) - \frac{A}{2}\right), \quad (27)$$

where  $\xi = (k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4 k_1^2 k_2 B + k_2 a + k_1^2 k_2 A^2) r^\alpha}{\Gamma(\alpha+1)})$

**Family5:** When  $Z > 0$  then equations (17) and (12) implies the following hyperbolic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_9(x, y, t) = a_0 - 2k_1 \left(\frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2} \xi\right) - \frac{A}{2}\right), \quad (28)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{10}(x, y, t) = a_0 - 2k_1 \left(\frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2} \xi\right) - \frac{A}{2}\right), \quad (29)$$

where  $\xi = (k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4 k_1^2 k_2 B + k_2 a + k_1^2 k_2 A^2) r^\alpha}{\Gamma(\alpha+1)})$

**Family6:** When  $Z = 0$  then equations (17) and (12) implies the following rational solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{11}(x, y, t) = a_0 + 2k_1 \left(\frac{A}{2}\right), \quad (30)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{12}(x, y, t) = a_0 - 2k_1 \left(\frac{1}{\xi} - \frac{A}{2}\right), \quad (31)$$

where  $\xi = (k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4 k_1^2 k_2 B + k_2 a + k_1^2 k_2 A^2) r^\alpha}{\Gamma(\alpha+1)})$

**Problem 2:** Consider the second extended FSWWE given in equation (5):

$$v_{yt}^{\gamma\alpha} + av_{xy}^{\beta\gamma} + v_{xxx}^{3\beta\gamma} - 3v_y^{\gamma} v_{xx}^{2\beta} - 3v_x^{\beta} v_{xy}^{\beta\gamma} = 0, \quad (32)$$

applying transformation of the form:

$v(x, t) = v(\xi)$ , where

$$\xi = k_1 \frac{x^\beta}{\Gamma(1 + \beta)} + k_2 \frac{y^\gamma}{\Gamma(1 + \gamma)} - c \frac{t^\alpha}{\Gamma(1 + \alpha)}, \quad (33)$$

we get an ODE, integrating ODE and considering constant of integration zero, we have

$$k_1^3 V''' + (k_1 a - c) V' - 3k_1^2 (V')^2 = 0, \quad (34)$$

where  $V' = \frac{dV}{d\xi}$ ,  $c$  represents the speed of the traveling wave while  $k_1$  and  $k_2$  are constants.

For homogenous number  $m$ , we consider the homogeneous balance between highest derivative  $V'''$  and  $(V')^2$  given in equation (34). So, by using equation (13) we get  $m = 1$ . Now putting  $m = 1$  in (10) we get the following  $(\frac{G'}{G})$  solution for (32):

$$V(\xi) = \sum_{i=-1}^1 a_i \left(\frac{G'(\xi)}{G(\xi)}\right)^i = a_{-1} \left(\frac{G'(\xi)}{G(\xi)}\right)^{-1} + a_0 + a_1 \left(\frac{G'(\xi)}{G(\xi)}\right)^1, \quad (35)$$

where  $a_1, a_0$  and  $a_{-1}$  are unknown constants.

By putting equation (35) with the help of (11) in equation (34) a polynomial in  $(\frac{G'(\xi)}{G(\xi)})$  is formed, equating the coefficients of same power of  $(\frac{G'}{G})$  to 0 the system of non-linear equations is formed. By using Maple, this system provides two solutions given as:

Case 1:

$$a_0 = a_0, a_{-1} = 2k_1 B, a_1 = 0 \quad \text{and} \quad c = -4k_1^3 B + k_1 a + k_1^3 A^2 \quad (36)$$

Case 2:

$$a_0 = a_0, a_{-1} = 0, a_1 = -2k_1 \quad \text{and} \quad c = -4k_1^3 B + k_1 a + k_1^3 A^2 \quad (37)$$

Considering case.1 and suppose that  $Z = A^2 - 4B$  for simplicity in calculation, we get the following families of solutions

**Family1:** When  $Z < 0$  then equation (35) and (12) implies the following periodic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_1(x, y, t) = a_0 - 2k_1 B \left(\frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2}\right)^{-1}, \quad (38)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_2(x, y, t) = a_0 + 2k_1 B \left(\frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2} \xi\right) - \frac{A}{2}\right)^{-1}, \quad (39)$$

where  $\xi = (k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4 k_1^3 B + k_1 a + k_1^3 A^2) r^\alpha}{\Gamma(\alpha+1)})$

**Family2:** When  $Z > 0$  then equation (35) and (12) implies the following hyperbolic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_3(x, y, t) = a_0 + 2k_1 B \left(\frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2} \xi\right) - \frac{A}{2}\right)^{-1}, \quad (40)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_4(x, y, t) = a_0 + 2k_1 B \left(\frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2} \xi\right) - \frac{A}{2}\right)^{-1}, \quad (41)$$

where  $\xi = (k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4 k_1^3 B + k_1 a + k_1^3 A^2) r^\alpha}{\Gamma(\alpha+1)})$

**Family3:** When  $Z = 0$  then equation (35) and (12) implies the following rational solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_5(x, y, t) = a_0 + 2k_1B \left( -\frac{A}{2} \right)^{-1}, \quad (42)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_6(x, y, t) = a_0 + 2k_1B \left( \frac{1}{\xi} - \frac{A}{2} \right)^{-1}, \quad (43)$$

where  $\xi = (k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4 k_1^3 B + k_1 a + k_1^3 A^2)t^\alpha}{\Gamma(\alpha+1)})$ .

Now considering case.2 and suppose that  $Z = A^2 - 4B$  for simplicity in calculation, we get further two families of solutions given as:

**Family4:** When  $Z < 0$  then equation (35) and (12) implies the following periodic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_7(x, y, t) = a_0 + 2k_1 \left( \frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2}\xi\right) + \frac{A}{2} \right), \quad (44)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_8(x, y, t) = a_0 - 2k_1 \left( \frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2}\xi\right) - \frac{A}{2} \right), \quad (45)$$

where  $\xi = (k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4 k_1^3 B + k_1 a + k_1^3 A^2)t^\alpha}{\Gamma(\alpha+1)})$

**Family5:** When  $Z > 0$  then equation (35) and (12) implies the following hyperbolic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_9(x, y, t) = a_0 - 2k_1 \left( \frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2}\xi\right) - \frac{A}{2} \right), \quad (46)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{10}(x, y, t) = a_0 - 2k_1 \left( \frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2}\xi\right) - \frac{A}{2} \right), \quad (47)$$

where  $\xi = (k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4 k_1^3 B + k_1 a + k_1^3 A^2)t^\alpha}{\Gamma(\alpha+1)})$

**Family6:** When  $Z = 0$  then equation (35) and (12) implies the following rational solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{11}(x, y, t) = a_0 + 2k_1 \left( \frac{A}{2} \right), \quad (48)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{12}(x, y, t) = a_0 - 2k_1 \left( \frac{1}{\xi} - \frac{A}{2} \right), \quad (49)$$

where  $\xi = (k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} - \frac{(-4 k_1^3 B + k_1 a + k_1^3 A^2)t^\alpha}{\Gamma(\alpha+1)})$

**Problem 3:** Consider the third extended FSWWE given in equation (6):

$$v_{yzt}^{\gamma\delta\alpha} + av_{xyz}^{\beta\gamma\delta} + v_{xxyz}^{\beta\gamma\delta} - 6v_{xy}^{\beta\gamma} v_{xz}^{\beta\delta} - 6v_x^{\beta} v_{xyz}^{\beta\gamma\delta} = 0, \quad (50)$$

applying transformation of the form:

$$v(x, t) = v(\xi), \quad \text{where } \xi = k_1 \frac{x^\beta}{\Gamma(1+\beta)} + k_2 \frac{y^\gamma}{\Gamma(1+\gamma)} + k_3 \frac{z^\delta}{\Gamma(1+\delta)} + c \frac{t^\alpha}{\Gamma(1+\alpha)} \quad (51)$$

we get the following ODE:

$$(k_2k_3c + ak_1k_2k_3)V'''' + k_1^3k_2k_3V'''''' - 6k_1^2k_2k_3(V'V'''' + (V'')^2) = 0, \quad (52)$$

where  $V' = \frac{dV}{d\xi}$ ,  $c$  represents the speed of the traveling wave while  $k_1, k_2$  and  $k_3$  are constants.

For homogeneous number  $m$ , we consider the homogenous balance between highest derivative  $V''''''$  and  $(V'')^2$  given in equation (52). So, by using equation (13) we get  $m = 1$ . Now putting  $m = 1$  in (10) we get the following  $(\frac{G'}{G})$  solution for (50):

$$V(\xi) = \sum_{i=-1}^1 a_i \left( \frac{G'(\xi)}{G(\xi)} \right)^i = a_0 + a_{-1} \left( \frac{G'(\xi)}{G(\xi)} \right)^{-1} + a_1 \left( \frac{G'(\xi)}{G(\xi)} \right)^1, \quad (53)$$

where  $a_1, a_0$  and  $a_{-1}$  are unknown constants. By putting equation (53) with the help of (11) in equation (52) a polynomial in  $\frac{G'(\xi)}{G(\xi)}$  is formed, equating the coefficients of same power of  $(\frac{G'}{G})$  to 0 the system of non-linear equations is formed. By using Maple, this system provides two solutions given as:

Case 1:

$$a_{-1} = 2k_1B, \quad a_0 = a_0, \quad a_1 = 0, \quad k_1 = k_1, \quad k_2 = k_2, \quad k_3 = k_3 \quad \text{and} \quad c = 4k_1^3B - k_1a - k_1^3A^2 \quad (54)$$

Case 2:

$$a_{-1} = 0, \quad a_0 = a_0, \quad a_1 = -2k_1, \quad k_1 = k_1, \quad k_2 = k_2, \quad k_3 = k_3 \quad \text{and} \quad c = 4k_1^3B - k_1a - k_1^3A^2 \quad (55)$$

Case 3:

$$a_0 = a_0, \quad k_1 = k_1, \quad a_{-1} = a_{-1}, \quad k_2 = k_2, \quad a_1 = a_1, \quad k_3 = 0 \quad \text{and} \quad c = c \quad (56)$$

Case 4:

$$a_0 = a_0, \quad k_1 = k_1, \quad a_{-1} = a_{-1}, \quad k_2 = 0, \quad a_1 = a_1, \quad k_3 = k_3 \quad \text{and} \quad c = c \quad (57)$$

Case 5:

$$a_0 = a_0, \quad k_1 = 0, \quad a_{-1} = a_{-1}, \quad k_2 = k_2, \quad a_1 = a_1, \quad k_3 = k_3 \quad \text{and} \quad c = 0 \quad (58)$$

Considering case.1 and suppose that  $Z = A^2 - 4B$  for simplicity in calculation, we get the following families of solutions

**Family1:** When  $Z < 0$  then equation (53) and (12) implies the following periodic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_1(x, y, t) = a_0 - 2k_1B \left( \frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2}\xi\right) + \frac{A}{2} \right)^{-1}, \quad (59)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_2(x, y, t) = a_0 + 2k_1B \left( \frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2}\xi\right) - \frac{A}{2} \right)^{-1}, \quad (60)$$

where  $\xi = \frac{k_1 x^\beta}{\Gamma(\beta+1)} + \frac{k_2 y^\gamma}{\Gamma(\gamma+1)} + \frac{k_3 z^\delta}{\Gamma(\delta+1)} + \frac{(4 k_1^3 B - k_1 a - k_1^3 A^2) t^\alpha}{\Gamma(\alpha+1)}$

**Family2:** When  $Z > 0$  then equation (53) and (12) implies the following hyperbolic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_3(x, y, t) = a_0 + 2k_1 B \left( \frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2} \xi\right) - \frac{A}{2} \right)^{-1}, \quad (61)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_4(x, y, t) = a_0 + 2k_1 B \left( \frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2} \xi\right) - \frac{A}{2} \right)^{-1}, \quad (62)$$

where  $\xi = \frac{k_1 x^\beta}{\Gamma(\beta+1)} + \frac{k_2 y^\gamma}{\Gamma(\gamma+1)} + \frac{k_3 z^\delta}{\Gamma(\delta+1)} + \frac{(4 k_1^3 B - k_1 a - k_1^3 A^2) t^\alpha}{\Gamma(\alpha+1)}$

**Family3:** When  $Z = 0$  then equation (53) and equation (12) implies the following rational solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_5(x, y, t) = a_0 + 2k_1 B \left( -\frac{A}{2} \right)^{-1}, \quad (63)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_6(x, y, t) = a_0 + 2k_1 B \left( \frac{1}{\xi} - \frac{A}{2} \right)^{-1}, \quad (64)$$

where  $\xi = \frac{k_1 x^\beta}{\Gamma(\beta+1)} + \frac{k_2 y^\gamma}{\Gamma(\gamma+1)} + \frac{k_3 z^\delta}{\Gamma(\delta+1)} + \frac{(4 k_1^3 B - k_1 a - k_1^3 A^2) t^\alpha}{\Gamma(\alpha+1)}$

Now considering case.2 and suppose that  $Z = A^2 - 4B$  for simplicity in calculation, we get further two families of solutions given as:

**Family4:** When  $Z < 0$  then equation (53) and (12) implies the following periodic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_7(x, y, t) = a_0 + 2k_1 \left( \frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2} \right), \quad (65)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_8(x, y, t) = a_0 - 2k_1 \left( \frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2} \xi\right) - \frac{A}{2} \right), \quad (66)$$

where  $\xi = \frac{k_1 x^\beta}{\Gamma(\beta+1)} + \frac{k_2 y^\gamma}{\Gamma(\gamma+1)} + \frac{k_3 z^\delta}{\Gamma(\delta+1)} + \frac{(4 k_1^3 B - k_1 a - k_1^3 A^2) t^\alpha}{\Gamma(\alpha+1)}$

**Family5:** When  $Z > 0$  then equation (53) and (12) implies the following hyperbolic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_9(x, y, t) = a_0 - 2k_1 \left( \frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2} \xi\right) - \frac{A}{2} \right), \quad (67)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{10}(x, y, t) = a_0 - 2k_1 \left( \frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2} \xi\right) - \frac{A}{2} \right), \quad (68)$$

where  $\xi = \frac{k_1 x^\beta}{\Gamma(\beta+1)} + \frac{k_2 y^\gamma}{\Gamma(\gamma+1)} + \frac{k_3 z^\delta}{\Gamma(\delta+1)} + \frac{(4 k_1^3 B - k_1 a - k_1^3 A^2) t^\alpha}{\Gamma(\alpha+1)}$

**Family6:** When  $Z = 0$  then equation (53) and (12) implies the following rational solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{11}(x, y, t) = a_0 + 2k_1 \left( \frac{A}{2} \right), \quad (69)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{12}(x, y, t) = a_0 - 2k_1 \left( \frac{1}{\xi} - \frac{A}{2} \right), \quad (70)$$

where  $\xi = \frac{k_1 x^\beta}{\Gamma(\beta+1)} + \frac{k_2 y^\gamma}{\Gamma(\gamma+1)} + \frac{k_3 z^\delta}{\Gamma(\delta+1)} + \frac{(4 k_1^3 B - k_1 a - k_1^3 A^2) t^\alpha}{\Gamma(\alpha+1)}$

Now considering case.3 and suppose that  $Z = A^2 - 4B$  for simplicity in calculation, we get further two families of solutions given as:

**Family7:** When  $Z < 0$  then equation (53) and (12) implies the following periodic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{13}(x, y, t) = a_{-1} \left( \frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2} \right)^{-1} + a_0 + a_1 \left( \frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2} \right), \quad (71)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{14}(x, y, t) = a_{-1} \left( \frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2} \right)^{-1} + a_0 + a_1 \left( \frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2} \right), \quad (72)$$

where  $\xi = \frac{k_1 x^\beta}{\Gamma(\beta+1)} + \frac{k_2 y^\gamma}{\Gamma(\gamma+1)} + \frac{c t^\alpha}{\Gamma(\alpha+1)}$

**Family8:** When  $Z > 0$  then equation (53) and (12) implies the following hyperbolic solitary wave solutions: (i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{15}(x, y, t) = a_{-1} \left( \frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2} \right)^{-1} + a_0 + a_1 \left( \frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2} \right), \quad (73)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{16}(x, y, t) = a_{-1} \left( \frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2} \right)^{-1} + a_0 + a_1 \left( \frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2} \right), \quad (74)$$

where  $\xi = \frac{k_1 x^\beta}{\Gamma(\beta+1)} + \frac{k_2 y^\gamma}{\Gamma(\gamma+1)} + \frac{c t^\alpha}{\Gamma(\alpha+1)}$

**Family9:** When  $Z = 0$  then equation (53) and (12) implies the following rational solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{17}(x, y, t) = a_{-1} \left(\frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{A}{2}\right), \quad (75)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{18}(x, y, t) = a_{-1} \left(\frac{1}{\xi} - \frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{1}{\xi} - \frac{A}{2}\right), \quad (76)$$

where  $\xi = k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} + c \frac{t^\alpha}{\Gamma(\alpha+1)}$ .

Now considering case.4 and suppose that  $Z = A^2 - 4B$  for simplicity in calculation, we get further two families of solutions given as:

**Family10:** When  $Z < 0$  then equation (53) and (12) implies the following periodic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{19}(x, y, t) = a_{-1} \left(\frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2}\right), \quad (77)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{20}(x, y, t) = a_{-1} \left(\frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2}\right), \quad (78)$$

where  $\xi = k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_3 \frac{z^\delta}{\Gamma(\delta+1)} + c \frac{t^\alpha}{\Gamma(\alpha+1)}$

**Family11:** When  $Z > 0$  then equation (53) and (12) implies the following hyperbolic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{21}(x, y, t) = a_{-1} \left(\frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2}\right), \quad (79)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{22}(x, y, t) = a_{-1} \left(\frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2}\right), \quad (80)$$

where  $\xi = k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_3 \frac{z^\delta}{\Gamma(\delta+1)} + c \frac{t^\alpha}{\Gamma(\alpha+1)}$

**Family12:** When  $Z = 0$  then equation (53) and (12) implies the following rational solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{23}(x, y, t) = a_{-1} \left(\frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{A}{2}\right), \quad (81)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{24}(x, y, t) = a_{-1} \left(\frac{1}{\xi} - \frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{1}{\xi} - \frac{A}{2}\right), \quad (82)$$

where  $\xi = k_1 \frac{x^\beta}{\Gamma(\beta+1)} + k_3 \frac{z^\delta}{\Gamma(\delta+1)} + c \frac{t^\alpha}{\Gamma(\alpha+1)}$ .

Now considering case.5 and suppose that  $Z = A^2 - 4B$  for simplicity in calculation, we get further two families of solutions given as:

**Family13:** When  $Z < 0$  then equation (53) and (12) implies the following periodic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{25}(x, y, t) = a_{-1} \left(\frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{\sqrt{-Z}}{2} \tan\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2}\right), \quad (83)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{26}(x, y, t) = a_{-1} \left(\frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{\sqrt{-Z}}{2} \cot\left(\frac{\sqrt{-Z}}{2} \xi\right) + \frac{A}{2}\right), \quad (84)$$

where  $\xi = k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} + k_3 \frac{z^\delta}{\Gamma(\delta+1)}$

**Family14:** When  $Z > 0$  then equation (53) and (12) implies the following hyperbolic solitary wave solutions:

(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{27}(x, y, t) = a_{-1} \left(\frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{\sqrt{Z}}{2} \tanh\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2}\right), \quad (85)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{28}(x, y, t) = a_{-1} \left(\frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{\sqrt{Z}}{2} \coth\left(\frac{\sqrt{Z}}{2} \xi\right) + \frac{A}{2}\right), \quad (86)$$

where  $\xi = k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} + k_3 \frac{z^\delta}{\Gamma(\delta+1)}$

**Family15:** When  $Z = 0$  then equation (53) and (12) implies the following rational solitary wave solutions:


(i) When  $D_1 \neq 0$  and  $D_2 = 0$

$$V_{29}(x, y, t) = a_{-1} \left(\frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{A}{2}\right), \quad (87)$$

(ii) When  $D_1 = 0$  and  $D_2 \neq 0$

$$V_{30}(x, y, t) = a_{-1} \left(\frac{1}{\xi} - \frac{A}{2}\right)^{-1} + a_0 + a_1 \left(\frac{1}{\xi} - \frac{A}{2}\right), \quad (88)$$

where  $\xi = k_2 \frac{y^\gamma}{\Gamma(\gamma+1)} + k_3 \frac{z^\delta}{\Gamma(\delta+1)}$  and  $Z = A^2 - 4B$ .




**FIGURE 1.** Graph of (29) for  $a_0 = 3, k_1 = 0.8, k_2 = 2, a = 5, A = 3, B = 1, \alpha = \beta = \gamma = 1$  and  $y = 0$ .


**IV. DISCUSSION AND GRAPHS**

The aim of the present paper is to solve extended SWWEs in fractional order by using extended  $(\frac{G'}{G})$ -expansion method. Thus we solved and found various families of solutions. It is concluded that our work is the generalization of the works present in literature. For example, Faisal and Kumar have solved equation (1-2) with the help of improved  $(\frac{G'}{G})$ -expansion method [28]. The solutions given in [28] are the special cases of the solutions obtained in the present research work, that is for  $\alpha = \beta = \gamma = 1$  in the current solutions given in equations (20-31) and (38-49) we get the solutions given in [28]. Similarly, Bekir in [29] have used simple  $(\frac{G'}{G})$ -expansion method and obtained only six solutions. If, we ignore the portion  $\sum_{i=-n}^0 a_i (\frac{G'(\xi)}{G(\xi)})^i$  in our proposed method then our solutions coincide with Bekir's solutions. Hence, it is concluded that simple  $(\frac{G'}{G})$ -expansion the special case of the current method. If, we consider our solutions in fractional order then the results obtained are new so far. As compare to differential equations in integer order, the fractional ordered differential equations can model any physical phenomena correctly. Therefore, the proposed method provided distinct exact solutions to physical problems in non-linear science which explain the inner part mechanism of any physical problem. Moreover, the present method doesn't need any linearization process as compare to some other methods in literature for solving non-linear problems.


The suggested method provide three types of travelling wave solutions for the problems, periodic, hyperbolic and rational function solutions. The solutions are further classified by using different values to parameters in the above solitary wave solutions. The parameter  $c$  in the solutions obtained the speed of these waves. The balance between linear and non-linearity effect delivers solitary wave solutions. By using a Maple software and assigning particular values to parameters present in the exact solutions, we have shown the nature of some periodic and solitary solutions in following figures.



**FIGURE 2.** Graph of (22) for  $a_0 = 3, k_1 = 0.8, k_2 = 2, a = 2, A = 3, B = 1, \alpha = \beta = \gamma = 1$  and  $y = 0$ .



**FIGURE 3.** Graph of (26) for  $a_0 = 5, k_1 = -0.8, k_2 = -1, a = 2, A = 0.2, B = 3, \alpha = \beta = \gamma = 1$  and  $y = 0$ .




**FIGURE 4.** Graph of (49) for  $a_0 = 3, k_1 = 1.5, k_2 = -0.5, a = 3, A = 2, B = 1, \alpha = \beta = \gamma = 1$  and  $y = 0$ .

*Remarks 1:* The Fig.1 shows soliton profile which is similar to the figure of equation (21) in [28].

*Remarks 2:* The Fig.2 shows kink profile which is similar to the figure of equation (24) in [28].

*Remarks 3:* The Fig.3 shows periodic profile which is similar to the figure of equation (28) in [28].





**FIGURE 5.** Graph of (86) for  $\alpha_0 = 3, \alpha_1 = 1, \alpha_{-1} = 0, k_1 = 1.5, k_2 = 0.5, k_3 = 1, \alpha = 3, A = 3, B = 1, \delta = \gamma = 1$  and  $\eta = 0$ .

*Remarks 4:* The Fig.4 shows soliton profile which is similar to the figure of equation (55) in [28].

## V. CONCLUSION

The analytical solutions of extended FSWWEs are obtained by using extended  $(G'/G)$ -expansion method. These solutions include hyperbolic, rational and trigonometric function solution. The free parameters in various solutions, provide the behaviour of solutions. Moreover, with the help of these parameters we constructed solutions that may be related to physical problems in real phenomena.

## REFERENCES

- [1] S. Momani and Z. Odibat, "Homotopy perturbation method for nonlinear partial differential equations of fractional order," *Phys. Lett. A*, vol. 365, pp. 5–6, pp. 345–350, 2007.
- [2] M. M. Meerschaert and C. Tadjeran, "Finite difference approximations for two-sided space-fractional partial differential equations," *Appl. Numer. Math.*, vol. 56, no. 1, pp. 80–90, 2006.
- [3] F. Liu, V. Anh, and I. Turner, "Numerical solution of the space fractional Fokker–Planck equation," *J. Comput. Appl. Math.*, vol. 166, no. 1, pp. 209–219, 2004.
- [4] S. Momani and Z. Odibat, "Analytical approach to linear fractional partial differential equations arising in fluid mechanics," *Phys. Lett. A*, vol. 355, pp. 4–5, pp. 271–279, 2006.
- [5] P. Zhuang, F. Liu, V. Anh, and I. Turner, "New solution and analytical techniques of the implicit numerical method for the anomalous subdiffusion equation," *SIAM J. Numer. Anal.*, vol. 46, no. 2, pp. 1079–1095, 2008.
- [6] L. De Rosa, "Infinitely many Leray–Hopf solutions for the fractional Navier–Stokes equations," *Commun. Partial Differ. Equ.*, vol. 44, no. 4, pp. 335–365, 2019.
- [7] X.-J. Yang, F. Gao, J. A. T. Machado, and D. Baleanu, "Exact travelling wave solutions for local fractional partial differential equations in mathematical physics," in *Mathematical Methods in Engineering*. Cham, Switzerland: Springer, 2019, pp. 175–191.
- [8] A. Gaber, A. F. Aljohani, A. Ebaid, and J. A. T. Machado, "The generalized Kudryashov method for nonlinear space–time fractional partial differential equations of Burgers type," *Nonlinear Dyn.*, vol. 95, no. 1, pp. 361–368, 2019.
- [9] H. Xu, S.-J. Liao, and X.-C. You, "Analysis of nonlinear fractional partial differential equations with the homotopy analysis method," *Commun. Nonlinear Sci. Numer. Simul.*, vol. 14, no. 4, pp. 1152–1156, 2009.
- [10] S. Javeed, D. Baleanu, A. Waheed, M. S. Khan, and H. Affan, "Analysis of homotopy perturbation method for solving fractional order differential equations," *Mathematics*, vol. 7, no. 1, p. 40, 2019.
- [11] G.-C. Wu and D. Baleanu, "Variational iteration method for the Burgers' flow with fractional derivatives—New Lagrange multipliers," *Appl. Math. Model.*, vol. 37, no. 9, pp. 6183–6190, 2013.
- [12] J.-S. Duan, R. Rach, D. Baleanu, and A.-M. Wazwaz, "A review of the Adomian decomposition method and its applications to fractional differential equations," *Commun. Fractional Calculus*, vol. 3, no. 2, pp. 73–99, 2012.
- [13] K. R. Raslan, K. K. Ali, and M. A. Shallal, "The modified extended tanh method with the Riccati equation for solving the space-time fractional EW and MEW equations," *Chaos, Solitons Fractals*, vol. 103, pp. 404–409, Oct. 2017.
- [14] H. Jafari, H. Tajadodi, D. Baleanu, A. Al-Zahrani, Y. A. Alhamed, and A. H. Zahid, "Fractional sub-equation method for the fractional generalized reaction Duffing model and nonlinear fractional Sharma-Tasso-Olver equation," *Open Phys.*, vol. 11, no. 10, pp. 1482–1486, 2013.
- [15] H. Zhang, F. Liu, and V. Anh, "Galerkin finite element approximation of symmetric space-fractional partial differential equations," *Appl. Math. Comput.*, vol. 217, no. 6, pp. 2534–2545, 2010.
- [16] Q. Feng and F. Meng, "Explicit solutions for space-time fractional partial differential equations in mathematical physics by a new generalized fractional Jacobi elliptic equation-based sub-equation method," *Optik*, vol. 127, no. 19, pp. 7450–7458, 2016.
- [17] J.-H. He, "Exp-function method for fractional differential equations," *Int. J. Nonlinear Sci. Numer. Simul.*, vol. 14, no. 6, pp. 363–366, 2013.
- [18] S. Abusad, I. Hashim, and S. A. A. Karim, "Modified fractional reduced differential transform method for the solution of multiterm time-fractional diffusion equations," *Adv. Math. Phys.*, vol. 2019, Mar. 2019, Art. no. 5703916.
- [19] Y. Shang, "Analytical solution for an in-host viral infection model with time-inhomogeneous rates," *Acta Phys. Polonica B*, vol. 46, no. 8, pp. 1567–1577, 2015.
- [20] N. J. Ford, J. Xiao, and Y. Yan, "A finite element method for time fractional partial differential equations," *Fractional Calculus Appl. Anal.*, vol. 14, no. 3, pp. 454–474, 2011.
- [21] Y. Zhang, "Solving STO and KD equations with modified Riemann–Liouville derivative using improved  $(G'/G)$ -expansion function method," *IAENG Int. J. Appl. Math.*, vol. 45, no. 1, pp. 16–22, 2015.
- [22] Z. Bin, " $(G'/G)$ -expansion method for solving fractional partial differential equations in the theory of mathematical physics," *Commun. Theor. Phys.*, vol. 58, vol. 5, pp. 623–630, 2012.
- [23] E. M. E. Zayed and K. A. Gepreel, "The  $(G'/G)$ -expansion method for finding traveling wave solutions of nonlinear partial differential equations in mathematical physics," *J. Math. Phys.*, vol. 50, no. 1, 2009, Art. no. 013502.
- [24] E. M. E. Zayed and S. Al-Joudi, "Applications of an extended  $(G'/G)$ -expansion method to find exact solutions of nonlinear PDEs in mathematical physics," *Math. Problems Eng.*, vol. 2010, Jun. 2010, Art. no. 768573.
- [25] A. Bekir and O. Güner, "Exact solutions of nonlinear fractional differential equations by  $(G'/G)$ -expansion method," *Chin. Phys. B*, vol. 22, no. 11, 2013, Art. no. 110202.
- [26] A. Bekir and E. Aksoy, "Exact solutions of extended shallow water wave equations by exp-function method," *Int. J. Numer. Methods Heat Fluid Flow*, vol. 23, no. 2, pp. 305–319, 2013. doi: 10.1108/09615531311293489.
- [27] N. Shang and B. Zheng, "Exact solutions for three fractional partial differential equations by the  $(G'/G)$ -expansion method," *Int. J. Appl. Math.*, vol. 43, no. 3, pp. 114–119, 2013.
- [28] F. Hawlader and D. Kumar, "A variety of exact analytical solutions of extended shallow water wave equations via the improved  $(G'/G)$ -expansion method," *Int. J. Phys. Res.*, vol. 5, no. 1, pp. 21–27, 2017.
- [29] A. Bekir and E. Aksoy, "Exact solutions of shallow water wave equations by using the  $(G'/G)$ -expansion method," *Waves Random Complex Media*, vol. 22, no. 3, pp. 317–331, 2012. doi: 10.1080/17455030.2012.683890.
- [30] B. S. T. Alkahtani and A. Atangana, "Controlling the wave movement on the surface of shallow water with the Caputo–Fabrizio derivative with fractional order," *Chaos, Solitons Fractals*, vol. 89, pp. 539–546, Aug. 2016.
- [31] A. R. Seadawy, D. Lu, and M. M. A. Khater, "New wave solutions for the fractional-order biological population model, time fractional burgers, Drinfeld–Sokolov–Wilson and system of shallow water wave equations and their applications," *Eur. J. Comput. Mech.*, vol. 26, nos. 5–6, pp. 508–524, 2017.
- [32] S. S. Ray, "A novel method for travelling wave solutions of fractional Whitham–Broer–Kaup, fractional modified Boussinesq and fractional approximate long wave equations in shallow water," *Math. Methods Appl. Sci.*, vol. 38, no. 7, pp. 1352–1368, 2015.



**HASSAN KHAN** received the Ph.D. degree in computational mathematics. He is currently an Assistant Professor with the Department of Mathematics, Abdul Wali Khan University Mardan. His areas of research interests include applying different numerical and analytical techniques to solve different fractional order differential equations and system of fractional order differential equations. In particular, he used Chebyshev wavelet method for numerical solutions of such problems. Ana-

lytically, he has used Laplace Adomian decomposition method, Laplace variational iteration method, natural transform decomposition method, and Aboodh transform decomposition method to solve fractional order differential equations.



**SHOAB** is currently an M.Phil. Scholar with the Department of Mathematics, Allama Iqbal Open University, Islamabad, Pakistan. In M.Phil. Mathematics, he started his research interests in the area of fractional calculus under the supervision of Dr. Hassan Khan, Abdul Wali Khan University Mardan. During this research, he has produced some good research publications in the area of fractional calculus. His research interest includes analytical techniques to solve fractional order partial differential equations. He stood first in the M.Sc. Mathematics Examination and awarded Gold Medal by the Department of Mathematics, Abdul Wali Khan University Mardan.



**DUMITRU BALEANU** was highly cited in mathematics, from 2015 to 2018. He is currently a Professor with the Institute of Space Sciences, Măgurele, Romania, and a Visiting Staff Member with the Department of Mathematics, Çankaya University, Ankara, Turkey. He got more than 11300 (excluding self-citations of all authors) in journals covered by SCI. His Hirsch index is 49 according to SCI. He is a Referee for more than 75 journals indexed in SCI. He is a co author of

three books and 12 edited books. He is also a co author of the Patent No. 2014 1 0033835.7 (Inventors: G.C. Wu, L.G. Zeng, D. Baleanu, X.C. Shi, and F. Wu). His fields of interests include the fractional dynamics and its applications in science and engineering, fractional differential equations, discrete mathematics, mathematical physics, soliton theory, Lie symmetry, dynamic systems on time scales, and the wavelet method and its applications. He is an Editorial Board Member of several top journals in mathematics. He received the Obada-Prize in 2019 and the ICFDA2018 Award: Innovation in Fractional Calculus.



**POOM KUMAM** has been holding an Adjunct Professor position with the Department of Mathematics, Faculty of Science, King Mongkut's University of Technology Thonburi (KMUTT), since 2015, where he is currently the Founding Head of Theoretical and Computational Science (TaCS) Center. Since 2014, he serves as an Associate Dean of Research for the Faculty of Science, KMUTT. His research interests include fixed-point theory in both pure science and applied science. He has

started his research in the area of nonlinear analysis, since 2000. He has over 500 scientific papers and projects either presented or published. His research interests include fixed-point theory, variational analysis, random operator theory, optimization theory, and approximation theory. He has provided and developed many mathematical tools in his fields productively over the past years.



**JAMEEL F. AL-ZAIDY** is currently an Assistant Professor with the Department of Mathematics, Faculty of Sciences and Arts, King Khalid University, Abha, Saudi Arabia. His research interests include differential equations, numerical analysis, and differential geometry.

...