

- Tardos, J.D.**, *see* Neira, J., *T-RA Feb 99* 76-84
Tardos, J.D., *see* Castellanos, J.A., *T-RA Oct 99* 948-952
Tarokh, M. Decoupled nonlinear three-term controllers for robot trajectory tracking; *T-RA Apr 99* 369-380
Tendick, F., *see* Cavusoglu, M.C., *T-RA Aug 99* 728-739
Tetzlaff, U.A.W., and E. Pesch. Optimal workload allocation between a job shop and an FMS; *T-RA Feb 99* 20-32
Thakur, L.S., *see* Luh, P.B., *T-RA Apr 99* 328-339
Thalmann, D., *see* Molet, T., *T-RA Jun 99* 475-485
Thompson, W.B., J.C. Owen, H.J. de St. Germain, S.R. Stark, Jr., and T.C. Henderson. Feature-based reverse engineering of mechanical parts; *T-RA Feb 99* 57-66
Tilbury, D.M., *see* Park, E., *T-RA Dec 99* 1046-1061
Tomita, K., S. Murata, H. Kurokawa, E. Yoshida, and S. Kokaji. Self-assembly and self-repair method for a distributed mechanical system; *T-RA Dec 99* 1035-1045
Tsu-Tian Lee, *see* Yih-Guan Leu, *T-RA Oct 99* 805-817

U

- Uchiyama, M.**, *see* Nenchev, D.N., *T-RA Dec 99* 1011-1023

V

- Valavanis, K.P.** Autonomous Agents (Bekey, G.A., Ed.; 1998) [book review]; *T-RA Dec 99* 1149
van der Linde, R.Q. Design, analysis, and control of a low power joint for walking robots, by phasic activation of McKibben muscles; *T-RA Aug 99* 599-604
Veelaert, P., and W. Bogaerts. Ultrasonic potential field sensor for obstacle avoidance; *T-RA Aug 99* 774-779
Vendittelli, M., J.-P. Laumond, and C. Nissoux. Obstacle distance for car-like robots; *T-RA Aug 99* 678-691
Venturini, G., *see* Jetto, L., *T-RA Apr 99* 219-229
Vichitkulsawat, P., *see* Nenchev, D.N., *T-RA Dec 99* 1011-1023
Villani, L., *see* Caccavale, F., *T-RA Apr 99* 289-300
Viswanadham, N., *see* Narahari, Y., *T-RA Oct 99* 882-896
Volz, R.A., *see* Everett, L.J., *T-RA Oct 99* 829-836

W

- Wada, M.**, and H.H. Asada. Design and control of a variable footprint mechanism for holonomic omnidirectional vehicles and its application to wheelchairs; *T-RA Dec 99* 978-989
Wagner, I.A., M. Lindenbaum, and A.M. Bruckstein. Distributed covering by ant-robots using evaporating traces; *T-RA Oct 99* 918-933
Walker, I.D., *see* Diftler, M.A., *T-RA Oct 99* 858-868
Wang, J., *see* Huang, T., *T-RA Dec 99* 1121-1125
Wang Guoqing, *see* Cheng, T.C.E., *T-RA Feb 99* 187-190
Wang Wei-Yen, *see* Yih-Guan Leu, *T-RA Oct 99* 805-817
Wankyun Chung, *see* Doik Kim, *T-RA Aug 99* 612-622
Wei-Yen Wang, *see* Yih-Guan Leu, *T-RA Oct 99* 805-817
Wen, J.T.-Y., and L.S. Wilfinger. Kinematic manipulability of general constrained rigid multibody systems; *T-RA Jun 99* 558-567
Wen-Han Qian, *see* Bing-Ran Zuo, *T-RA Oct 99* 934-941
Wen-Hong Zhu, and J. De Schutter. Adaptive control of mixed rigid/flexible joint robot manipulators based on virtual decomposition; *T-RA Apr 99* 310-317
Whitehouse, D., *see* Huang, T., *T-RA Dec 99* 1121-1125
Whitney, D.E., *see* Mantripragada, R., *T-RA Feb 99* 124-140
Whitney, D.E., *see* de Fazio, T.L., *T-RA Oct 99* 869-881
Wilfinger, L.S., *see* Wen, J.T.-Y., *T-RA Jun 99* 558-567
Wray, J., *see* Rucci, M., *T-RA Feb 99* 96-110
Wu, S.D., *see* Chun-Hung Chen, *T-RA Feb 99* 44-56

X

- Xiaolan Xie**, and MuDer Jeng. ERCN-merged nets and their analysis using siphons; *T-RA Aug 99* 692-703
Xie Xiaolan, *see* Xiaolan Xie, *T-RA Aug 99* 692-703
Xu Yangsheng, *see* Yun-Hui Liu, *T-RA Apr 99* 258-267

Y

- Yalcin, A.**, and T.O. Boucher. An architecture for flexible manufacturing cells with alternate machining and alternate sequencing; *T-RA Dec 99* 1126-1130
Yamamoto, M., *see* Kumar Sarker, P., *T-RA Apr 99* 357-362
Yamashita, M., *see* Ando, H., *T-RA Oct 99* 818-828
Yang Jong-Min, *see* Jong-Min Yang, *T-RA Jun 99* 578-587
Yangsheng Xu, *see* Yun-Hui Liu, *T-RA Apr 99* 258-267
Yan Zhuang, *see* Goldberg, K., *T-RA Oct 99* 849-857
Yeo Hee-Joo, *see* Hee-Joo Yeo, *T-RA Feb 99* 141-151
Yeong-Dae Kim, *see* Hong-Bae Jun, *T-RA Jun 99* 488-496
Yi, B.-J., S.-R. Oh, and I.H. Suh. A five-bar finger mechanism involving redundant actuators: Analysis and its applications; *T-RA Dec 99* 1001-1010
Yi Byung-Ju, *see* Hee-Joo Yeo, *T-RA Feb 99* 141-151
Yih-Guan Leu, Wei-Yen Wang, and Tsu-Tian Lee. Robust adaptive fuzzy-neural controllers for uncertain nonlinear systems; *T-RA Oct 99* 805-817
Yi Ma, J. Kosecka, and S.S. Sastry. Vision guided navigation for a nonholonomic mobile robot; *T-RA Jun 99* 521-536
Yoshida, E., *see* Tomita, K., *T-RA Dec 99* 1035-1045
Yoshida, K., *see* Nenchev, D.N., *T-RA Jun 99* 548-557
Yoshida, K., *see* Nenchev, D.N., *T-RA Dec 99* 1011-1023
Yoshikawa, T. Virtual truss model for characterization of internal forces for multiple finger grasps; *T-RA Oct 99* 941-947
Yu, S.L., *see* Jing Yuan, *T-RA Jun 99* 592-595
Yuan Jing, *see* Jing Yuan, *T-RA Jun 99* 592-595
Yun-Hui Liu Qualitative test and force optimization of 3-D frictional form-closure grasps using linear programming; *T-RA Feb 99* 163-173
Yun-Hui Liu, Yangsheng Xu, and M. Bergerman. Cooperation control of multiple manipulators with passive joints; *T-RA Apr 99* 258-267

Z

- Zhang, F.**, *see* de Queiroz, M.S., *T-RA Aug 99* 779-787
Zhou, M., *see* Zussman, E., *T-RA Feb 99* 190-194
Zhou Dong Hua, *see* Mingli Bai, *T-RA Apr 99* 362-369
Zhuang Yan, *see* Goldberg, K., *T-RA Oct 99* 849-857
Zhu Wen-Hong, *see* Wen-Hong Zhu, *T-RA Apr 99* 310-317
Zuo Bing-Ran, *see* Bing-Ran Zuo, *T-RA Oct 99* 934-941
Zussman, E., and M. Zhou. A methodology for modeling and adaptive planning of disassembly processes; *T-RA Feb 99* 190-194

SUBJECT INDEX

A

- Absolute stability**
 stable haptic interact. with virtual environs. *Adams, R.J.*, +, *T-RA Jun 99* 465-474
Acoustic signal processing
 barn owl orienting behavior adaptation model, autonomous robotic systs. appl. *Rucci, M.*, +, *T-RA Feb 99* 96-110
Acoustic transducers; cf. Ultrasonic transducers
Actuators
 five-bar finger mechanism involving redundant actuators. *Yi, B.-J.*, +, *T-RA Dec 99* 1001-1010
 walking robots, low power joint, McKibben muscles, phasic activation. *van der Linde, R.Q.*, *T-RA Aug 99* 599-604
Adaptive control
 barn owl orienting behavior adaptation model, autonomous robotic systs. appl. *Rucci, M.*, +, *T-RA Feb 99* 96-110
 flexible link robot arm, adaptive nonlin. boundary control. *de Queiroz, M.S.*, +, *T-RA Aug 99* 779-787
 force guided robot assembly, perturb./correl. method. *Sooyong Lee*, +, *T-RA Aug 99* 764-773
 manipulator rigid/flexible joint adaptive control. *Wen-Hong Zhu*, +, *T-RA Apr 99* 310-317
 manipulators, flexible-link, nonlin. adaptive control. *de Queiroz, M.S.*, +, *T-RA Apr 99* 392
 single-link flexible arms payload adaptive control. *Feliu, J.J.*, +, *T-RA Oct 99* 793-804
 uncertain nonlin. systs., robust adaptive fuzzy-neural controllers. *Yih-Guan Leu*, +, *T-RA Oct 99* 805-817
Adaptive estimation
 mobile robot, autonomous, localization, adaptive EKF appl. *Jetto, L.*, +, *T-RA Apr 99* 219-229

Adaptive Kalman filters

mobile robot, autonomous, localization, adaptive EKF appl. *Jetto, L.*, +, *T-RA Apr 99* 219-229

Adaptive signal processing

low-latency adaptive vision, VLSI sorting image sens. *Brajovic, V.*, +, *T-RA Feb 99* 67-75

Adaptive systems

ant-robots distributed covering by evaporating traces. *Wagner, I.A.*, +, *T-RA Oct 99* 918-933

Adaptive systems; cf. Self-adjusting systems**Aerospace computing**

runway obstacle detect., spatiotemporal image flow disparity. *Sull, S.*, +, *T-RA Jun 99* 537-547

Aerospace control

Space robot, floating, impact/post-impact motion control. *Nenchev, D.N.*, +, *T-RA Jun 99* 548-557

Aerospace robotics

planar space robots time-invariant config. control. *Mukherjee, R.*, +, *T-RA Apr 99* 268-280

Aircraft landing guidance

runway obstacle detect., spatiotemporal image flow disparity. *Sull, S.*, +, *T-RA Jun 99* 537-547

Algebra; cf. Lie algebras; Matrix algebra; Polynomials**Algorithm theory; cf.** Computational complexity**Analog circuits; cf.** Analog processing circuits**Analog processing circuits**

low-latency adaptive vision, VLSI sorting image sens. *Brajovic, V.*, +, *T-RA Feb 99* 67-75

Angle modulation; cf. Frequency modulation**Artificial intelligence; cf.** Cooperative systems; Learning (artificial intelligence); Planning (artificial intelligence)**Assembling**

1D self-assembling mech. syst. conform. switching. *Saitou, K.*, *T-RA Jun 99* 510-520

complex mech. assemblies, design for assembly, design-specific approach. *de Fazio, T.L.*, +, *T-RA Oct 99* 869-881

design for tolerance of electro-mechanical assemblies, integrated approach. *Narahari, Y.*, +, *T-RA Dec 99* 1062-1079

force guided robot assembly, perturb./correl. method. *Sooyong Lee*, +, *T-RA Aug 99* 764-773

indust. part feeding, part pose stats. estim. *Goldberg, K.*, +, *T-RA Oct 99* 849-857

mech. assemblies, var. propag. modeling and control, state transit. models. *Mantripragada, R.*, +, *T-RA Feb 99* 124-140

threaded parts alignment, robot hand. *Diftler, M.A.*, +, *T-RA Oct 99* 858-868

Assembly planning

assemblability, max. likelihood tolerance config. *Sanderson, A.C.*, *T-RA Jun 99* 568-572

assembly seq. interactive eval. by augmented reality. *Raghavan, V.*, +, *T-RA Jun 99* 435-449

disassembly procs., modeling and adaptive planning. *Zussman, E.*, +, *T-RA Feb 99* 190-194

mfg. syst. modeling/extended resource control net. *Xiaolan Xie*, +, *T-RA Aug 99* 692-703

Asymptotic stability

flexible link robot arm, adaptive nonlin. boundary control. *de Queiroz, M.S.*, +, *T-RA Aug 99* 779-787

manipulator path tracking, decoupled nonlin. PID control. *Tarokh, M.*, *T-RA Apr 99* 369-380

manipulator rigid/flexible joint adaptive control. *Wen-Hong Zhu*, +, *T-RA Apr 99* 310-317

mech. manipulator pass. vel. field control. *Li, P.Y.*, +, *T-RA Aug 99* 751-763

mobile robotics, high speed target pursuit and asymptotic stabil. *Adams, M.D.*, *T-RA Apr 99* 230-237

multi-manipulators with pass. joints cooperation control. *Yun-Hui Liu*, +, *T-RA Apr 99* 258-267

planar space robots time-invariant config. control. *Mukherjee, R.*, +, *T-RA Apr 99* 268-280

robot control, vision-based, 2 1/2 D visual servoing method. *Malis, E.*, +, *T-RA Apr 99* 238-250

wheeled nonholonomic robots, sliding mode path tracking. *Jong-Min Yang*, +, *T-RA Jun 99* 578-587

Attitude measurement

end-effector posn.-orient. meas., laser scanners. *Jing Yuan*, +, *T-RA Jun 99* 592-595

modeling and copying human head movements. *Heuring, J.J.*, +, *T-RA Dec 99* 1095-1108

vision-based method for circle pose determ. with direct geometric interp. *Chen, Z.*, +, *T-RA Dec 99* 1135-1140

Augmented reality

assembly seq. interactive eval. by augmented reality. *Raghavan, V.*, +, *T-RA Jun 99* 435-449

Automation; cf. Factory automation; Materials handling; Robots**B****Batch processing (industrial)**

transfer lines with failures, prod. output variance. *Ciprut, P.*, +, *T-RA Feb 99* 33-43

Bayes methods

LANA, lane extraction algm. for vehicle visual navig. *Kreucher, C.*, +, *T-RA Apr 99* 343-350

Bioacoustics

barn owl orienting behavior adaptation model, autonomous robotic systs. appl. *Rucci, M.*, +, *T-RA Feb 99* 96-110

Biocontrol

barn owl orienting behavior adaptation model, autonomous robotic systs. appl. *Rucci, M.*, +, *T-RA Feb 99* 96-110

Biomedical equipment; cf. Medical robotics**Biophysics; cf.** Bioacoustics**Book reviews**

Autonomous Agents (Bekey, G.A., Ed.; 1998). *Valavanis, K.P.*, *T-RA Dec 99* 1149

Force and Touch Feedback for Virtual Reality (Burdea, G.; 1996). *Bejczy, A.K.*, *T-RA Jun 99* 486-487

Virtual Reality Technology (Burdea, G., and Coiffet, P.; 1994). *Bejczy, A.K.*, *T-RA Jun 99* 486

C**CAD**

grippers, 3D modular design for grasp, CAD. *Brown, R.G.*, +, *T-RA Feb 99* 174-186

CAD/CAM

CMM dimens. inspection planning, accessibility anal. *Spitz, S.N.*, +, *T-RA Aug 99* 714-727

mech. parts, feature-based reverse engng. *Thompson, W.B.*, +, *T-RA Feb 99* 57-66

Calibration

camera calib., iter. multistep explicit method. *Batista, J.*, +, *T-RA Oct 99* 897-917

dexterous micro-manipulation syst., two-fingered micro-hand. *Tanikawa, T.*, +, *T-RA Feb 99* 152-162

self calib. of Stewart-Gough parallel robots without extra sensors. *Khalil, W.*, +, *T-RA Dec 99* 1116-1121

virtual reality computer vision aided calib. *Kim, W.S.*, *T-RA Jun 99* 450-464

CCD image sensors

camera calib., iter. multistep explicit method. *Batista, J.*, +, *T-RA Oct 99* 897-917

Chemical sensors; cf. Gas sensors**Closed loop systems**

manipulator neural output feedback control. *Kim, Y.H.*, +, *T-RA Apr 99* 301-309

manipulator path tracking, decoupled nonlin. PID control. *Tarokh, M.*, *T-RA Apr 99* 369-380

planar space robots time-invariant config. control. *Mukherjee, R.*, +, *T-RA Apr 99* 268-280

uncertain nonlin. systs., robust adaptive fuzzy-neural controllers. *Yih-Guan Leu*, +, *T-RA Oct 99* 805-817

CMOS analog integrated circuits

low-latency adaptive vision, VLSI sorting image sens. *Brajovic, V.*, +, *T-RA Feb 99* 67-75

CMOS image sensors

low-latency adaptive vision, VLSI sorting image sens. *Brajovic, V.*, +, *T-RA Feb 99* 67-75

Collision avoidance

posn.-controlled manipulator collision avoidance. *Seraji, H.*, +, *T-RA Aug 99* 670-677

Combinatorial mathematics; cf. Graph theory**Compensation**

flexible link robot arm, adaptive nonlin. boundary control. *de Queiroz, M.S.*, +, *T-RA Aug 99* 779-787

multi-manipulators with pass. joints cooperation control. *Yun-Hui Liu*, +, *T-RA Apr 99* 258-267

Compensation; cf. Error compensation**Compliance control**

Gough-Stewart platform spatio-geom. impedance control. *Fasse, E.D.*, +, *T-RA Apr 99* 281-288

- parallel springs spatial stiffness matrix. *Roberts, R.G., T-RA Oct 99 953-958*
- Computational complexity**
2-machine FMS scheduling, pseudopolynomial dyn. prog. *Cheng, T.C.E., +, T-RA Feb 99 187-190*
FMS operational contingency handling, routing flexibility. *Reveliotis, S.A., T-RA Feb 99 3-19*
indust. part feeding, part pose stats. estim. *Goldberg, K., +, T-RA Oct 99 849-857*
multiple tethered underwater robots, motion planning in R^3 . *Hert, S., +, T-RA Aug 99 623-639*
robot path planning, dist. encoded by hardware delays. *Moller, R., T-RA Jun 99 588-592*
tech. for analyzing constrained rigid-body systs. and its appl. to constraint force algm. *Featherstone, R., +, T-RA Dec 99 1140-1144*
- Computational geometry**
car-like robot nonholonomic dist. determ. *Vendittelli, M., +, T-RA Aug 99 678-691*
CMM dimens. inspection planning, accessibility anal. *Spitz, S.N., +, T-RA Aug 99 714-727*
locally controllable manipulation by stable pushing. *Lynch, K.M., T-RA Apr 99 318-327*
mech. parts, feature-based reverse engng. *Thompson, W.B., +, T-RA Feb 99 57-66*
- Computer aided analysis; cf.** Digital simulation
- Computer aided production planning**
assembly seq. interactive eval. by augmented reality. *Raghavan, V., +, T-RA Jun 99 435-449*
virtual reality-robotic technols. integrat. *Burdea, G.C., T-RA Jun 99 400-410*
- Computer applications; cf.** CAD/CAM; CAD; Handicapped aids
- Computer graphics; cf.** Solid modeling; Virtual reality
- Computerized control; cf.** Intelligent control
- Computerized navigation**
LANA, lane extraction algm. for vehicle visual navig. *Kreucher, C., +, T-RA Apr 99 343-350*
land vehicles, inertial meas. unit/GPS navig. loop. *Sukkarieh, S., +, T-RA Jun 99 572-578*
nonholonomic mobile robot, vision guided navig. *Yi Ma, +, T-RA Jun 99 521-536*
- Computer software; cf.** Software packages
- Computer vision**
assembly seq. interactive eval. by augmented reality. *Raghavan, V., +, T-RA Jun 99 435-449*
camera calib., iter. multistep explicit method. *Batista, J., +, T-RA Oct 99 897-917*
indust. part feeding, part pose stats. estim. *Goldberg, K., +, T-RA Oct 99 849-857*
LANA, lane extraction algm. for vehicle visual navig. *Kreucher, C., +, T-RA Apr 99 343-350*
mech. parts, feature-based reverse engng. *Thompson, W.B., +, T-RA Feb 99 57-66*
robot task prog. by vision-based virtual environ. *Lloyd, J.E., +, T-RA Jun 99 423-434*
runway obstacle detect., spatiotemporal image flow disparity. *Sull, S., +, T-RA Jun 99 537-547*
virtual reality computer vision aided calib. *Kim, W.S., T-RA Jun 99 450-464*
virtual reality in robotics and automation (special section). *T-RA Jun 99 397-487*
virtual reality in robotics and automation, special section intro. *Bejczy, A.K., +, T-RA Jun 99 397-399*
vision-based method for circle pose determ. with direct geometric interp. *Chen, Z., +, T-RA Dec 99 1135-1140*
- Computer vision; cf.** Robot vision
- Continuum mechanics; cf.** Mechanical contact
- Control equipment; cf.** Actuators; Neurocontrollers; Pneumatic control equipment
- Controllability**
Hilare mobile robot trailer pulling motion planning. *Lamiroux, F., +, T-RA Aug 99 640-652*
locally controllable manipulation by stable pushing. *Lynch, K.M., T-RA Apr 99 318-327*
mobile robot, nonholonomic, vision guided navig. *Yi Ma, +, T-RA Jun 99 521-536*
- Controllers; cf.** Programmable controllers; Servomechanisms
- Control of specific variables; cf.** Mechanical variables control; Spatial variables control
- Control system analysis**
mobile robotics, high speed target pursuit and asymptotic stabil. *Adams, M.D., T-RA Apr 99 230-237*
robots, task-space control, energy shaping/damping injection. *Kelly, R., T-RA Apr 99 381-386*
- Control systems; cf.** Closed loop systems; Nonlinear control systems; Observers
- Control system synthesis**
flexible link robot arm, adaptive nonlin. boundary control. *de Queiroz, M.S., +, T-RA Aug 99 779-787*
planar elastic manipulator under gravity, path planning. *Kumar Sarkar, P., +, T-RA Apr 99 357-362*
robots, task-space control, energy shaping/damping injection. *Kelly, R., T-RA Apr 99 381-386*
task-specific robot design, scaling matrices. *Stocco, L.J., +, T-RA Oct 99 958-965*
walking robots, low power joint, McKibben muscles, phasic activation. *van der Linde, R.Q., T-RA Aug 99 599-604*
- Control theory; cf.** Adaptive control; Compensation; Controllability; Control system analysis; Control system synthesis; Fuzzy control; Intelligent control; Observability; Optimal control; Robust control; Three-term control; Two-term control
- Convergence**
high speed target pursuit and asymptotic stabil. *Adams, M.D., T-RA Apr 99 230-237*
planar space robots time-invariant config. control. *Mukherjee, R., +, T-RA Apr 99 268-280*
robot control, vision-based, 2 1/2 D visual servoing method. *Malis, E., +, T-RA Apr 99 238-250*
- Cooperative systems**
autonomous mobile robots, limited visibility, distributed memoryless point convergence algm. *Ando, H., +, T-RA Oct 99 818-828*
multibody constrained rigid systs., kinematic manipulability. *Wen, J.T.-Y., +, T-RA Jun 99 558-567*
multi-manipulators with pass. joints cooperation control. *Yun-Hui Liu, +, T-RA Apr 99 258-267*
projective virtual reality, robotic control appls. *Freund, E., +, T-RA Jun 99 411-422*
sawing task, two-arm cooperating robot syst., hybrid control, single closed-loop kinematic chain approach. *Hee-Joo Yeo, +, T-RA Feb 99 141-151*
- Cooperative systems; cf.** Multi-agent systems
- Corporate modeling**
mfg. firm, lead time modeling and product design/develop. accel. *Narahari, Y., +, T-RA Oct 99 882-896*
- Correlation methods**
force guided robot assembly, perturb./correl. method. *Sooyong Lee, +, T-RA Aug 99 764-773*
mobile robot navig., localization/map building. *Castellanos, J.A., +, T-RA Oct 99 948-952*
- Correlation theory**
transfer lines with failures, prod. output variance. *Ciprut, P., +, T-RA Feb 99 33-43*
- Costing**
job-shop scheduling with uncertain proc. requirements. *Luh, P.B., +, T-RA Apr 99 328-339*

D

- Damping**
Gough-Stewart platform spatio-geom. impedance control. *Fasse, E.D., +, T-RA Apr 99 281-288*
parallel springs spatial stiffness matrix. *Roberts, R.G., T-RA Oct 99 953-958*
task-space control, energy shaping/damping injection. *Kelly, R., T-RA Apr 99 381-386*
- Data handling; cf.** Sorting
- Decentralized control**
ant-robots distributed covering by evaporating traces. *Wagner, I.A., +, T-RA Oct 99 918-933*
self-assembly and self-repair method for distributed mech. syst. *Tomita, K., +, T-RA Dec 99 1035-1045*
- Delays**
robot path planning, dist. encoded by hardware delays. *Moller, R., T-RA Jun 99 588-592*
- Describing functions**
mobile robotics, high speed target pursuit and asymptotic stabil. *Adams, M.D., T-RA Apr 99 230-237*
- Design engineering**
design for tolerance of electro-mechanical assemblies, integrated approach. *Narahari, Y., +, T-RA Dec 99 1062-1079*
- Design engineering; cf.** Design for manufacture; Product development; Reverse engineering
- Design for manufacture**
assemblability, max. likelihood tolerance config. *Sanderson, A.C., T-RA Jun 99 568-572*

Dexterous manipulators

- dexterous micro-manipulation syst., two-fingered micro-hand. *Tanikawa, T.*, +, *T-RA Feb 99* 152-162
 five-bar finger mechanism involving redundant actuators. *Yi, B.-J.*, +, *T-RA Dec 99* 1001-1010
 obj. reconfiguration, quasi-static fingertip manipulations planning. *Cherif, M.*, +, *T-RA Oct 99* 837-848
 posn.-controlled manipulator collision avoidance. *Seraji, H.*, +, *T-RA Aug 99* 670-677
 threaded parts alignment, robot hand. *Diftler, M.A.*, +, *T-RA Oct 99* 858-868

Differential equations

- transfer lines with failures, prod. output variance. *Ciprut, P.*, +, *T-RA Feb 99* 33-43

Digital simulation

- autonomous mobile robots, limited visibility, distributed memoryless point convergence algm. *Ando, H.*, +, *T-RA Oct 99* 818-828
 barn owl orienting behavior adaptation model, autonomous robotic systs. appl. *Rucci, M.*, +, *T-RA Feb 99* 96-110
 projective virtual reality, robotic control appls. *Freund, E.*, +, *T-RA Jun 99* 411-422
 robot task prog. by vision-based virtual environ. *Lloyd, J.E.*, +, *T-RA Jun 99* 423-434

Digital systems; cf. Real-time systems**Directed graphs**

- prod. workload, optimal allocation between job shop/FMS. *Tetzlaff, U.A.W.*, +, *T-RA Feb 99* 20-32

Directed graphs; cf. Petri nets**Discrete cosine transforms**

- LANA, lane extraction algm. for vehicle visual navig. *Kreucher, C.*, +, *T-RA Apr 99* 343-350

Discrete event systems

- fault-tolerant robust control of uncertain systs. *Seong-Jin Park*, +, *T-RA Apr 99* 386-391
 flexible routing prod. systs. deadlock avoidance. *Lawley, M.A.*, *T-RA Jun 99* 497-509

Discrete transforms; cf. Discrete cosine transforms**Displacement control**

- Gough-Stewart platform spatio-geom. impedance control. *Fasse, E.D.*, +, *T-RA Apr 99* 281-288

Distance measurement

- mobile robot, autonomous, localization, adaptive EKF appl. *Jetto, L.*, +, *T-RA Apr 99* 219-229

Distance measurement; cf. Laser ranging**Distributed algorithms**

- autonomous mobile robots, limited visibility, distributed memoryless point convergence algm. *Ando, H.*, +, *T-RA Oct 99* 818-828

Distributed control

- ant-robots distributed covering by evaporating traces. *Wagner, I.A.*, +, *T-RA Oct 99* 918-933

Distributed parameter systems

- flexible link robot arm, adaptive nonlin. boundary control. *de Queiroz, M.S.*, +, *T-RA Aug 99* 779-787

Distributed processing; cf. Distributed algorithms; Parallel processing**Duality (mathematics)**

- job-shop scheduling with uncertain proc. requirements. *Luh, P.B.*, +, *T-RA Apr 99* 328-339

Dynamic programming

- 2-machine FMS scheduling, pseudopolynomial dyn. prog. *Cheng, T.C.E.*, +, *T-RA Feb 99* 187-190
 job-shop scheduling with uncertain proc. requirements. *Luh, P.B.*, +, *T-RA Apr 99* 328-339

Dynamic response; cf. Transient response**Dynamics; cf.** Friction; Impact (mechanical); Robot dynamics**E****Elasticity**

- planar elastic manipulator under gravity, path planning. *Kumar Sarkar, P.*, +, *T-RA Apr 99* 357-362

Electric impedance; cf. Impedance matrix**Electronic equipment manufacture; cf.** Printed circuit manufacture**Energy storage; cf.** Mechanical energy storage**Engineering; cf.** Design engineering; Maintenance engineering**Engineering computing; cf.** Aerospace computing**Equations; cf.** Differential equations**Error compensation**

- planar elastic manipulator under gravity, path planning. *Kumar Sarkar, P.*, +, *T-RA Apr 99* 357-362

Estimation theory

- LANA, lane extraction algm. for vehicle visual navig. *Kreucher, C.*, +, *T-RA Apr 99* 343-350

Estimation theory; cf. Adaptive estimation; Maximum likelihood estimation**Evolutionary computation; cf.** Genetic algorithms**Excavators**

- excavator arm inertial/friction param. ident. *Tafazoli, S.*, +, *T-RA Oct 99* 966-971

F**Factory automation**

- virtual reality in robotics and automation (special section). *T-RA Jun 99* 397-487

- virtual reality in robotics and automation, special section intro. *Bejczy, A.K.*, +, *T-RA Jun 99* 397-399

Factory automation; cf. Flexible manufacturing systems**Fault tolerance**

- real-time failure-tolerant control of kinematically redundant manipulators. *Groom, K.N.*, +, *T-RA Dec 99* 1109-1116

Feature extraction

- indoor mobile robot localization, intens./range images fusion. *Neira, J.*, +, *T-RA Feb 99* 76-84

- LANA, lane extraction algm. for vehicle visual navig. *Kreucher, C.*, +, *T-RA Apr 99* 343-350

- mech. parts, feature-based reverse engng. *Thompson, W.B.*, +, *T-RA Feb 99* 57-66

Feedback

- excavator arm inertial/friction param. ident. *Tafazoli, S.*, +, *T-RA Oct 99* 966-971

- force guided robot assembly, perturb./correl. method. *Sooyong Lee*, +, *T-RA Aug 99* 764-773

- human body movement meas., immersive eval. *Molet, T.*, +, *T-RA Jun 99* 475-485

- manipulator neural output feedback control. *Kim, Y.H.*, +, *T-RA Apr 99* 301-309

- mech. manipulator pass. vel. field control. *Li, P.Y.*, +, *T-RA Aug 99* 751-763

- mobile robot, nonholonomic, vision guided navig. *Yi Ma*, +, *T-RA Jun 99* 521-536

- multi-manipulators with pass. joints cooperation control. *Yun-Hui Liu*, +, *T-RA Apr 99* 258-267

- planar space robots time-invariant config. control. *Mukherjee, R.*, +, *T-RA Apr 99* 268-280

- wheeled nonholonomic robots, sliding mode path tracking. *Jong-Min Yang*, +, *T-RA Jun 99* 578-587

Feedback; cf. Force feedback**Feedforward**

- planar elastic manipulator under gravity, path planning. *Kumar Sarkar, P.*, +, *T-RA Apr 99* 357-362

Feedforward neural nets

- efficient learning of variable-resoln. cognitive maps for autonomous indoor navigation. *Arleo, A.*, +, *T-RA Dec 99* 990-1000

Filtering theory

- assemblability, max. likelihood tolerance config. *Sanderson, A.C.*, *T-RA Jun 99* 568-572

- mobile robot, autonomous, localization, adaptive EKF appl. *Jetto, L.*, +, *T-RA Apr 99* 219-229

- mobile robot, nonholonomic, vision guided navig. *Yi Ma*, +, *T-RA Jun 99* 521-536

Filters; cf. Kalman filters; Nonlinear filters; Tracking filters**Finance; cf.** Corporate modeling; Costing**Flexible manipulators**

- 2D flexible manipulator, design for nearly posn. independent natural freq. *Everett, L.J.*, +, *T-RA Aug 99* 605-611

- flexible link robot arm, adaptive nonlin. boundary control. *de Queiroz, M.S.*, +, *T-RA Aug 99* 779-787

- flexible manipulator, planar 2-link, friction ident. *Mingli Bai*, +, *T-RA Apr 99* 362-369

- manipulators, flexible-link, nonlin. adaptive control. *de Queiroz, M.S.*, +, *T-RA Apr 99* 392

- planar elastic manipulator under gravity, path planning. *Kumar Sarkar, P.*, +, *T-RA Apr 99* 357-362

- react. null-space control of flexible struct. mounted manipulator systs. *Nenchev, D.N.*, +, *T-RA Dec 99* 1011-1023

- single-link flexible arms payload adaptive control. *Feliu, J.J.*, +, *T-RA Oct 99* 793-804

Flexible manufacturing systems

- 2-machine FMS scheduling, pseudopolynomial dyn. prog. *Cheng, T.C.E.*, +, *T-RA Feb 99* 187-190

archit. for flexible mfg. cells with alternate machining and alternate sequencing. *Yalcin, A.*, +, *T-RA Dec 99* 1126-1130

deadlock avoidance for flexible routing prod. systs. *Lawley, M.A.*, *T-RA Jun 99* 497-509

modular logic controllers for machining systs., formal representation and perform. anal. using Petri nets. *Park, E.*, +, *T-RA Dec 99* 1046-1061

operational contingency handling, routing flexibility. *Reveliotis, S.A.*, *T-RA Feb 99* 3-19

prod. workload, optimal allocation between job shop/FMS. *Tetzlaff, U.A.W.*, +, *T-RA Feb 99* 20-32

tool transporter/provisioning heuristics. *Hong-Bae Jun*, +, *T-RA Jun 99* 488-496

Flexible structures; cf. Flexible manipulators

Force control

excavator arm inertial/friction param. ident. *Tafazoli, S.*, +, *T-RA Oct 99* 966-971

manipulator obj. grasping, contact form. recogn. *Everett, L.J.*, +, *T-RA Oct 99* 829-836

multifingered grasping internal/interact. forces. *Bing-Ran Zuo*, +, *T-RA Oct 99* 934-941

multifingered robots, 3D frictional form-closure grasps. *Yun-Hui Liu*, *T-RA Feb 99* 163-173

multifinger grasps, internal force/virtual truss model. *Yoshikawa, T.*, *T-RA Oct 99* 941-947

posn.-controlled manipulator collision avoidance. *Seraji, H.*, +, *T-RA Aug 99* 670-677

sawing task, two-arm cooperating robot syst., hybrid control, single closed-loop kinematic chain approach. *Hee-Joo Yeo*, +, *T-RA Feb 99* 141-151

threaded parts alignment, robot hand. *Diftler, M.A.*, +, *T-RA Oct 99* 858-868

Force feedback

stable haptic interact. with virtual environs. *Adams, R.J.*, +, *T-RA Jun 99* 465-474

virtual reality-robotic technols. integrat. *Burdea, G.C.*, *T-RA Jun 99* 400-410

Force measurement

robot assembly, force guided, perturb./correl. method. *Sooyong Lee*, +, *T-RA Aug 99* 764-773

Force sensors

force guided robot assembly, perturb./correl. method. *Sooyong Lee*, +, *T-RA Aug 99* 764-773

Frequency-domain analysis

LANA, lane extraction algm. for vehicle visual navig. *Kreucher, C.*, +, *T-RA Apr 99* 343-350

Frequency modulation

five-bar finger mechanism involving redundant actuators. *Yi, B.-J.*, +, *T-RA Dec 99* 1001-1010

Friction

excavator arm inertial/friction param. ident. *Tafazoli, S.*, +, *T-RA Oct 99* 966-971

locally controllable manipulation by stable pushing. *Lynch, K.M.*, *T-RA Apr 99* 318-327

multifinger grasps, internal force/virtual truss model. *Yoshikawa, T.*, *T-RA Oct 99* 941-947

obj. reconfiguration, quasi-static fingertip manipulations planning. *Cherif, M.*, +, *T-RA Oct 99* 837-848

Functions; cf. Describing functions; Transfer functions

Fuzzy control

uncertain nonlin. systs., robust adaptive fuzzy-neural controllers. *Yih-Guan Leu*, +, *T-RA Oct 99* 805-817

Fuzzy neural nets

uncertain nonlin. systs., robust adaptive fuzzy-neural controllers. *Yih-Guan Leu*, +, *T-RA Oct 99* 805-817

G

Gas sensors

3D odor compass. *Ishida, H.*, +, *T-RA Apr 99* 251-257

Gaussian distribution

assemblability, max. likelihood tolerance config. *Sanderson, A.C.*, *T-RA Jun 99* 568-572

Gaussian noise

camera calib., iter. multistep explicit method. *Batista, J.*, +, *T-RA Oct 99* 897-917

Genetic algorithms

1D self-assembling mech. syst. conform. switching. *Saitou, K.*, *T-RA Jun 99* 510-520

complex mech. assemblies, design for assembly, design-specific approach. *de Fazio, T.L.*, +, *T-RA Oct 99* 869-881

Geometry

hexapod robots, parallel manipulators, closed form forward kinematics soln. *Bruyninckx, H.*, +, *T-RA Aug 99* 788-789

Geometry; cf. Computational geometry

Global Positioning System

land vehicles, inertial meas. unit/GPS navig. loop. *Sukkarieh, S.*, +, *T-RA Jun 99* 572-578

Graph theory

multiple tethered underwater robots, motion planning in R^3 . *Hert, S.*, +, *T-RA Aug 99* 623-639

obj. reconfiguration, quasi-static fingertip manipulations planning. *Cherif, M.*, +, *T-RA Oct 99* 837-848

Graph theory; cf. Directed graphs

Group theory; cf. Lie groups

H

Handicapped aids

variable footprint mechanism for holonomic omnidirectional vehicles and its application to wheelchairs. *Wada, M.*, +, *T-RA Dec 99* 978-989

Haptic interfaces

book review; Force and Touch Feedback for Virtual Reality (Burdea, G.; 1996). *Bejczy, A.K.*, *T-RA Jun 99* 486-487

stable haptic interact. with virtual environs. *Adams, R.J.*, +, *T-RA Jun 99* 465-474

virtual reality-robotic technols. integrat. *Burdea, G.C.*, *T-RA Jun 99* 400-410

Heuristic programming

2-machine FMS scheduling, pseudopolynomial dyn. prog. *Cheng, T.C.E.*, +, *T-RA Feb 99* 187-190

I

Identification

flexible manipulator, planar 2-link, friction ident. *Mingli Bai*, +, *T-RA Apr 99* 362-369

single-link flexible arms payload adaptive control. *Feliu, J.J.*, +, *T-RA Oct 99* 793-804

Identification; cf. Parameter estimation

Image motion analysis; cf. Motion estimation

Image processing; cf. Computer vision; Image segmentation; Image sequences; Stereo image processing

Image segmentation

low-latency adaptive vision, VLSI sorting image sens. *Brajovic, V.*, +, *T-RA Feb 99* 67-75

Image sensors

barn owl orienting behavior adaptation model, autonomous robotic systs. appl. *Rucci, M.*, +, *T-RA Feb 99* 96-110

integrating perception and control in binocular tracking. *Bernardino, A.*, +, *T-RA Dec 99* 1080-1094

robot control, vision-based, 2 1/2 D visual servoing method. *Malis, E.*, +, *T-RA Apr 99* 238-250

Image sensors; cf. CCD image sensors; CMOS image sensors

Image sequences

robot control, vision-based, 2 1/2 D visual servoing method. *Malis, E.*, +, *T-RA Apr 99* 238-250

runway obstacle detect., spatiotemporal image flow disparity. *Sull, S.*, +, *T-RA Jun 99* 537-547

Impact (mechanical)

Space robot, floating, impact/post-impact motion control. *Nenchev, D.N.*, +, *T-RA Jun 99* 548-557

Impedance matrix

task-specific robot design, scaling matrices. *Stocco, L.J.*, +, *T-RA Oct 99* 958-965

Industrial control; cf. Production control

Industrial manipulators

6-DOF impedance control, angle/axis rep. *Caccavale, F.*, +, *T-RA Apr 99* 289-300

determ. of closed form soln. to 2D orient. workspace of Gough-Stewart parallel manipulators. *Huang, T.*, +, *T-RA Dec 99* 1121-1125

force guided robot assembly, perturb./correl. method. *Sooyong Lee*, +, *T-RA Aug 99* 764-773

kinematic and dynamic anal. of double parallel manipulator for enlarging workspace and avoiding singularities. *Lee, M.K.*, +, *T-RA Dec 99* 1024-1034

sawing task, two-arm cooperating robot syst., hybrid control, single closed-loop kinematic chain approach. *Hee-Joo Yeo*, +, *T-RA Feb 99* 141-151

threaded parts alignment, robot hand. *Diftler, M.A.*, +, *T-RA Oct 99* 858-868

visual servoing, lin. camera-obj. interact. *Allotta, B.*, + , *T-RA Apr 99* 350-357

Industrial robots

CMM dimens. inspection planning, accessibility anal. *Spitz, S.N.*, + , *T-RA Aug 99* 714-727

part feeding, part pose stats. estim. *Goldberg, K.*, + , *T-RA Oct 99* 849-857

Industrial robots; cf. Industrial manipulators

Industries; cf. Manufacturing industries

Inertial navigation

land vehicles, inertial meas. unit/GPS navig. loop. *Sukkarieh, S.*, + , *T-RA Jun 99* 572-578

underground mining vehicle, autonomous navig. *Scheding, S.*, + , *T-RA Feb 99* 85-95

Inference mechanisms; cf. Spatial reasoning

Information theory; cf. Correlation theory; Filtering theory

Inspection

CMM dimens. inspection planning, accessibility anal. *Spitz, S.N.*, + , *T-RA Aug 99* 714-727

Instruments; cf. Sensors

Intelligent control

manipulator neural output feedback control. *Kim, Y.H.*, + , *T-RA Apr 99* 301-309

Intelligent control; cf. Fuzzy control

Interactive systems

assembly seq. interactive eval. by augmented reality. *Raghavan, V.*, + , *T-RA Jun 99* 435-449

Interactive systems; cf. Virtual reality

Iterative methods

planar elastic manipulator under gravity, path planning. *Kumar Sarkar, P.*, + , *T-RA Apr 99* 357-362

J

Jacobian matrices

hexapod robots, parallel manipulators, closed form forward kinematics soln. *Bruyninckx, H.*, + , *T-RA Aug 99* 788-789

multi-manipulators with pass. joints cooperation control. *Yun-Hui Liu*, + , *T-RA Apr 99* 258-267

sawing task, two-arm cooperating robot syst., hybrid control, single closed-loop kinematic chain approach. *Hee-Joo Yeo*, + , *T-RA Feb 99* 141-151

six-DOF parallel manipulators, analytic sing. eqn. and anal. *Doik Kim*, + , *T-RA Aug 99* 612-622

task-specific robot design, scaling matrices. *Stocco, L.J.*, + , *T-RA Oct 99* 958-965

K

Kalman filters

assemblability, max. likelihood tolerance config. *Sanderson, A.C.*, *T-RA Jun 99* 568-572

indoor mobile robot localization, intens./range images fusion. *Neira, J.*, + , *T-RA Feb 99* 76-84

mobile robot, nonholonomic, vision guided navig. *Yi Ma*, + , *T-RA Jun 99* 521-536

underground mining vehicle, autonomous navig. *Scheding, S.*, + , *T-RA Feb 99* 85-95

Kalman filters; cf. Adaptive Kalman filters

Kinematics

complex mech. assemblies, design for assembly, design-specific approach. *de Fazio, T.L.*, + , *T-RA Oct 99* 869-881

threaded parts alignment, robot hand. *Diftler, M.A.*, + , *T-RA Oct 99* 858-868

Kinematics; cf. Robot kinematics

Knowledge based systems; cf. Intelligent control

L

Large scale integration; cf. VLSI

Large-scale systems

self-assembly and self-repair method for distributed mech. syst. *Tomita, K.*, + , *T-RA Dec 99* 1035-1045

Laser beam applications; cf. Measurement by laser beam

Laser ranging

indoor mobile robot localization, intens./range images fusion. *Neira, J.*, + , *T-RA Feb 99* 76-84

mobile robot navig., localization/map building. *Castellanos, J.A.*, + , *T-RA Oct 99* 948-952

underground mining vehicle, autonomous navig. *Scheding, S.*, + , *T-RA Feb 99* 85-95

Learning (artificial intelligence)

efficient learning of variable-resoln. cognitive maps for autonomous indoor navigation. *Arleo, A.*, + , *T-RA Dec 99* 990-1000

Legged locomotion

hexapod robots, parallel manipulators, closed form forward kinematics soln. *Bruyninckx, H.*, + , *T-RA Aug 99* 788-789

walking robots, low power joint, McKibben muscles, phasic activation. *van der Linde, R.Q.*, *T-RA Aug 99* 599-604

Lie algebras

coord.-invariant algms. for robot dyns. *Ploen, S.R.*, + , *T-RA Dec 99* 1130-1135

Lie groups

coord.-invariant algms. for robot dyns. *Ploen, S.R.*, + , *T-RA Dec 99* 1130-1135

nonholonomic mech. systs., reduced eqns. computation. *Ostrowski, J.P.*, *T-RA Feb 99* 111-123

Limit cycles

walking robots, low power joint, McKibben muscles, phasic activation. *van der Linde, R.Q.*, *T-RA Aug 99* 599-604

Linear algebra; cf. Matrix algebra

Linearization techniques

Acrobot underactuated robot inverted trajectory tracking. *Berkemeier, M.D.*, + , *T-RA Aug 99* 740-750

flexible manipulator, planar 2-link, friction ident. *Mingli Bai*, + , *T-RA Apr 99* 362-369

wheeled nonholonomic robots, sliding mode path tracking. *Jong-Min Yang*, + , *T-RA Jun 99* 578-587

Linear programming

multifingered robots, 3D frictional form-closure grasps. *Yun-Hui Liu*, *T-RA Feb 99* 163-173

Lyapunov methods

flexible link robot arm, adaptive nonlin. boundary control. *de Queiroz, M.S.*, + , *T-RA Aug 99* 779-787

manipulator path tracking, decoupled nonlin. PID control. *Tarokh, M.*, *T-RA Apr 99* 369-380

manipulator rigid/flexible joint adaptive control. *Wen-Hong Zhu*, + , *T-RA Apr 99* 310-317

mobile robotics, high speed target pursuit and asymptotic stabil. *Adams, M.D.*, *T-RA Apr 99* 230-237

planar space robots time-invariant config. control. *Mukherjee, R.*, + , *T-RA Apr 99* 268-280

M

Machine tools

FMS tool transporter/provisioning heuristics. *Hong-Bae Jun*, + , *T-RA Jun 99* 488-496

Machining

modular logic controllers for machining systs., formal representation and perform. anal. using Petri nets. *Park, E.*, + , *T-RA Dec 99* 1046-1061

Maintenance engineering

self-assembly and self-repair method for distributed mech. syst. *Tomita, K.*, + , *T-RA Dec 99* 1035-1045

Management; cf. Corporate modeling

Manipulator dynamics

2D flexible manipulator, design for nearly posn. independent natural freq. *Everett, L.J.*, + , *T-RA Aug 99* 605-611

6-DOF impedance control, angle/axis rep. *Caccavale, F.*, + , *T-RA Apr 99* 289-300

coord.-invariant algms. for robot dyns. *Ploen, S.R.*, + , *T-RA Dec 99* 1130-1135

excavator arm inertial/friction param. ident. *Tafazoli, S.*, + , *T-RA Oct 99* 966-971

flexible manipulator, planar 2-link, friction ident. *Mingli Bai*, + , *T-RA Apr 99* 362-369

Gough-Stewart platform spatio-geom. impedance control. *Fasse, E.D.*, + , *T-RA Apr 99* 281-288

kinematic and dynamic anal. of double parallel manipulator for enlarging workspace and avoiding singularities. *Lee, M.K.*, + , *T-RA Dec 99* 1024-1034

locally controllable manipulation by stable pushing. *Lynch, K.M.*, *T-RA Apr 99* 318-327

mech. manipulator pass. vel. field control. *Li, P.Y.*, + , *T-RA Aug 99* 751-763

mixed rigid/flexible joint adaptive control. *Wen-Hong Zhu*, + , *T-RA Apr 99* 310-317

multi-manipulators with pass. joints cooperation control. *Yun-Hui Liu*, + , *T-RA Apr 99* 258-267

neural output feedback control. *Kim, Y.H.*, + , *T-RA Apr 99* 301-309

- parallel springs spatial stiffness matrix. *Roberts, R.G., T-RA Oct 99 953-958*
- posn.-controlled manipulator collision avoidance. *Seraji, H., +, T-RA Aug 99 670-677*
- react. null-space control of flexible struct. mounted manipulator systs. *Nenchev, D.N., +, T-RA Dec 99 1011-1023*
- tech. for analyzing constrained rigid-body systs. and its appl. to constraint force algm. *Featherstone, R., +, T-RA Dec 99 1140-1144*
- Manipulator kinematics**
- excavator arm inertial/friction param. ident. *Tafazoli, S., +, T-RA Oct 99 966-971*
- hexapod robots, parallel manipulators, closed form forward kinematics soln. *Bruyninckx, H., +, T-RA Aug 99 788-789*
- kinematic and dynamic anal. of double parallel manipulator for enlarging workspace and avoiding singularities. *Lee, M.K., +, T-RA Dec 99 1024-1034*
- multifingered grasping internal/interact. forces. *Bing-Ran Zuo, +, T-RA Oct 99 934-941*
- multifinger grasps, internal force/virtual truss model. *Yoshikawa, T., T-RA Oct 99 941-947*
- multi-manipulators with pass. joints cooperation control. *Yun-Hui Liu, +, T-RA Apr 99 258-267*
- obj. grasping, contact form. recogn. *Everett, L.J., +, T-RA Oct 99 829-836*
- real-time failure-tolerant control of kinematically redundant manipulators. *Groom, K.N., +, T-RA Dec 99 1109-1116*
- redundant robot motion planning, kinematic roadmap. *Ahuactzin, J.M., +, T-RA Aug 99 653-669*
- sawing task, two-arm cooperating robot syst., hybrid control, single closed-loop kinematic chain approach. *Hee-Joo Yeo, +, T-RA Feb 99 141-151*
- self calib. of Stewart-Gough parallel robots without extra sensors. *Khalil, W., +, T-RA Dec 99 1116-1121*
- six-DOF parallel manipulators, analytic sing. eqn. and anal. *Doik Kim, +, T-RA Aug 99 612-622*
- Manipulator kinematics; cf.** Redundant manipulators
- Manipulators**
- end-effector posn.-orient. meas., laser scanners. *Jing Yuan, +, T-RA Jun 99 592-595*
- grippers, 3D modular design for grasp, CAD. *Brown, R.G., +, T-RA Feb 99 174-186*
- multifingered robots, 3D frictional form-closure grasps. *Yun-Hui Liu, T-RA Feb 99 163-173*
- path tracking, decoupled nonlin. PID control. *Tarokh, M., T-RA Apr 99 369-380*
- task-space control, energy shaping/damping injection. *Kelly, R., T-RA Apr 99 381-386*
- Manipulators; cf.** Dexterous manipulators; Flexible manipulators; Industrial manipulators; Manipulator dynamics; Manipulator kinematics; Micromanipulators
- Manufacturing industries**
- lead time modeling and product design/develop. accel. *Narahari, Y., +, T-RA Oct 99 882-896*
- Manufacturing processes**
- CMM dimens. inspection planning, accessibility anal. *Spitz, S.N., +, T-RA Aug 99 714-727*
- Manufacturing processes; cf.** Machining
- Marine vehicles; cf.** Underwater vehicles
- Materials handling**
- FMS tool transporter/provisioning heuristics. *Hong-Bae Jun, +, T-RA Jun 99 488-496*
- indust. part feeding, part pose stats. estim. *Goldberg, K., +, T-RA Oct 99 849-857*
- PCB electroplating cyclic hoist scheduling. *Kats, V., +, T-RA Aug 99 704-713*
- Materials handling; cf.** Excavators
- Mathematical analysis; cf.** Differential equations; Frequency-domain analysis
- Mathematical programming**
- PCB electroplating cyclic hoist scheduling. *Kats, V., +, T-RA Aug 99 704-713*
- Mathematical programming; cf.** Dynamic programming; Linear programming; Nonlinear programming; Stochastic programming
- Mathematics; cf.** Convergence; Duality (mathematics); Estimation theory; Geometry; Optimization; Probability
- Matrix algebra**
- assemblability, max. likelihood tolerance config. *Sanderson, A.C., T-RA Jun 99 568-572*
- mech. assemblies, var. propag. modeling and control, state transit. models. *Mantripragada, R., +, T-RA Feb 99 124-140*
- multifingered grasping internal/interact. forces. *Bing-Ran Zuo, +, T-RA Oct 99 934-941*
- multifinger grasps, internal force/virtual truss model. *Yoshikawa, T., T-RA Oct 99 941-947*
- nonholonomic mech. systs., reduced eqns. computation. *Ostrowski, J.P., T-RA Feb 99 111-123*
- parallel springs spatial stiffness matrix. *Roberts, R.G., T-RA Oct 99 953-958*
- Matrix algebra; cf.** Impedance matrix; Jacobian matrices
- Maximum likelihood estimation**
- assemblability, max. likelihood tolerance config. *Sanderson, A.C., T-RA Jun 99 568-572*
- Measurement; cf.** Measurement by laser beam; Spatial variables measurement
- Measurement by laser beam**
- end-effector posn.-orient. meas., laser scanners. *Jing Yuan, +, T-RA Jun 99 592-595*
- Measurement by laser beam; cf.** Laser ranging
- Measurement systems**
- human body movement meas., immersive eval. *Molet, T., +, T-RA Jun 99 475-485*
- Mechanical contact**
- manipulator obj. grasping, contact form. recogn. *Everett, L.J., +, T-RA Oct 99 829-836*
- multifinger grasps, internal force/virtual truss model. *Yoshikawa, T., T-RA Oct 99 941-947*
- Mechanical control equipment; cf.** Pneumatic control equipment
- Mechanical energy storage**
- mech. manipulator pass. vel. field control. *Li, P.Y., +, T-RA Aug 99 751-763*
- Mechanical properties; cf.** Elasticity; Friction
- Mechanical stability**
- stable haptic interact. with virtual environs. *Adams, R.J., +, T-RA Jun 99 465-474*
- Mechanical variables control**
- manipulator 6-DOF impedance control, angle/axis rep. *Caccavale, F., +, T-RA Apr 99 289-300*
- Mechanical variables control; cf.** Compliance control; Force control; Torque control; Velocity control; Vibration control
- Mechanical variables measurement; cf.** Force measurement
- Mechanics; cf.** Damping; Kinematics; Mechanical stability
- Mechanoception**
- barn owl orienting behavior adaptation model, autonomous robotic systs. appl. *Rucci, M., +, T-RA Feb 99 96-110*
- Medical robotics**
- laparoscopic telesurgical workstation. *Cavusoglu, M.C., +, T-RA Aug 99 728-739*
- Micromanipulators**
- dexterous micro-manipulation syst., two-fingered micro-hand. *Tanikawa, T., +, T-RA Feb 99 152-162*
- Minimization**
- multifingered robots, 3D frictional form-closure grasps. *Yun-Hui Liu, T-RA Feb 99 163-173*
- planar elastic manipulator under gravity, path planning. *Kumar Sarkar, P., +, T-RA Apr 99 357-362*
- robot path planning, dist. encoded by hardware delays. *Moller, R., T-RA Jun 99 588-592*
- Mining**
- underground mining vehicle, autonomous navig. *Scheding, S., +, T-RA Feb 99 85-95*
- Mobile robots**
- ant-robots distributed covering by evaporating traces. *Wagner, I.A., +, T-RA Oct 99 918-933*
- articulated mobile robot gross rolling motion characts. *Choi, B.J., +, T-RA Apr 99 340-343*
- autonomous mobile robot, localization, adaptive EKF appl. *Jetto, L., +, T-RA Apr 99 219-229*
- autonomous mobile robots, limited visibility, distributed memoryless point convergence algm. *Ando, H., +, T-RA Oct 99 818-828*
- book review; Autonomous Agents (Bekey, G.A., Ed.; 1998) . *Valavanis, K.P., T-RA Dec 99 1149*
- car-like robot nonholonomic dist. determ. *Venditelli, M., +, T-RA Aug 99 678-691*
- efficient learning of variable-resoln. cognitive maps for autonomous indoor navigation. *Arleo, A., +, T-RA Dec 99 990-1000*
- Hilare mobile robot trailer pulling motion planning. *Lamiroux, F., +, T-RA Aug 99 640-652*
- indoor mobile robot localization, intens./range images fusion. *Neira, J., +, T-RA Feb 99 76-84*
- land vehicles, inertial meas. unit/GPS navig. loop. *Sukkarieh, S., +, T-RA Jun 99 572-578*
- mobile robotics, high speed target pursuit and asymptotic stabil. *Adams, M.D., T-RA Apr 99 230-237*
- multiple tethered underwater robots, motion planning in R^3 . *Hert, S., +, T-RA Aug 99 623-639*
- navig., localization/map building. *Castellanos, J.A., +, T-RA Oct 99 948-952*

nonholonomic autonomous wheeled mobile robot, all-terrain, motion planning. *Cherif, M.*, *T-RA Apr 99* 202-218

nonholonomic mech. systs., reduced eqns. computation. *Ostrowski, J.P.*, *T-RA Feb 99* 111-123

obstacle avoidance, US pot. field sens. *Veelaert, P.*, +, *T-RA Aug 99* 774-779

path planning, dist. encoded by hardware delays. *Moller, R.*, *T-RA Jun 99* 588-592

Space robot, floating, impact/post-impact motion control. *Nenchev, D.N.*, +, *T-RA Jun 99* 548-557

underground mining vehicle, autonomous navig. *Scheding, S.*, +, *T-RA Feb 99* 85-95

vision guided navig. of nonholonomic robot. *Yi Ma*, +, *T-RA Jun 99* 521-536

wheeled nonholonomic robots, sliding mode path tracking. *Jong-Min Yang*, +, *T-RA Jun 99* 578-587

Mobile robots; cf. Legged locomotion

Modeling
modeling and copying human head movements. *Heuring, J.J.*, +, *T-RA Dec 99* 1095-1108

Modeling; cf. Corporate modeling; Physiological models; Solid modeling

Monte Carlo methods
indust. part feeding, part pose stats. estim. *Goldberg, K.*, +, *T-RA Oct 99* 849-857

MOS analog integrated circuits; cf. CMOS analog integrated circuits

Motion control
Acrobot underactuated robot inverted trajectory tracking. *Berkemeier, M.D.*, +, *T-RA Aug 99* 740-750

articulated mobile robot gross rolling motion characts. *Choi, B.J.*, +, *T-RA Apr 99* 340-343

Hilare mobile robot trailer pulling motion planning. *Lamiriaux, F.*, +, *T-RA Aug 99* 640-652

integrating perception and control in binocular tracking. *Bernardino, A.*, +, *T-RA Dec 99* 1080-1094

locally controllable manipulation by stable pushing. *Lynch, K.M.*, *T-RA Apr 99* 318-327

react. null-space control of flexible struct. mounted manipulator systs. *Nenchev, D.N.*, +, *T-RA Dec 99* 1011-1023

Space robot, floating, impact/post-impact motion control. *Nenchev, D.N.*, +, *T-RA Jun 99* 548-557

variable footprint mechanism for holonomic omnidirectional vehicles and its application to wheelchairs. *Wada, M.*, +, *T-RA Dec 99* 978-989

Motion estimation
modeling and copying human head movements. *Heuring, J.J.*, +, *T-RA Dec 99* 1095-1108

Multi-agent systems
ant-robots distributed covering by evaporating traces. *Wagner, I.A.*, +, *T-RA Oct 99* 918-933

Multiprocessing systems; cf. Shared memory systems

Multi-robot systems
ant-robots distributed covering by evaporating traces. *Wagner, I.A.*, +, *T-RA Oct 99* 918-933

autonomous mobile robots, limited visibility, distributed memoryless point convergence algm. *Ando, H.*, +, *T-RA Oct 99* 818-828

multibody constrained rigid systs., kinematic manipulability. *Wen, J.T.-Y.*, +, *T-RA Jun 99* 558-567

multi-manipulators with pass. joints cooperation control. *Yun-Hui Liu*, +, *T-RA Apr 99* 258-267

multiple tethered underwater robots, motion planning in R^3 . *Hert, S.*, +, *T-RA Aug 99* 623-639

sawing task, two-arm cooperating robot syst., hybrid control, single closed-loop kinematic chain approach. *Hee-Joo Yeo*, +, *T-RA Feb 99* 141-151

N

Navigation

efficient learning of variable-resoln. cognitive maps for autonomous indoor navigation. *Arleo, A.*, +, *T-RA Dec 99* 990-1000

mobile robot navig., localization/map building. *Castellanos, J.A.*, +, *T-RA Oct 99* 948-952

Navigation; cf. Computerized navigation; Inertial navigation

Neural nets

barn owl orienting behavior adaptation model, autonomous robotic systs. appl. *Rucci, M.*, +, *T-RA Feb 99* 96-110

Neural nets; cf. Feedforward neural nets; Fuzzy neural nets; Neurocontrollers

Neurocontrollers
manipulator neural output feedback control. *Kim, Y.H.*, +, *T-RA Apr 99* 301-309

uncertain nonlin. systs., robust adaptive fuzzy-neural controllers. *Yih-Guan Leu*, +, *T-RA Oct 99* 805-817

Neurophysiology

barn owl orienting behavior adaptation model, autonomous robotic systs. appl. *Rucci, M.*, +, *T-RA Feb 99* 96-110

Noise

manipulator path tracking, decoupled nonlin. PID control. *Tarokh, M.*, *T-RA Apr 99* 369-380

Noise; cf. Gaussian noise

Nonelectric sensing devices; cf. Optical sensors

Nonlinear control systems

Acrobot underactuated robot inverted trajectory tracking. *Berkemeier, M.D.*, +, *T-RA Aug 99* 740-750

flexible link robot arm, adaptive nonlin. boundary control. *de Queiroz, M.S.*, +, *T-RA Aug 99* 779-787

manipulator path tracking, decoupled nonlin. PID control. *Tarokh, M.*, *T-RA Apr 99* 369-380

manipulators, flexible-link, nonlin. adaptive control. *de Queiroz, M.S.*, +, *T-RA Apr 99* 392

mobile robotics, high speed target pursuit and asymptotic stabil. *Adams, M.D.*, *T-RA Apr 99* 230-237

uncertain nonlin. systs., robust adaptive fuzzy-neural controllers. *Yih-Guan Leu*, +, *T-RA Oct 99* 805-817

Nonlinear dynamical systems

flexible link robot arm, adaptive nonlin. boundary control. *de Queiroz, M.S.*, +, *T-RA Aug 99* 779-787

uncertain nonlin. systs., robust adaptive fuzzy-neural controllers. *Yih-Guan Leu*, +, *T-RA Oct 99* 805-817

Nonlinear filters

indoor mobile robot localization, intens./range images fusion. *Neira, J.*, +, *T-RA Feb 99* 76-84

mobile robot, autonomous, localization, adaptive EKF appl. *Jetto, L.*, +, *T-RA Apr 99* 219-229

Nonlinear programming

prod. workload, optimal allocation between job shop/FMS. *Tetzlaff, U.A.W.*, +, *T-RA Feb 99* 20-32

Nonlinear systems

Gough-Stewart platform spatio-geom. impedance control. *Fasse, E.D.*, +, *T-RA Apr 99* 281-288

planar space robots time-invariant config. control. *Mukherjee, R.*, +, *T-RA Apr 99* 268-280

Nonlinear systems; cf. Nonlinear control systems; Nonlinear dynamical systems

Numerical analysis; cf. Iterative methods; Monte Carlo methods

O

Object detection

runway obstacle detect., spatiotemporal image flow disparity. *Sull, S.*, +, *T-RA Jun 99* 537-547

Object recognition

LANA, lane extraction algm. for vehicle visual navig. *Kreucher, C.*, +, *T-RA Apr 99* 343-350

Observability

mobile robot, nonholonomic, vision guided navig. *Yi Ma*, +, *T-RA Jun 99* 521-536

Observers

manipulator neural output feedback control. *Kim, Y.H.*, +, *T-RA Apr 99* 301-309

Operations research

job-shop scheduling with uncertain proc. requirements. *Luh, P.B.*, +, *T-RA Apr 99* 328-339

mech. assemblies, var. propag. modeling and control, state transit. models. *Mantripragada, R.*, +, *T-RA Feb 99* 124-140

Optical scanners

end-effector posn.-orient. meas., laser scanners. *Jing Yuan*, +, *T-RA Jun 99* 592-595

Optical sensors

end-effector posn.-orient. meas., laser scanners. *Jing Yuan*, +, *T-RA Jun 99* 592-595

Optimal control

mech. assemblies, var. propag. modeling and control, state transit. models. *Mantripragada, R.*, +, *T-RA Feb 99* 124-140

multifingered robots, 3D frictional form-closure grasps. *Yun-Hui Liu*, *T-RA Feb 99* 163-173

planar elastic manipulator under gravity, path planning. *Kumar Sarkar, P.*, +, *T-RA Apr 99* 357-362

Optimal control; cf. Suboptimal control

Optimization

car-like robot nonholonomic dist. determ. *Vendittelli, M.*, +, *T-RA Aug 99* 678-691

disassembly procs., modeling and adaptive planning. *Zussman, E.*, +, *T-RA Feb 99* 190-194

FMS tool transporter/provisioning heuristics. *Hong-Bae Jun*, +, *T-RA Jun 99* 488-496
 heuristic algms., ordinal comparison using stochastic optim. *Chun-Hung Chen*, +, *T-RA Feb 99* 44-56
 locally controllable manipulation by stable pushing. *Lynch, K.M.*, *T-RA Apr 99* 318-327
 mech. assemblies, var. propag. modeling and control, state transit. models. *Mantripragada, R.*, +, *T-RA Feb 99* 124-140
 parallel springs spatial stiffness matrix. *Roberts, R.G.*, *T-RA Oct 99* 953-958
 task-specific robot design, scaling matrices. *Stocco, L.J.*, +, *T-RA Oct 99* 958-965
Optimization; cf. Genetic algorithms; Mathematical programming; Minimization
Oscillations; cf. Pendulums

P

Parallel processing
 robot path planning, dist. encoded by hardware delays. *Moller, R.*, *T-RA Jun 99* 588-592
Parameter estimation
 excavator arm inertial/friction param. ident. *Tafazoli, S.*, +, *T-RA Oct 99* 966-971
Parameter estimation; cf. Maximum likelihood estimation
Path planning
 autonomous mobile robots, limited visibility, distributed memoryless point convergence algm. *Ando, H.*, +, *T-RA Oct 99* 818-828
 car-like robot nonholonomic dist. determ. *Vendittelli, M.*, +, *T-RA Aug 99* 678-691
 CMM dimens. inspection planning, accessibility anal. *Spitz, S.N.*, +, *T-RA Aug 99* 714-727
 dist. encoding by hardware delays, robots. *Moller, R.*, *T-RA Jun 99* 588-592
 Hilare mobile robot trailer pulling motion planning. *Lamiroux, F.*, +, *T-RA Aug 99* 640-652
 mobile robotics, high speed target pursuit and asymptotic stabil. *Adams, M.D.*, *T-RA Apr 99* 230-237
 mobile robot navig., localization/map building. *Castellanos, J.A.*, +, *T-RA Oct 99* 948-952
 multiple tethered underwater robots, motion planning in R^3 . *Hert, S.*, +, *T-RA Aug 99* 623-639
 nonholonomic autonomous wheeled mobile robot, all-terrain, motion planning. *Cherif, M.*, *T-RA Apr 99* 202-218
 obj. reconfiguration, quasi-static fingertip manipulations planning. *Cherif, M.*, +, *T-RA Oct 99* 837-848
 obstacle avoidance, US pot. field sens. *Veelaert, P.*, +, *T-RA Aug 99* 774-779
 planar elastic manipulator under gravity, path planning. *Kumar Sarkar, P.*, +, *T-RA Apr 99* 357-362
 redundant robot motion planning, kinematic roadmap. *Ahuactzin, J.M.*, +, *T-RA Aug 99* 653-669
 underground mining vehicle, autonomous navig. *Scheding, S.*, +, *T-RA Feb 99* 85-95
Path planning; cf. Collision avoidance
Patient treatment; cf. Surgery
Pattern classification
 manipulator obj. grasping, contact form. recogn. *Everett, L.J.*, +, *T-RA Oct 99* 829-836
Pattern clustering
 heuristic algms., ordinal comparison using stochastic optim. *Chun-Hung Chen*, +, *T-RA Feb 99* 44-56
Pattern matching
 virtual reality computer vision aided calib. *Kim, W.S.*, *T-RA Jun 99* 450-464
Pattern recognition; cf. Computer vision; Feature extraction; Object detection; Object recognition; Pattern classification; Pattern clustering; Pattern matching
Pendulums
 Acrobot underactuated robot inverted trajectory tracking. *Berkemeier, M.D.*, +, *T-RA Aug 99* 740-750
Perturbation techniques
 force guided robot assembly, perturb./correl. method. *Sooyong Lee*, +, *T-RA Aug 99* 764-773
Petri nets
 archit. for flexible mfg. cells with alternate machining and alternate sequencing. *Yalcin, A.*, +, *T-RA Dec 99* 1126-1130
 disassembly procs., modeling and adaptive planning. *Zussman, E.*, +, *T-RA Feb 99* 190-194
 mfg. syst. modeling/extended resource control net. *Xiaolan Xie*, +, *T-RA Aug 99* 692-703
 modular logic controllers for machining systs., formal representation and perform. anal. using Petri nets. *Park, E.*, +, *T-RA Dec 99* 1046-1061

Physiological models
 barn owl orienting behavior adaptation model, autonomous robotic systs. appl. *Rucci, M.*, +, *T-RA Feb 99* 96-110
Piecewise linear techniques
 mobile robot, nonholonomic, vision guided navig. *Yi Ma*, +, *T-RA Jun 99* 521-536
Planning; cf. Assembly planning; Computer aided production planning; Planning (artificial intelligence)
Planning (artificial intelligence)
 projective virtual reality, robotic control appls. *Freund, E.*, +, *T-RA Jun 99* 411-422
Planning (artificial intelligence); cf. Path planning
Pneumatic control equipment
 walking robots, low power joint, McKibben muscles, phasic activation. *van der Linde, R.Q.*, *T-RA Aug 99* 599-604
Polynomials
 six-DOF parallel manipulators, analytic sing. eqn. and anal. *Doik Kim*, +, *T-RA Aug 99* 612-622
Popov criterion
 force guided robot assembly, perturb./correl. method. *Sooyong Lee*, +, *T-RA Aug 99* 764-773
Pose; cf. Attitude measurement
Position control
 car-like robot nonholonomic dist. determ. *Vendittelli, M.*, +, *T-RA Aug 99* 678-691
 force guided robot assembly, perturb./correl. method. *Sooyong Lee*, +, *T-RA Aug 99* 764-773
 kinematic and dynamic anal. of double parallel manipulator for enlarging workspace and avoiding singularities. *Lee, M.K.*, +, *T-RA Dec 99* 1024-1034
 manipulator 6-DOF impedance control, angle/axis rep. *Caccavale, F.*, +, *T-RA Apr 99* 289-300
 mobile robot navig., localization/map building. *Castellanos, J.A.*, +, *T-RA Oct 99* 948-952
 multi-manipulators with pass. joints cooperation control. *Yun-Hui Liu*, +, *T-RA Apr 99* 258-267
 redundant robot motion planning, kinematic roadmap. *Ahuactzin, J.M.*, +, *T-RA Aug 99* 653-669
 single-link flexible arms payload adaptive control. *Feliu, J.J.*, +, *T-RA Oct 99* 793-804
 threaded parts alignment, robot hand. *Diftler, M.A.*, +, *T-RA Oct 99* 858-868
Position control; cf. Collision avoidance
Position measurement
 end-effector posn.-orient. meas., laser scanners. *Jing Yuan*, +, *T-RA Jun 99* 592-595
Printed circuit manufacture
 electroplating cyclic hoist scheduling. *Kats, V.*, +, *T-RA Aug 99* 704-713
Probability
 heuristic algms., ordinal comparison using stochastic optim. *Chun-Hung Chen*, +, *T-RA Feb 99* 44-56
 indoor mobile robot localization, intens./range images fusion. *Neira, J.*, +, *T-RA Feb 99* 76-84
 indust. part feeding, part pose stats. estim. *Goldberg, K.*, +, *T-RA Oct 99* 849-857
 mech. assemblies, var. propag. modeling and control, state transit. models. *Mantripragada, R.*, +, *T-RA Feb 99* 124-140
 mobile robot navig., localization/map building. *Castellanos, J.A.*, +, *T-RA Oct 99* 948-952
 transfer lines with failures, prod. output variance. *Ciprut, P.*, +, *T-RA Feb 99* 33-43
Probability; cf. Gaussian distribution
Product development
 mfg. firm, lead time modeling and product design/develop. accel. *Narahari, Y.*, +, *T-RA Oct 99* 882-896
Production; cf. Assembling
Production control
 1D self-assembling mech. syst. conform. switching. *Saitou, K.*, *T-RA Jun 99* 510-520
 2-machine FMS scheduling, pseudopolynomial dyn. prog. *Cheng, T.C.E.*, +, *T-RA Feb 99* 187-190
 flexible routing prod. systs. deadlock avoidance. *Lawley, M.A.*, *T-RA Jun 99* 497-509
 FMS operational contingency handling, routing flexibility. *Reveliotis, S.A.*, *T-RA Feb 99* 3-19
 FMS tool transporter/provisioning heuristics. *Hong-Bae Jun*, +, *T-RA Jun 99* 488-496
 job-shop scheduling with uncertain proc. requirements. *Luh, P.B.*, +, *T-RA Apr 99* 328-339
 mfg. syst. modeling/extended resource control net. *Xiaolan Xie*, +, *T-RA Aug 99* 692-703
 optimal allocation of workload between job shop/FMS. *Tetzlaff, U.A.W.*, +, *T-RA Feb 99* 20-32

PCB electroplating cyclic hoist scheduling. *Kats, V.*, + , *T-RA Aug 99* 704-713
transfer lines with failures, prod. output variance. *Ciprut, P.*, + , *T-RA Feb 99* 33-43

Production engineering computing; cf. Computer aided production planning

Programmable controllers

modular logic controllers for machining systs., formal representation and perform. anal. using Petri nets. *Park, E.*, + , *T-RA Dec 99* 1046-1061

Programming; cf. Robot programming

Q

Quality control

CMM dimens. inspection planning, accessibility anal. *Spitz, S.N.*, + , *T-RA Aug 99* 714-727

Queuing theory

mfg. firm, lead time modeling and product design/develop. accel. *Narahari, Y.*, + , *T-RA Oct 99* 882-896

prod. workload, optimal allocation between job shop/FMS. *Tetzlaff, U.A.W.*, + , *T-RA Feb 99* 20-32

R

Randomized algorithms; cf. Genetic algorithms

Random noise; cf. Gaussian noise

Real-time systems

human body movement meas., immersive eval. *Molet, T.*, + , *T-RA Jun 99* 475-485

posn.-controlled manipulator collision avoidance. *Seraji, H.*, + , *T-RA Aug 99* 670-677

real-time failure-tolerant control of kinematically redundant manipulators. *Groom, K.N.*, + , *T-RA Dec 99* 1109-1116

virtual reality computer vision aided calib. *Kim, W.S.*, *T-RA Jun 99* 450-464

Redundant manipulators

five-bar finger mechanism involving redundant actuators. *Yi, B.-J.*, + , *T-RA Dec 99* 1001-1010

real-time failure-tolerant control of kinematically redundant manipulators. *Groom, K.N.*, + , *T-RA Dec 99* 1109-1116

redundant robot motion planning, kinematic roadmap. *Ahuactzin, J.M.*, + , *T-RA Aug 99* 653-669

Reliability; cf. Fault tolerance; Reliability theory

Reliability theory

transfer lines with failures, prod. output variance. *Ciprut, P.*, + , *T-RA Feb 99* 33-43

Repair ; cf. Maintenance engineering

Resource allocation

flexible routing prod. systs. deadlock avoidance. *Lawley, M.A.*, *T-RA Jun 99* 497-509

mfg. firm, lead time modeling and product design/develop. accel. *Narahari, Y.*, + , *T-RA Oct 99* 882-896

mfg. syst. modeling/extended resource control net. *Xiaolan Xie*, + , *T-RA Aug 99* 692-703

Reverse engineering

mech. parts, feature-based reverse engng. *Thompson, W.B.*, + , *T-RA Feb 99* 57-66

Reviews; cf. Book reviews

Road vehicles

LANA, lane extraction algm. for vehicle visual navig. *Kreucher, C.*, + , *T-RA Apr 99* 343-350

Robot dynamics

Acrobot underactuated robot inverted trajectory tracking. *Berkemeier, M.D.*, + , *T-RA Aug 99* 740-750

articulated mobile robot gross rolling motion characts. *Choi, B.J.*, + , *T-RA Apr 99* 340-343

integrating perception and control in binocular tracking. *Bernardino, A.*, + , *T-RA Dec 99* 1080-1094

nonholonomic autonomous wheeled mobile robot, all-terrain, motion planning. *Cherif, M.*, *T-RA Apr 99* 202-218

nonholonomic mech. systs., reduced eqns. computation. *Ostrowski, J.P.*, *T-RA Feb 99* 111-123

planar space robots time-invariant config. control. *Mukherjee, R.*, + , *T-RA Apr 99* 268-280

Robot dynamics; cf. Manipulator dynamics

Robot kinematics

articulated mobile robot gross rolling motion characts. *Choi, B.J.*, + , *T-RA Apr 99* 340-343

dexterous micro-manipulation syst., two-fingered micro-hand. *Tanikawa, T.*, + , *T-RA Feb 99* 152-162

integrating perception and control in binocular tracking. *Bernardino, A.*, + , *T-RA Dec 99* 1080-1094

laparoscopic telesurgical workstation. *Cavusoglu, M.C.*, + , *T-RA Aug 99* 728-739

multibody constrained rigid systs., kinematic manipulability. *Wen, J.T.-Y.*, + , *T-RA Jun 99* 558-567

nonholonomic autonomous wheeled mobile robot, all-terrain, motion planning. *Cherif, M.*, *T-RA Apr 99* 202-218

nonholonomic mech. systs., reduced eqns. computation. *Ostrowski, J.P.*, *T-RA Feb 99* 111-123

underground mining vehicle, autonomous navig. *Scheding, S.*, + , *T-RA Feb 99* 85-95

Robot kinematics; cf. Manipulator kinematics

Robot programming

CMM dimens. inspection planning, accessibility anal. *Spitz, S.N.*, + , *T-RA Aug 99* 714-727

robot path planning, dist. encoded by hardware delays. *Moller, R.*, *T-RA Jun 99* 588-592

task prog. by vision-based virtual environ. *Lloyd, J.E.*, + , *T-RA Jun 99* 423-434

virtual reality-robotic technols. integrat. *Burdea, G.C.*, *T-RA Jun 99* 400-410

Robots

barn owl orienting behavior adaptation model, autonomous robotic systs. appl. *Rucci, M.*, + , *T-RA Feb 99* 96-110

projective virtual reality, robotic control appls. *Freund, E.*, + , *T-RA Jun 99* 411-422

task-specific robot design, scaling matrices. *Stocco, L.J.*, + , *T-RA Oct 99* 958-965

virtual reality in robotics and automation (special section). *T-RA Jun 99* 397-487

virtual reality in robotics and automation, special section intro. *Bejczy, A.K.*, + , *T-RA Jun 99* 397-399

Robots; cf. Aerospace robotics; Industrial robots; Manipulators; Medical robotics; Mobile robots; Multi-robot systems; Robot dynamics; Robot kinematics; Robot programming; Robot vision; Telerobotics

Robot vision

control, vision-based, 2 1/2 D visual servoing method. *Malis, E.*, + , *T-RA Apr 99* 238-250

indust. manipulators, lin. camera-obj. interact. *Allotta, B.*, + , *T-RA Apr 99* 350-357

low-latency adaptive vision, VLSI sorting image sens. *Brajovic, V.*, + , *T-RA Feb 99* 67-75

mobile robot, nonholonomic, vision guided navig. *Yi Ma*, + , *T-RA Jun 99* 521-536

Robust control

2D flexible manipulator, design for nearly posn. independent natural freq. *Everett, L.J.*, + , *T-RA Aug 99* 605-611

discrete event systs., uncertain, fault-tolerant control. *Seong-Jin Park*, + , *T-RA Apr 99* 386-391

manipulator neural output feedback control. *Kim, Y.H.*, + , *T-RA Apr 99* 301-309

manipulator path tracking, decoupled nonlin. PID control. *Tarokh, M.*, *T-RA Apr 99* 369-380

robot control, vision-based, 2 1/2 D visual servoing method. *Malis, E.*, + , *T-RA Apr 99* 238-250

uncertain nonlin. systs., robust adaptive fuzzy-neural controllers. *Yih-Guan Leu*, + , *T-RA Oct 99* 805-817

wheeled nonholonomic robots, sliding mode path tracking. *Jong-Min Yang*, + , *T-RA Jun 99* 578-587

S

Satellite navigation; cf. Global Positioning System

Search problems

FMS tool transporter/provisioning heuristics. *Hong-Bae Jun*, + , *T-RA Jun 99* 488-496

obj. reconfiguration, quasi-static fingertip manipulations planning. *Cherif, M.*, + , *T-RA Oct 99* 837-848

prod. workload, optimal allocation between job shop/FMS. *Tetzlaff, U.A.W.*, + , *T-RA Feb 99* 20-32

task-specific robot design, scaling matrices. *Stocco, L.J.*, + , *T-RA Oct 99* 958-965

Self-adjusting systems

1D self-assembling mech. syst. conform. switching. *Saitou, K.*, *T-RA Jun 99* 510-520

Self-assembly

self-assembly and self-repair method for distributed mech. syst. *Tomita, K.*, + , *T-RA Dec 99* 1035-1045

Transport control; cf. Aerospace control; Computerized navigation

Tribology; cf. Friction; Mechanical contact

Tuning

uncertain nonlin. systs., robust adaptive fuzzy-neural controllers. *Yih-Guan Leu, +, T-RA Oct 99 805-817*

Two-term control

multi-manipulators with pass. joints cooperation control. *Yun-Hui Liu, +, T-RA Apr 99 258-267*

U

Ultrasonic transducers

obstacle avoidance, US pot. field sens. *Veelaert, P., +, T-RA Aug 99 774-779*

Uncertain systems

discrete event systs., fault-tolerant robust control. *Seong-Jin Park, +, T-RA Apr 99 386-391*

nonlin. systs., robust adaptive fuzzy-neural controllers. *Yih-Guan Leu, +, T-RA Oct 99 805-817*

Underwater vehicles

multiple tethered underwater robots, motion planning in R^3 . *Hert, S., +, T-RA Aug 99 623-639*

User interfaces

assembly seq. interactive eval. by augmented reality. *Raghavan, V., +, T-RA Jun 99 435-449*

projective virtual reality, robotic control appls. *Freund, E., +, T-RA Jun 99 411-422*

User interfaces; cf. Haptic interfaces

V

Variable structure systems

wheeled nonholonomic robots, sliding mode path tracking. *Jong-Min Yang, +, T-RA Jun 99 578-587*

Vehicles

land vehicles, inertial meas. unit/GPS navig. loop. *Sukkarieh, S., +, T-RA Jun 99 572-578*

Vehicles; cf. Road vehicles

Velocity control

kinematic and dynamic anal. of double parallel manipulator for enlarging workspace and avoiding singularities. *Lee, M.K., +, T-RA Dec 99 1024-1034*

mech. manipulator pass. vel. field control. *Li, P.Y., +, T-RA Aug 99 751-763*

mobile robotics, high speed target pursuit and asymptotic stabil. *Adams, M.D., T-RA Apr 99 230-237*

real-time failure-tolerant control of kinematically redundant manipulators. *Groom, K.N., +, T-RA Dec 99 1109-1116*

sawing task, two-arm cooperating robot syst., hybrid control, single closed-loop kinematic chain approach. *Hee-Joo Yeo, +, T-RA Feb 99 141-151*

Vibration control

2D flexible manipulator, design for nearly posn. independent natural freq. *Everett, L.J., +, T-RA Aug 99 605-611*

Gough-Stewart platform spatio-geom. impedance control. *Fasse, E.D., +, T-RA Apr 99 281-288*

react. null-space control of flexible struct. mounted manipulator systs. *Nenchev, D.N., +, T-RA Dec 99 1011-1023*

Virtual reality

book review; Force and Touch Feedback for Virtual Reality (Burdea, G.; 1996). *Bejczy, A.K., T-RA Jun 99 486-487*

book review; Virtual Reality Technology (Burdea, G., and Coiffet, P.; 1994). *Bejczy, A.K., T-RA Jun 99 486*

computer vision aided virtual reality calib. *Kim, W.S., T-RA Jun 99 450-464*

human body movement meas., immersive eval. *Molet, T., +, T-RA Jun 99 475-485*

projective virtual reality, robotic control appls. *Freund, E., +, T-RA Jun 99 411-422*

robotic-virtual reality technols. integrat. *Burdea, G.C., T-RA Jun 99 400-410*

robot task prog. by vision-based virtual environ. *Lloyd, J.E., +, T-RA Jun 99 423-434*

stable haptic interact. with virtual environs. *Adams, R.J., +, T-RA Jun 99 465-474*

virtual reality in robotics and automation (special section). *T-RA Jun 99 397-487*

virtual reality in robotics and automation, special section intro. *Bejczy, A.K., +, T-RA Jun 99 397-399*

Virtual reality; cf. Augmented reality

VLSI

low-latency adaptive vision, VLSI sorting image sens. *Brajovic, V., +, T-RA Feb 99 67-75*

W

Wheelchairs; cf. Handicapped aids