

IEEE TRANSACTIONS ON ELECTRON DEVICES

DECEMBER 2017

VOLUME 64

NUMBER 12

IETDAI

(ISSN 0018-9383)

Editorial

Kudos to Our Reviewers	<i>G. Ghione</i>	4776
Golden List of Reviewers for 2017		4777

Review Papers

Approaching the Quantum Limit of Photodetection in Solid-State Photodetectors	<i>D. Hall, Y.-H. Liu, L. Yan, Y. Yu and Y.-H. Lo</i>	4812
---	---	------

REGULAR PAPERS

Silicon and Column IV Semiconductors Devices

A Compact Quasi-Static Terminal Charge and Drain Current Model for Double-Gate Junctionless Transistors and Its Circuit Validation	<i>C. Jiang, R. Liang, J. Xu, and M. A. Alam</i>	4823
Electrical Properties of Ge pMOSFETs With Ultrathin EOT HfO ₂ /AlO _x /GeO _x Gate-Stacks and NiGe Metal Source/Drain	<i>R. Zhang, J. Li, and X. Yu</i>	4831
Comparative Study of Negative Capacitance Ge pFETs With HfZrO _x Partially and Fully Covering Gate Region	<i>J. Zhou, G. Han, J. Li, Y. Peng, Y. Liu, J. Zhang, Q.-Q. Sun, D. W. Zhang, and Y. Hao</i>	4838
A Pragmatic Approach to Modeling Self-Heating Effects in SiGe HBTs	<i>S. Yadav and A. Chakravorty</i>	4844
Orientation Engineering for Improved Performance of a Ge-Si Heterojunction Nanowire TFET	<i>K. Alam</i>	4850
Effect of Source–Drain Doping on Subthreshold Characteristics of Short-Channel DG MOSFETs	<i>H.-H. Lin and Y. Taur</i>	4856
Hot-Carrier Degradation in SiGe HBTs: A Physical and Versatile Aging Compact Model	<i>C. Mukherjee, T. Jacquet, G. G. Fischer, T. Zimmer, and C. Maneux</i>	4861

Compound Semiconductor Devices

Temperature and Bias Dependent Trap Capture Cross Section in AlGaIn/GaN HEMT on 6-in Silicon With Carbon-Doped Buffer	<i>S. Kumar, P. Gupta, I. Guiney, C. J. Humphreys, S. Raghavan, R. Muralidharan, and D. N. Nath</i>	4868
---	---	------

(Contents Continued on Page 4773)



A PUBLICATION OF THE IEEE ELECTRON DEVICES SOCIETY



Millimeter-Wave Power AlGaIn/GaN HEMT Using Surface Plasma Treatment of Access Region	4875
.. M. Mi, X.-H. Ma, L. Yang, Y. Lu, B. Hou, J. Zhu, M. Zhang, H.-S. Zhang, Q. Zhu, L.-A. Yang, and Y. Hao	
TCAD Mobility Model of III-V Short-Channel Double-Gate FETs Including Ballistic Corrections	4882
..... S. Carapezzi, E. Caruso, A. Gnudi, P. Palestri, S. Reggiani, and E. Gnani	
Modeling of Quantum Confinement and Capacitance in III–V Gate-All-Around 1-D Transistors	4889
..... M. D. Ganeriwala, C. Yadav, F. G. Ruiz, E. G. Marin, Y. S. Chauhan, and N. R. Mohapatra	
Memory Devices and Technology	
Finite-Element Modeling of Retention in Nanocrystal Flash Memories With High- <i>k</i> Interpoly Dielectric Stack	4897
..... R. Solanki, A. Mahajan, and R. Patrikar	
Z ² -FET as Capacitor-Less eDRAM Cell For High-Density Integration	4904
..... C. Navarro, M. Duan, M. S. Parihar, F. Adamu-Lema, S. Coseman, J. Lacord, K. Lee, C. Sampedro, B. Cheng, H. El Dirani, J.-C. Barbe, P. Fonteneau, S.-I. Kim, S. Cristoloveanu, M. Bawedin, C. Millar, P. Galy, C. Le Royer, S. Karg, H. Riel, P. Wells, Y.-T. Kim, A. Asenov, and F. Gamiz	
A 14-nm FinFET Logic CMOS Process Compatible RRAM Flash With Excellent Immunity to Sneak Path	4910
..... E. R. Hsieh, Y. C. Kuo, C.-H. Cheng, J. L. Kuo, M.-R. Jiang, J.-L. Lin, H.-W. Chen, S. S. Chung, C.-H. Liu, T. P. Chen, S. A. Huang, T.-J. Chen, and O. Cheng	
Novel Magnetic Tunneling Junction Memory Cell With Negative Capacitance-Amplified Voltage-Controlled Magnetic Anisotropy Effect	4919
..... L. Zeng, T. Gao, D. Zhang, S. Peng, L. Wang, F. Gong, X. Qin, M. Long, Y. Zhang, K. L. Wang, and W. Zhao	
Device and Circuit Interaction Analysis of Stochastic Behaviors in Cross-Point RRAM Arrays	4928
..... H. Li, P. Huang, B. Gao, X. Liu, J. Kang, and H.-S. P. Wong	
Vertical Transistor With n-Bridge and Body on Gate for Low-Power 1T-DRAM Application	4937
..... J.-T. Lin, H.-H. Lin, Y.-J. Chen, C.-Y. Yu, A. Kranti, C.-C. Lin, and W.-H. Lee	
Thin Film Transistors	
A Low-Power Ring Oscillator Using Pull-Up Control Scheme Integrated by Metal–Oxide TFTs	4946
..... J.-D. Wu, F. Zhan, L. Zhou, W.-J. Wu, M. Xu, L. Wang, R.-H. Yao, J.-B. Peng, and M. Chan	
3-D Dual-Gate Photosensitive Thin-Film Transistor Architectures Based on Amorphous Silicon	4952
..... K. Wang, H. Ou, J. Chen, A. Nathan, S. Deng, and N. Xu	
Feasibility of Atomic Layer Deposited AlZrO _x Film to Achieve High Performance and Good Stability of ZnSnO-TFT	4959
..... J. Li, C.-X. Huang, C.-Y. Zhao, D.-Y. Zhong, J.-H. Zhang, and X.-F. Li	
Origin of Electrical Instabilities in Self-Aligned Amorphous In–Ga–Zn–O Thin-Film Transistors	4965
..... N. On, Y. Kang, A. Song, B. D. Ahn, H. D. Kim, J. H. Lim, K.-B. Chung, S. Han, and J. K. Jeong	
Transconductance Amplification by the Negative Capacitance in Ferroelectric-Gated P3HT Thin-Film Transistor	4974
..... J. Jo, M. G. Kim, H. Lee, H. Choi, and C. Shin	
Optoelectronics, Displays, and Imaging	
Efficient Carrier Confinement in Deep-Ultraviolet Light-Emitting Diodes With Composition-Graded Configuration	4980
..... J.-Y. Chang, H.-T. Chang, Y.-H. Shih, F.-M. Chen, M.-F. Huang, and Y.-K. Kuo	
Dark Current Sharing and Cancellation Mechanisms in CMOS Image Sensors Analyzed by TCAD Simulations	4985
..... O. Marcelot, V. Goiffon, S. Rizzolo, F. Pace, and P. Magnan	
A 1.1- μm 33-Mpixel 240-fps 3-D-Stacked CMOS Image Sensor With Three-Stage Cyclic-Cyclic-SAR Analog-to-Digital Converters	4992
..... T. Arai, T. Yasue, K. Kitamura, H. Shimamoto, T. Kosugi, S.-W. Jun, S. Aoyama, M.-C. Hsu, Y. Yamashita, H. Sumi, and S. Kawahito	
Thermal Analysis of a Multichip Light-Emitting Diode Device With Different Chip Arrays	5001
..... H. Chen, F. Chen, S. Lin, and C. Xiong	
Improved Light Extraction Efficiency of GaN-Based Ultraviolet Light-Emitting Diodes by Self-Assembled MgO Nanorod Arrays	5006
..... H.-Y. Liu, Y.-C. Yang, G.-J. Liu, and R.-C. Huang	
Doping Optimization in Zn-Diffused GaSb Thermophotovoltaic Cells to Increase the Quantum Efficiency in the Long Wave Range	5012
..... L. Tang, L. M. Fraas, Z. Liu, H. Duan, and C. Xu	
A 0.5e ⁻ _{rms} Temporal Noise CMOS Image Sensor With Gm-Cell-Based Pixel and Period-Controlled Variable Conversion Gain	5019
..... X. Ge and A. J. P. Theuwissen	
The <i>JV</i> -Characteristic of Intermediate Band Solar Cells With Overlapping Absorption Coefficients	5027
..... R. Strandberg	
Transfer Matrix Formalism-Based Analytical Modeling and Performance Evaluation of Perovskite Solar Cells	5034
..... S. Wahid, M. Islam, M. S. S. Rahman, and M. K. Alam	

Solid-State Power and High Voltage Devices

A Multiple-Ring-Modulated JTE Technique for 4H-SiC Power Device With Improved JTE-Dose Window X. Deng, L. Li, J. Wu, C. Li, W. Chen, J. Li, Z. Li, and B. Zhang 5042

Impact of Substrate Bias Polarity on Buffer-Related Current Collapse in AlGaIn/GaN-on-Si Power Devices S. Yang, C. Zhou, S. Han, J. Wei, K. Sheng, and K. J. Chen 5048

Materials, Processing and Packaging

A Physical-Model-Based Metal Charging Design Rule Methodology for Integrated Circuits W. Lin 5057

Self-Assembly and Electrostatic Carrier Technology for Via-Last TSV Formation Using Transfer Stacking-Based Chip-to-Wafer 3-D Integration H. Hashiguchi, T. Fukushima, H. Hashimoto, J.-C. Bea, M. Murugesan, H. Kino, T. Tanaka, and M. Koyanagi 5065

Nitrogen Engineering in the Ultrathin SiO₂ Interface Layer of High-*k* CMOS Devices: A First-Principles Investigation of Fluorine, Oxygen, and Boron Defect Migration F. Lazarevic, R. Leitsmann, M. Drescher, E. Erben, P. Plänitz, and M. Schreiber 5073

Solid State Device Phenomena

LF Noise Analysis for Trap Recovery in Gate Oxides Using Built-In Joule Heater C.-H. Jeon, C.-K. Kim, J.-Y. Park, U.-S. Jeong, B.-H. Lee, K. R. Kim, and Y.-K. Choi 5081

Fabrication of Magnetically Tunable Schottky Diode Using Bismuth Ferrite Thin Film on Gold A. Mishra, V. Sharma, and B. K. Kuanr 5087

Insights on the Body Charging and Noise Generation by Impact Ionization in Fully Depleted SOI MOSFETs C. Marquez, N. Rodriguez, F. Gamiz, and A. Ohata 5093

Local Field Effect on Charge-Capture/Emission Dynamics K. P. Cheung, D. Veksler, and J. P. Campbell 5099

Channel Material Dependence of Wave Function Deformation Scattering in Ultrascaled FinFETs M. Wong, K. D. Holland, J. K. Wang, T. Cam, T. B. Hook, D. Kienle, P. S. Gudem, and M. Vaidyanathan 5107

Molecular and Organic Devices

2-D Drift-Diffusion Simulation of Organic Electrochemical Transistors M. Z. Szymański, D. Tu, and R. Forchheimer 5114

Comparison of Graphene and Zinc Dopant Materials for Organic Polymer Interfacial Layer Between Metal Semiconductor Structure S. O. Tan 5121

Vacuum Electron Devices

Regulation of the Transmitted Electron Flux in a Field-Emission Electron Source Demonstrated on Si Nanowhisker Cathodes C. Prommesberger, M. Bachmann, F. Düsberg, C. Langer, R. Ławrowski, M. Hofmann, A. Pahike, and R. Schreiner 5128

Electron Gun and Output Coupling System for a 220-/251.5-GHz, 2-MW Triangular Corrugated Coaxial Cavity Gyrotron S. Yuvaraj, S. Illy, and M. V. Kartikeyan 5134

Electromagnetic Modeling of a Complex-Cavity Resonator for the 0.4-THz Second-Harmonic Frequency-Tunable Gyrotron M. M. Melnikova, A. G. Rozhnev, N. M. Ryskin, Y. Tatematsu, M. Fukunari, Y. Yamaguchi, and T. Saito 5141

Smooth Wideband Frequency Tuning in Low-Voltage Gyrotron With Cathode-End Power Output V. L. Bratman, A. E. Fedotov, Y. K. Kalynov, I. V. Osharin, and N. A. Zavolsky 5147

Design and Experimental Study of 250-W W-band Pulsed TWT With 8-GHz Bandwidth X. Zhang, J. Feng, J. Cai, X. Wu, Y. Du, J. Chen, S. Li, and W. Meng 5151

Emerging Technologies and Devices

Freely Deformable Liquid Metal Grids as Stretchable and Transparent Electrodes Y. G. Moon, J. B. Koo, N.-M. Park, J.-Y. Oh, B. S. Na, S. S. Lee, S.-D. Ahn, and C. W. Park 5157

Transport Properties and Device Prospects of Ultrathin Black Phosphorus on Hexagonal Boron Nitride I. S. Esqueda, H. Tian, X. Yan, and H. Wang 5163

Exploring the Influence of Variability on Single-Electron Transistors Into SET-Based Circuits E. Amat, J. Bausells, and F. Perez-Murano 5172

Nanowire FET With Corner Spacer for High-Performance, Energy-Efficient Applications A. B. Sachid, H.-Y. Lin, and C. Hu 5181

The Effects of the Interdot and Lead-Dot Coupling on the Spin and Charge Current Through a Triple-Quantum-Dot Ring	<i>M. Molavi and E. Faizabadi</i>	5188
Stable Self-Assembled Atomic-Switch Networks for Neuromorphic Applications	<i>S. K. Bose, J. B. Mallinson, R. M. Gazoni, and S. A. Brown</i>	5194
Metallic Single Electron Transistors: Impact of Parasitic Capacitances on Small Circuits	<i>G. Droulers, S. Ecoffey, M. Pioro-Ladrière, and D. Drouin</i>	5202
Robust and Cascadable Nonvolatile Magnetoelectric Majority Logic	<i>A. Jaiswal, A. Agrawal, and K. Roy</i>	5209
Reconfigurable Electric Double Layer Doping in an MoS ₂ Nanoribbon Transistor	<i>C. Alessandri, S. Fathipour, H. Li, I. Kwak, A. Kummel, M. Remškar, and A. C. Seabaugh</i>	5217
Schottky Tunneling Effects in a Tunnel FET	<i>J. Hur, W. J. Jeong, M. Shin, and Y.-K. Choi</i>	5223
Tunable Negative Differential Resistance in MISIM Tunnel Diodes Structure With Concentric Circular Electrodes Controlled by Designed Substrate Bias	<i>C.-F. Yang and J.-G. Hwu</i>	5230
Multidimensional Nano Heat Conduction in Cylindrical Transistors	<i>M. F. Ben Aissa, F. Nasri, and H. Belmabrouk</i>	5236
Compact Model for Double-Gate Tunnel FETs With Gate–Drain Underlap	<i>P. Xu, H. Lou, L. Zhang, Z. Yu, and X. Lin</i>	5242
Surface Trap-Induced Conductivity Type Switching in Semiconductor Nanowires: Analytical and Numerical Analyses	<i>A. Yesayan, F. Prégaldiny, and S. Petrosyan</i>	5249
Demonstration of a Novel Two Source Region Tunnel FET	<i>N. Bagga, A. Kumar, and S. Dasgupta</i>	5256
Metal Grain Granularity Study on a Gate-All-Around Nanowire FET	<i>D. Nagy, G. Indalecio, A. J. García-Loureiro, M. A. Elmessary, K. Kalna, and N. Seoane</i>	5263
<hr/> BRIEF PAPERS		
Adjusting the Operating Voltage of an Nanoelectromechanical Relay Using Negative Capacitance	<i>K. Choe and C. Shin</i>	5270
Analytical Modeling of Parasitic Capacitance in Inserted-Oxide FinFETs	<i>R. Singh, A. Gupta, C. Gupta, A. K. Bansal, T. B. Hook, and A. Dixit</i>	5274
Free Carrier Mobility Extraction in FETs	<i>F. Jazaeri, A. Pezzotta, and C. Enz</i>	5279
Investigation of Electrothermal Behaviors of 5-nm Bulk FinFET	<i>J. Jeon, H.-S. Jhon, and M. Kang</i>	5284
<hr/> 2017 INDEX		
		5291
