

Erratum

Erratum to “The Impact of Height on Indoor Positioning With Magnetic Fields”

David Hanley^{id}, *Member, IEEE*, Augusto S. Dantas de Oliveira^{id},
Xiangyuan Zhang^{id}, *Member, IEEE*, Dae Hyun Kim^{id},
Yusheng Wei^{id}, and Timothy Bretl^{id}, *Senior Member, IEEE*

In the above article [1], there is an error in the DOI for the IEEE Dataport dataset associated with this work. It should be <https://dx.doi.org/10.21227/t881-7581>.

REFERENCES

- [1] D. Hanley, A. S. D. De Oliveira, X. Zhang, D. H. Kim, Y. Wei, and T. Bretl, “The impact of height on indoor positioning with magnetic fields,” *IEEE Trans. Instrum. Meas.*, vol. 70, pp. 1–19, 2021, doi: [10.1109/TIM.2021.3059317](https://doi.org/10.1109/TIM.2021.3059317).

Manuscript received July 29, 2021; accepted July 29, 2021. Date of current version August 12, 2021. This work was supported by the National Science Foundation under Grant 14-46765, Grant 14-27111, and Grant 15-44999. (*Corresponding author: David Hanley.*)

David Hanley, Xiangyuan Zhang, and Yusheng Wei are with the Department of Electrical and Computer Engineering, University of Illinois at Urbana-Champaign, Urbana, IL 61801 USA (e-mail: hanley6@illinois.edu; xz7@illinois.edu; ywei26@illinois.edu).

Augusto S. Dantas de Oliveira, Dae Hyun Kim, and Timothy Bretl are with the Department of Aerospace Engineering, University of Illinois at Urbana-Champaign, Urbana, IL 61801 USA (e-mail: dantas2@illinois.edu; daehyun2@illinois.edu; tbretl@illinois.edu).

Digital Object Identifier 10.1109/TIM.2021.3101661