



# Comments and Corrections

---

## Corrections to “Tripling Light Conversion Efficiency of $\mu$ LED Displays by Light Recycling Black Matrix”

Xiang Zhang, Anlan Chen, Tao Yang, Junhu Cai, Yuanyuan Ye, Enguo Chen , Sheng Xu, Yun Ye, Jie Sun , *Senior Member, IEEE*, Qun Yan, and Tailiang Guo

In [1], the correction below is needed. The authors would like to apologize for any inconvenience caused.

*Correction:* In Eq. (7), the relative aperture size of the IERBM and QDCCF should be written as:

$$r = \frac{L_q}{L_b} \quad (7)$$

And, this equation above should be the seventh equation in this paper.

### REFERENCES

- [1] X. Zhang et al., “Tripling light conversion efficiency of  $\mu$ LED displays by light recycling black matrix,” *IEEE Photon. J.*, vol. 14, no. 2 Apr. 2022, Art. no. 7014207, doi: [10.1109/JPHOT.2022.3148241](https://doi.org/10.1109/JPHOT.2022.3148241).

Manuscript received 27 March 2023; accepted 17 April 2023. Date of publication 21 April 2023; date of current version 19 May 2023. (*Corresponding author: Enguo Chen.*)

Xiang Zhang, Anlan Chen, Tao Yang, Junhu Cai, and Yuanyuan Ye are with the National and Local United Engineer Laboratory of Flat Panel Display Technology, College of Physics and Information Engineering, Fuzhou University, Fuzhou 350108, China (e-mail: 1035032492@qq.com; 1157426235@qq.com; 645492022@qq.com; 976162336@qq.com; 945846609@qq.com).

Enguo Chen, Sheng Xu, Yun Ye, Jie Sun, Qun Yan, and Tailiang Guo are with the National and Local United Engineer Laboratory of Flat Panel Display Technology, College of Physics and Information Engineering, Fuzhou University, Fuzhou 350108, China, and also with the Fujian Science and Technology Innovation Laboratory for Optoelectronic Information of China, Fuzhou 350108, China (e-mail: ceg@fzu.edu.cn; xusheng06090@163.com; yeyun07@fzu.edu.cn; jie.sun@fzu.edu.cn; qunfyan@gmail.com; gtl@fzu.edu.cn).

Digital Object Identifier 10.1109/JPHOT.2023.3268452