Circular Economic Surplus Asset Management: A Game Changer in Life Sciences

-HAROLD KRIKKE

Faculty of Management, Open Universiteit Nederland, 6401 DL Heerlen, The Netherlands

-NESTOR CORONADO PALMA

Value Loops, High Tech Campus 27, 5656 AE Eindhoven, The Netherlands

—JONAH SHELL REUZEit, Inc., 28381 Vincent Moraga Dr, Temecula, CA 92590 USA

—JUSTIN ANDREWS REUZEIT BV, Coenecoop 630, 2741PV Waddinxveen, CA The Netherlands

(Corresponding author: Harold Krikke.)

IEEE DOI 10.1109/EMR.2022.3174634

Abstract—The integration of Surplus Asset Management (SAM) with the circular economy (CE) provides a solution to optimize the use of resources, assets, and equipment throughout their life cycle, enabling new business models, increasing profitability, achieving sustainability goals, and plus reducing obsolescence and waste. We introduce the CE-SAM as a business approach to create value by extending the life cycles of discarded useful equipment. We distinguish four types of value: 1) sourcing value, 2) customer value, 3) information value, and 4) environmental value. Carbon footprints can be reduced by up to 80% by redeploying equipment depending on residual value and customer needs. CE-SAM can be a business game changer if it is integrated as part of the business strategy. The implementation challenges can be best tackled through the collaboration of different actors along the value chain. depending on their capabilities and capacity. REUZEit, a case study company, provides a feasible case study that services life science and pharmaceutical companies to optimize the use of their resources, assets, and equipment, to reduce obsolescence, waste, and increase profit at the same time.

Key words: Surplus asset management, circular economy, closed loop supply chains, ecological footprints, businesscase, life sciences equipment

1. INTRODUCTION

BUSINESSES need resources to produce goods and services. By resources, we mean materials, water, and energy, among others. From the point-of-origin to the point-ofconsumption or usage, raw materials feed supply chains; also, energy, and water are indispensable for the production and distribution of goods and services. For example, 70%– 80% of the energy footprint of personal electronic devices occurs during the manufacturing phase.¹

Recent studies show that many natural resources are becoming scarce, such as rare earth minerals. The consequences of resource

¹https://www.apple.com/environment/pdf/ products/iphone/iPhone 8 PER sept2017.pdf

scarcity include volatile and rising commodity prices and supply disruptions. Hence, the resource consumption of supply chains must be reduced. In addition, we must deal with climate change, partly caused by GHG-greenhouse gas-emissions of supply chains. Since most GHG emissions result from resource consumption, in particular energy, reducing natural resource consumption and reducing GHG emissions go hand-in-hand (Krikke, 2011). Finally, waste streams, such as discarded electronics and marine litter, are polluting our planet.

Circular economy (CE) provides a solution to both resource scarcity and GHG emissions through the reuse and recycling of discarded products and packaging. CE is a model of production and consumption that

This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 License. For more information, see https://creativecommons.org/licenses/by-nc-nd/4.0/

involves sharing, leasing, reusing, reconditioning, repairing, refurbishing, and recycling existing materials and products as long as possible. Cramer (2017) describes 10 possible circular "R" options (see Figure 1).

CE is an industrial economy that is restorative or regenerative by design and value (Cramer 2017). Although both economic and environmental values are included in the definition: CE tends to focus on the reduction of environmental impact. To underpin this outcome, we must calculate ecological footprints. The methods require data on inputs (natural resources) then we calculate the outputs-such as GHGs. The most extensive form of a footprint is life cycle assessment (LCA). However, LCA is complicated, time-consuming, and expensive, and therefore. simplified methods are often applied. Currently, most ecological footprint methods seem to focus on GHG emissions or merely on resource inputs, such as water, energy, and materials. Irrespective of environmental concerns, to have a viable business case and for industry buy-in, we also need to look at economics. Surplus Asset Management (SAM) is a

potentially profitable activity to redeploy products, goods, or items owned by an entity that are not core to its operations and that no longer support the business.

Surplus Assets will typically include property (premises), obsolete assets, used items or devices, and working capital (inventory). SAM maximizes the *end-of-life* value of systems and products no longer useful to the owner. SAM is traditionally quantitatively underpinned by return on investment (ROI) or economic value added (EVA) calculations. It can also be quantified by the life extension of a product considering its residual value at every reuse loop or ultimately at recycling.

Combining CE and SAM leads to CE-SAM. Table 1 maps the CE-SAM playing field. CE-SAM is a circular practice creating value by extending the life cycles of discarded—but still useful products and systems—in a closed-loop supply chain (CLSC). It incorporates concepts like CLSC, life cycle management, new business models, and product stewardship. CLSC drive multiple values creation, as discussed later. Life cycle management focuses on product eco-design, product stewardship, or extended producer responsibility across a product's life cycle, often imposed by legislation. CE business models aim for servitization. which refers to industries using their products to sell outcome as a service rather than a one-off sale. CE-SAM is a profitable business proposition that may reduce environmental impact, limit GHG emissions, and increase social impact by enabling access to technology and products at a lower cost-thus creating multiple values.

So why do we need CE-SAM? The World Economic Forum (WEF) (2021) found that the global circularity index is getting worse. The number of goods and packages being reused and recycled is less than 6.5% of the total produced and consumed. Staggering GHG emissions continue with acceleration in global warming. The latest climate change conference COP26, in Glasgow, showed a general acceptance that there is a need to actyet a sense of urgency was not universally shared. Finally, we increasingly witness illegal exports of waste from rich countries to developing economies. We now show how businesses can contribute to sustainable development goals in a profitable way by introducing CE-SAM—making the business case and providing a sustainable business model.

2. VALUE CREATION THROUGH CE SAM

Until recently, reuse and recycling were viewed as a cost or as activities with no added value—and not near the core business. As a result of this perspective, *damage control* solutions were adopted. However, redeploying, reusing, and recycling are becoming core business activities. These activities add value thanks to changes in business models, operational processes, and customer behavior.

© J. Cramer

Levels of circularity: 10 R's

Order of priority

High

Low

 Refuse: prevent raw materials' use

 Reduce: decrease raw materials' use per unit of product

 Redesign: rethink product in view of circularity

 Reuse: use product again (second hand)

 Repair: maintain and repair product

 Refurbish: revive product

 Remanufacture: make new product from second hand

 Re-purpose: re-use product but with other function

 Recycle: salvage material streams with highest possible value

 Recover: incinerate waste with energy recovery

Products must be designed for reuse and recycling, business models must be geared for circularity, operations must run a CLSC, and processes and their enablers—such as information technology (IT) systems—must be adapted. *Four values* can be created and are crucial; these include sourcing, environmental, customer, and informational values. We present a holistic view of how to realize these values by reverse chain processes and how they can reinforce each other.

Sourcing value refers to the direct financial gains that come from less expensive sourcing, avoiding the use of new resources, and avoiding disposal fees and environmental fines. The price of remanufactured products, for instance, is known to be about 40% lower than newly built products. About 100 years ago, labor costs represented more than half the total cost of car production. Through reuse, all added value embedded in the product is reused; hence, the full cost does not need to be added again. For example, if building a new product requires 1000 hours, a remanufactured one only 500 hours, and reconditioning one only 50 hours, the cost benefits can be enormous. No wonder Henry Ford disliked scrapping.

In CE-SAM, there are two main types of redeployment of assets: 1) redeployment with costs; and 2) redeployment without costs, defined as direct redeployment. Redeployment with costs occurs because the asset must be retrieved, reconditioned, and redistributed. Redeployment without costs occurs when an asset is redeployed within the same location. A CE-SAM platform provides an opportunity for users to identify assets in a facility before planned disposition and redeploys the assets internally within a department, building, campus, or industrial complex.

Footprint reduction, proactive compliance, and environmental leadership through reuse and recycling contribute to *environmental value*. Europe has been leading in formulating directives for producer responsibility such as in consumer electronics, automotives, and hazardous materials. Asia, including China, Japan, and Korea, and several North American states, or provinces have followed. Lowering ecological footprints turn into value once you communicate this possibility to stakeholders.

Customer value refers to activities that enhance customer satisfaction and loyalty through the offering of well-organized product return channels or installed base contracts instead of seeing returns as a cost item. This situation is especially pertinent to electronic retailing—etailing—where consumer return rates are relatively high.

Perhaps the least known value is the *informational* (or learning) *value* derived from analyzing returns data on common production or supply

disruptions, product failures, useful lifetime, consumer usage patterns, and complaints. This information is extremely valuable for improving business processes. Table 2 provides examples of each of the four value types, their triggers, and recapture.

Figure 2 visualizes where the four value types are captured in the reverse value chain used for CE-SAM loop closure. Each major activity or business in the reverse value chain creates some type of value.

The literature distinguishes three key processes in the reverse value chain. *Product acquisition* concerns retrieving the product from the market sometimes by active buy-back—as well as physically collecting it. *Reprocessing* is the process of retrieving, reconditioning, and regaining products, components, and materials. In principle, all recovery options may be applied either in the original supply chain or in some alternative supply chain. *Remarketing and sales* lead to re-entry into a forward chain.

In Figure 2, each process represents a portion of the pie. The colored arcs identify which business process (re) captures which value(s). For example, customer value appears in acquisition (through returns services) and remarketing (by offering reconditioned products). These customers may differ from the original customers.

Sourcing value is captured by acquisition and reprocessing, as is

Table 1. CE SAM Playing Field (Adapted from Krikke, 2020).			
	Product focus	Process focus	
Relationship/ network focus Technical / operations focus	Product Stewardship: Extended Producer Responsibility (EPR) Life Cycle Management (LCM): eco-design	New Business Models (NBM): servitization Closed-loop Supply Chains (CLSC): value creation	

Table 2. Different Types of Value in Practice (Source: Own Research).			
Trigger	Value type	Example	
Resource scarcity Climate change High return rates Availability	Sourcing value Environmental value Information value Customer value	The company secures supply and lowers the cost of scarce materials by reusing The company positions itself as an environmental leader by reducing GHG emissions and trading emission rights Learning from customer complaints or product failures to upgrade products and improve customer satisfaction Extended product life cycles through harvested spare parts	

environmental value. The gray areas indicate that—perhaps surprisingly where no immediate value is captured, at least not according to current academic research. However, this may be due to the perception of value. Information value goes the full circle.

Companies should aim for synergy. For instance, integrating used parts and products into production provides sourcing value, which may be the firm's primary concern, but it also lowers the footprint, hence providing environmental value. It is important to emphasize that in CE-SAM, all values eventually are monetized, i.e., generate economic value directly or indirectly. Value is (re-)captured in the reverse value chain and monetized (released) in the forward value chain. Before, we continue with more concepts, we present two case examples.

3. Two Illustrative Cases AT REUZEIT

REUZEit is offering services to life science and pharmaceutical companies to optimize the use of their resources, assets, and equipment, to reduce obsolescence,



waste, and increase profit at the same time. REUZEit is building the world's largest B2B circular economic platform, introducing CE-SAM in the life sciences industry, with a mission to enable organizations to reach their sustainability goals, profitably. The company captures value by-product management during disposition and redeployment workflows, offering pickups, reconditioning, refurbishing, and remarketing via distributors and its own platform https://www.REUZEit.com.

Based on studies in copiers, electric motors, routers, and switches, we constructed a model to calculate the delta—carbon footprint reduction—for two case products a mass spectrometer and an ultra-low temperature (ULT) freezer. Limited data required us to make some assumptions, but we consider both cases as representative of the potential to reduce the carbon footprint of the (closed-loop) supply through reconditioning equipment or—if this is not possible—recycling the materials.

The use phase is not included in this analysis since we focus on end-of-life CE-SAM. This is a fair assumption since only relatively new equipment is reconditioned. Recycled materials are used to make new products similar to the ones produced out of virgin materials. Tables 3 and 4 present the results. Input data were obtained from Berchowitz & Kwon (2012), actual recycling data of a

Figure 2. CE-SAM value recapture in the reverse value chain (source: own research).

Table 3. Carbon Footprint Reduction Through Reconditioning and Recycling of ULT Freezers.				
CLSC process ULT freezer	New built with virgin material CO ₂ kg eq/prod	Redeploy only CO ₂ kg eq/prod	Recondition $CO_2 kg eq/prod$	New built with recycled material CO ₂ kg eq/prod
Virgin material supply	104.5			
Component manufacture	41.8			41.8
Assembly	31.3			31.3
Testing and configuration	20.9		20.9	20.9
Sales and distribution	10.4		10.4	10.4
Reverse chain			6.3	20.8
Digital platform		0.5		
Total CO2 kg eg/product	209	0.5	37.6	125.2
Delta, in CO_2 kg eq. per product	NA	-208.5	-171.3	-83.8

mass spectrometer and ultra-low freezer from e-Recycling of California, and our own research.

ULT freezers store material below -40°C to as low as -150°C. The pharmaceutical industry uses them to preserve drug compounds and biological samples. The biological samples play a vital role in the research and development of therapeutics for rare and chronic diseases. ULT freezers are also used to store vaccines, where temperature uniformity is critical. These types of freezers are available in various types and sizes to accommodate individual lab needs. The refrigeration system may have different power compressors and can use different types of refrigerant fluids.

Depending on the manufacturer, capacity, and features, new freezers can range in price from USD 15,000– 35,000 each. Assuming an average price of USD 25,000 means that approximately 31,320 newly manufactured freezers are expected to be purchased in 2027 globally. On average, a used, late-model—less than 5-years-old—freezer costs USD 8000–25,000. These models can be redeployed with or without reconditioning while still maintaining manufacturer specifications.

By providing a discount of 20%–70% customers who cannot afford a new ULT freezer can now be served. Also, an increasing number of customers target buying circular products instead of purchasing new ones. Customer value, environmental value, and economic value are created concurrently. Although future markets are hard to forecast, the potential is clear. If 50% of newly purchased products are replaced by redeployed products—a percentage that is in line with European Union targets-and assuming an average of a USD 10,000 discount per product, buyers will globally realize irect annual economic benefits of more than USD 16 million by 2027. Moreover, new segments in the arket can be developed. There is a risk of cannibalization between new and redeployment market segments and should be considered in long-term plans.

The second case concerns mass spectrometers. Mass spectrometry is an analytical tool useful for measuring the mass-to-charge ratio of one or more molecules present in a sample. These measurements can often be used to calculate the exact molecular weight of sample components. Typically, mass spectrometers are used to identify unknown compounds via molecular weight determination, quantify known compounds, and determine the structure and chemical properties of molecules.

Medical labs employ mass spectrometry to diagnose metabolism deficiencies, determine whether biomarkers or enzymes are present, and for toxicology testing. To operate a mass spectrometer, it often must be coupled with a separation instrument like a gas chromatography or high-performance liquid chromatography system. This adds complexity and cost, which may be a stimulus to buying reconditioned and refurbished equipment.

The global mass spectrometer market size was USD 5.89 billion in 2020 and is projected to reach USD 12.7 billion by 2030.² Depending on the manufacturer, capacity, and features, new mass spectrometers can range in price from USD 200,000 to one million each. Assuming an average price of USD 400,000 means that 31,750 newly manufactured mass spectrometers are expected to be globally purchased in 2030. An average used, late-model spectrometer (less than 5-years-old) can also be redeployed to meet manufacturer specifications. These models range in price from USD 75,000-220,000. Similar to the ULT freezer, redeployment provides a

value to customers by offering cost avoidance ranging between USD 125,000 and 780,000 per product.

New green segments can be developed for customers who prefer to buy circular instead of new. If 50% of new mass spectrometer purchases are replaced by redeployed alternatives and assuming a USD 150,000 discount per unit, it could save global buyers almost USD 2.4 billion annually in direct economic benefits by 2030. New circular segments can increase total market sales for the vendors, providing new business models are in place.

Please note that our calculations consider three recovery options: 1) direct redeployment, 2) redeployment after reconditioning, and 3) material recycling. We argue that most equipment can go through all three loops sequentially, as explained in Krikke (2010). Clearly, direct redeployment creates the most economic value of direct savings. But like economic value, from a footprint point of view, the preference is also first to directly redeploy, then redeploy and recondition, then new products from recycled materials, and last new products from virgin materials.

In the case of reuse, the forward chain processes are substituted, meaning that these processes are less needed or skipped. In material recycling, only (virgin) material supply is replaced, and hence the *delta* is less. Moreover, reconditioned equipment can still be recycled at a later stage; the opposite is not usually possible. Recovery process emissions need to be considered in the calculations. Recycling is more energy-intensive than reconditioning or direct reuse, which leads to higher emissions.

When using an emissions calculator provided by the EPA³ to consider

²https://www.alliedmarketresearch.com/ mass-spectrometry-market

³https://www2.epa.gov/sites/production/ files/2013-06/eebc_v3_1.xlsm

potential GHG reduction for desktop computers without reconditioning costs, just costs to move a computer from desk-to-desk within the same building, the reuse of this equipment can result in a 23 times reduction relative to recycling. It is important to note that a functioning product exists for reconditioning—for recycling, only materials is recovered.

Still, all recovery options for closing the loop can significantly contribute to reducing GHG emissions. A ballpark estimate is that annual reductions of 1.3 million kg CO_2 (recycling-based) up to 3.2 million CO_2 kg eq. (direct redeployment) are realistic for ULT freezers by 2027. Similarly, for mass spectrometers, reductions would equal 285,000 kg CO_2 eq (recycling-based) up to 1.2 million kg CO_2 eq (direct redeployment) annually by 2030.

In addition to reducing GHG emissions, scarce materials are saved lessening resource depletion. Together, these results can make CE-SAM a game changer. In both cases, multiple values are created. An increasing number of customers of life sciences equipment seek reused products. The procurement of circular products creates environmental value. Environmental value has been turned into economic value via carbon fees (OECD 2021). Based on projected volumes of ULT freezers and mass spectrometers, and assuming that all three recovery options will be applied, by 2030 a total of 580

million USD could be saved on carbon fees worldwide.

Sourcing value leads to direct economic benefits in terms of reduced prices. Customer value is increased because now the equipment is more affordable for certain customers who cannot afford to buy new products. Information value has not been mentioned in the examples, but it is relevant for product development and customer service.

4. CLSC AS A VALUE CREATOR

The CLSC (see Figure 3) is an important value creation driver of CE-SAM. CSLC management has defined as "the design, control, and operation of a system to maximize value creation over the entire life cycle of a product with a dynamic recovery of value from different types and volumes of returns over time (Daniel, Guide, and Van Wassenhove 2003)."

In CLSC, value creation occurs in the (re-)capture of value through reuse and recycling. The value recaptured lies in preserving embedded materials, energy, water, and labor value from forward chain activities—value that is embedded in surplus equipment. Some of these resources are also invested in the reverse chain, as processes acquisition, re-processing, and remarketing need to be completed.

The value of these reverse chain resources needs to be subtracted from the regained value. The gain is in the delta, meaning the difference between resources invested in the "forward chain" (value to be recaptured and leveraged) and "reverse chain value" of resources invested in acquisition, reprocessing, and remarketing. For example, since recycling steel requires less energy than new production, it reduces cost and emissions.

Six out of 10Rs recapture value from discarded surplus equipment in the reverse value chain, as shown in Figure 3. The others deal with the prevention or low-level recovery. The literature on CLSC describes six similar options, presented in Table 5. As a rule of thumb, reuse/ reconditioning and harvesting create the most value since only a few operational processes are needed.

The closer the products are looped back into the customer or end user, the higher the value to be captured. However, quality or functional requirements may require an upgrade, refurbishing, or remanufacturing. Recycling only recaptures the materials and hence will create less value. However, if discarded products and parts are obsolete, too worn out or otherwise no longer reusable, recycling may be the only option left. Ultimately, there is no value created unless the product—or its parts and materials—are reused.

Value is (re-)captured in the reverse value chain but released in a forward

Table 4. Carbon Footprint Reduction Through Reconditioning and Recycling of Mass Spectrometers.					
CLSC process Mass Spectrometer	New built with virgin materials CO2 kg eq/prod	Redeploy only CO ₂ kg eq/prod	Recondition CO ₂ kg eq/prod	New built with recycled materials CO ₂ kg eq/prod	
Virgin material supply	38.4				
Component manufacture	15.5			15.5	
Assembly	11.7			11.7	
Testing and configuration	7.8		7.8	7.8	
Sales and distribution	3.9		3.9	3.9	
Reverse chain			2.3	20.9	
Digital platform		0.5			
Total CO₂ kg eq/product	77.7	0.5	14	59.8	
Delta	NA	-77.2	-63.7	-17.9	

chain, serving either the original market or an alternative segment! Please note that this applies to all four types of value.

5. ROLE OF THIRD-PARTY SERVICE PROVIDERS (3PSPS) IN VALUE CREATION

A 3PSPs is an independent company that performs services for other companies. In the context of CE-SAM, we distinguish physical services, administrative and financial services, IT services, and trading services.

- 3PSPs providing physical services include waste collectors, logistics service providers, recyclers, contract (re-)manufacturers, maintenance and repair, refurbish, and recondition firms.
- Administrative and financial services include leasing—new business models—and



Forward flows <----- Return flows</p>

Figure 3. Value creation by CE-SAM in the closed-loop value chain, the importance of the delta (adapted from Krikke *et al.*, 2003).

compliance auditing, collective EPR schemes in Europe and Asia, or related to carbon quotas.

- Specialized IT companies offer IT systems geared for product acquisition, reprocessing, and remarketing/sales. Also, enterprise resource planning (ERP) systems must be adapted. Returns data help to streamline the returns process itself but also to learn from returns to improve the product or forward value chain processes.
- Trading services involve internet platforms, trading desks, and brokers.

Many 3PSPs combine some of these services into one package. Other important actors are the brand or asset owners, sales agents, suppliers, and the final customer or user. In the CE-SAM market, it is usually the brand and/or asset owner who decides, which activities to carry out themselves

Table 5. Recovery Options That Regain Value (Adapted from Various Literature).			
Recovery option	Operations	Output	Redeployment
Repair Reconditioning Refurbishing Harvesting (Retrieval) Remanufacturing Recycling	To fix or mend a device to good working order To restore to good working condition Disassembly and selective replacement of critical parts Selective dismantling of parts for repair Full disassembly and integration with new production Shred, separate, and recover of materials	Original product Original product Upgraded product Spare parts Equal-to-new product Secondary materials	Same users New users in a similar market Other segments in the market Maintenance Original markets Commodity markets

Table 6. Main Challenges Versus Enablers (Own Research).					
	Challenge	Eco-design	New buzz models	IT systems	CLSC
Product acquisition	Products not traceable for collection			х	
	Customers do not return (properly)		х	х	
	Uncertainty in (forecasting) volume, quality, and composition of returns		х		х
	Returns not properly valued		х		
Reprocessing	Low yield for reuse	х			х
	Recycled materials of low quality	х			х
	Hard to test and disassemble	х			
	Upgrades not possible	х			
	Hazmat not detectable	х			
	disassembly BOM needed			х	
	(backward) compatibility issues/ no standardisation	х			х
	Integration MF and re-MF				х
Remarketing/Sales	Customers not willing to pay for circular products		х		
	Market cannibalization effects		х		
General	(carbon) footprint too high	х			х
	Natural resource depletion	х			х
	Compliance issues	х		х	х
	Waste				х
	Staff not trained for CE	х	х	х	х

and which to outsource. In this context. brand and asset owner may be used interchangeably. However, independent parties may act on their own and decide, for example, to actively buy back surplus equipment from the market, reprocess and resell them. Ideally, actors in the CLSC perform those activities where they add the most value, which can be sourcing, environmental, customer or informational value. How to cope with challenges is best analyzed by looking at the strategic enablers in CE-SAM and the business processes of CLSC. Table 6 illustrates how CE of and CE-SAM in specific ha distinct characteristics com linear system. First, we dea multivalue systems. Althou ultimate goal remains to cre economic value, four underlying values need to be managed and integrated. Failure to comprehensively manage these values can cause conflict where synergy is needed. Because we have more actors, more business processes, and more objectives, all four solutions are crucial. Managing one success factor is already difficult; managing all four is a mission. Second, *managing the enablers and circular business processes takes time.* For example, when redesigning your product for recycling as a brand owner, it may take years before you reap the benefits, namely when the product is returned from the market. The longer time horizon in CE-SAM is at odds with the current short-term, profit maximization approach of many companies. Third, the reverse chain is—due to multiple "R" options—*more fragmented* than the forward chain.

The reverse value chain involves many segments with specific processes and relatively small volumes. Also, it often takes very specific knowledge, for example, how to disassemble and recondition equipment, how to resell it, and how to deal with compatibility issues. Consequently, many specialized 3PSPs, often small-medium enterprises, are active in the various market segments.

generally ave verv	the forward chain.	but with nega many hard d
npared to a	The reverse value chain involves	disassemble
al with	many segments with specific	data wiped for
ugh the	processes and relatively small	reasons. Als
eate	volumes. Also, it often takes very	regulations b
rlvina	specific knowledge for example how	responsibility

manage these values can causeto deal with compatibility issues.collectiveconflict where synergy is needed.Consequently, many specializedthe reverBecause we have more actors, more3PSPs, often small-mediumdisconnbusiness processes, and moreenterprises, are active in the variouschain. Itobjectives, all four solutions are crucial.market segments.also ofteTable 7. Three Phases in Developing a Circular Value Chain (Based on Schenkel et al., 2015).Phase 1: controlPhase 2: streamlinePhase 3: integrateIt is best

	Phase 1: control	Phase 2: streamline	Phase 3: integrate
Product Stewardship New Business Models	х	x	
Life Cycle Management CLSCs	х	х	x x



Figure 4. CE-SAM value chain with actors, based on Porter's value chain (source: own research).

Circularity will most certainly change the rules of business. CE-SAM is intended to be the *game changer*!

6. WHAT ARE THE STEPS TO MAKE CE SAM WORK?

In the case study research, we have observed that many circular value chains go through three phases, as presented in Table 7.

Phase 1 involves controlling the (four) negative externalities, which are basically the same as the four values ative values. For example, isks must be ed from computers and all or security or privacy o. environmental based on producer responsibility impose mandatory collection and recycling. To this end, many European countries have set up collective closed-loop systems where the reverse value chain is disconnected from the forward value chain. In most cases, the reverse chain is fully outsourced. Economic value is also often negative, but bigger damage is avoided.

It is best to quickly complete phase 1. In phase 2, asset owners or 3PSPs start working together on the (final) customer side. One example is offering harvested spare parts or reconditioned equipment that is nearly as good as a new state, although in other market segments than the new products to prevent cannibalization. New business models may involve extended service programs, flat-fee maintenance, and trading platforms. The CLSC becomes more responsive by actively buying back from the market and selling via a platform to match supply and demand effectively. Good IT systems are crucial. Also, higher "Rs" options are applied, mostly reconditioning, refurbishing, and (parts) reuse with a possible upgrade. Usually, three of the four values (sourcing, environmental, and customer) are optimized, and the resulting economic value is positive.

Still, forward and reverse value chains are not fully connected.

Ideally, but not always, phase 3 integration is reached. Due to the new business models, the value chain is based on servitization. By applying remanufacturing, but also refurbishing and reconditioning for relatively new equipment, the reverse value chain feeds the forward chain with materials. parts, modules, and products. The distinction between new and recovered equipment becomes invisible (and irrelevant) to the final customer as availability, cost, and footprints are part of a service offering. However, the products must now be designed according to the 10Rs.

A CLSC perspective means involving suppliers in the development of circular products, and brand owners must select suppliers on different criteria. What might arise is the *supplier paradox*: where the first and second-tier suppliers that cooperate in making reusable products may lose business in new-built equipment. So, there is an issue of "what's in it for us" when we participate in CE-SAM.

Finally, more data on processes and systems are needed to learn from returns—information value. Also,ERP systems must be fundamentally adapted. ERP systems, for example, must now have a triple bill of materials (BOM). This triple BOM combines a disassembly BOM and a replacement BOM for reconditioning, refurbishing, and remanufacturing with the new product BOM. Few software vendors offer this type of information.

7. SUMMARY AND CONCLUDING STATEMENTS

This article presents CE-SAM, which is a businesswise approach to the CE. After defining the field and its four subareas, we focus on multiple value creation, with CLSC playing a key role. The two cases illustrated the possible monetary savings as well as the reduction of footprints. Also, we presented challenges and how to manage enablers that create value. Finally, we described the role of 3PSPs in value creation and steps to make CE-SAM work.

Our findings can be summarized with a circular value chain based on the well-known Porter value chain, adapted for CE-SAM—see Figure 4. The enablers exist as support activities, indicating which actors play a role where the primary activities are executed with three key business processes: acquisition, reprocessing, and remarketing. All four values are represented (capture and leverage), which eventually leads to economic value. Also, we can observe which actor adds value to particular stages of the value chain. The process can be managed with strategic tools. For example, visit https://www.REUZEit. com, a platform offering CE-SAM services.

We summarize for the reader a few takeaways. These takeaways include the foll

• The CE is an important instrument to tackle the current crises on climate change, waste, and natural resources depletion.

- CE-SAM ensures that CE is implemented businesswise as a game changer.
- The key value creator within CE-SAM is the CLSC. We distinguish sourcing value, customer value, information value, and environmental value. In the end, they all create economic value.
- Value is captured by the reverse chain; value is leveraged (released) in a forward chain, either in the original market or an alternative segment.
- In principle, reuse is favored over recycling and recycling over new products provided there is demand for circular products/materials. All values benefit from this.
- Value creation is maximized by managing all four enablers in a coordinated manner.
- Challenges in closing the loop can be best tackled by different actors, depending on their capabilities. Specialized 3PSPs can add more value and are better equipped for CE-SAM than forwarding chain actors.

Overall, many complexities exist in a CE-SAM system; there are strategic and operational considerations. Managing these activities is not a trivial matter, and significant resources may be necessary for organizations to build up these capabilities. But, as the world's resource limits are reached, there may be no other feasible alternatives.

ACKNOWLEDGMENT

This work was supported by REUZEit.

REFERENCES

Berchowitz, D., & Kwon, Y. (2012). Environmental profiles of stirling-cooled and cascade-cooled ultra-low temperature freezers. *Sustainability*, 4(11), 2838–2851. doi: 10.3390/su4112838.

Cramer, J. (2017). The raw materials transition in the Amsterdam metropolitan area: Added value for the economy, well-being, and the environment, *Environment: Science and Policy for Sustainable Development*. 59(3), 14–21, doi: 10.1080/ 00139157.2017.1301167.

- Daniel, V., Guide, R., and Van Wassenhove, L. (2003). *Business Aspects of Closed-Loop Supply Chains*. Pittsburgh, PA, USA: Carnegie Mellon Univ. Press. [Online]. Available: http://www.personal.psu.edu/drg16/CLSC%20Book%20flyer.pdf
- Krikke, H. (2020), Circular economy: A multi-disciplinary approach (2020). *Encyclopedia of the UN Sustainable Development Goals. Decent Work and Economic Growth—Circular Economy*, H.R. Krikke, W. Leal Filho, P. Gökçin Özuyar, A. Marisa Azul, L. Brandli and T. Wall Eds. Berlin, Germany: Springer.
- Krikke, H. (2011), Impact of closed-loop network configurations on carbon footprints: A case study in copiers; *Resources, Conservation and Recycling*, 55(2011), 1196–1205.
- Krikke, H. R. (2010), Opportunistic versus life cycle oriented decision making in multi-loop recovery: An eco-eco study on disposed vehicles. *The International Journal of Life Cycle Assessment*, 15(8), 757–768.
- Krikke, H. R., Bloemhof-Ruwaard, J., & Wassenhove, L. N. van (2003), Concurrent product and closed-loop supply chain design with an application to refrigeration. *International Journal of Production Research*, 41(16), 3689–3719.
- OECD (2021). Effective Carbon Rates 2021. [Online]. Available: https://www.oecd. org/tax/tax-policy/effective-carbon-rates-2021-highlights-brochure.pdf
- Schenkel, M., Caniels, M., Krikke, H., and van der Laan, E. (2015), Creating integral value for stakeholders in closed loop supply chains, *Journal of Purchasing and Supply Management* 21 (3), 155–166.
- WEF (2021). Circularity Gap Report. Accessed: Feb. 21, 2022. [Online]. Available: https://www.circularity-gap.world/2021