

RESEARCH ARTICLE

Shortest Path Finding in Quantum Networks With Quasi-Linear Complexity

SARA SANTOS¹, FRANCISCO A. MONTEIRO^{1,2}, (Member, IEEE),
BRUNO C. COUTINHO¹, AND YASSER OMAR^{3,4,5}

¹Instituto de Telecomunicações, 1049-001 Lisbon, Portugal

²ISCTE—Instituto Universitário de Lisboa, 1649-026 Lisbon, Portugal

³Instituto Superior Técnico, Universidade de Lisboa, 1049-001 Lisbon, Portugal

⁴Physics of Information and Quantum Technologies Group, Centro de Física e Engenharia de Materiais Avançados (CeFEMA), 1049-001 Lisbon, Portugal

⁵PQI—Portuguese Quantum Institute, 1049-001 Lisbon, Portugal

Corresponding author: Francisco A. Monteiro (francisco.monteiro@lx.it.pt)

This work was supported in part by the Project Quantum Internet Alliance (QIA) of the European Union's Horizon 2020 Research and Innovation Program under Grant 820445; in part by the John Templeton Foundation (JTF) Project NQuN under Grant 60478; and in part by the Instituto de Telecomunicações and Fundação para a Ciência e Tecnologia/Ministério da Ciência, Tecnologia e Ensino Superior (FCT/MCTES), Portugal, through National Funds co-funded European Union (EU) Funds under Project UIDB/50008/2020 and Project UIDB/04540/2020. The work of Sara Santos was supported by the Fundação Calouste Gulbenkian through the Program New Talents in Quantum Technologies. The work of Bruno C. Coutinho was supported by FCT under Project CEECINST/00117/2018/CP1495.

ABSTRACT A fully-quantum network implies the creation of quantum entanglement between a given source node and some other destination node, with a number of quantum repeaters in between. This paper tackles the problem of quantum entanglement distribution by solving the routing problem over an infrastructure based on quantum repeaters and with a finite number of pairs of entangled qubits available in each link. The network model considers that link purification is available such that a nested purification protocol can be applied at each link to generate entangled qubits with higher fidelity than the original ones. A low-complexity multi-objective routing algorithm to find the shortest path between any two given nodes is proposed and assessed for random networks, using a fairly general path extension mechanism that can fit a large family of particular technological requirements. Different types of quantum protocols require different levels of fidelity for the entangled qubit pairs. For that reason, the proposed algorithm identifies the shortest path between two nodes that assures an end-to-end fidelity above a specified threshold. The minimum requirements for the end-to-end entanglement fidelity depend on the whole extension of the paths, and cannot be looked at as a local property of each link. Moreover, one needs to keep track not only of the shortest path, but also of longer paths holding more entangled qubits than the shorter paths in order to satisfy the fidelity criterion. Thus, standard single parameter shortest-path algorithms do not necessarily converge to the optimal solution. The problem of finding the best path in a network subject to multiple criteria (known as multi-objective routing) is, in general, an NP-hard problem due to the rapid growth of the number of stored paths. This work proposes a metric that identifies and discards paths that are objectively worse than others. By doing so, the time complexity of the proposed algorithm scales near-to-linearly with respect to the number of nodes in the network, showing that the shortest-path problem in quantum networks can be solved with a complexity very close to the one of the classical counterparts. That is analytically proved for the case where all the links of a path have the same fidelity (homogeneous model). The algorithm is also adapted to a particular type of path extension, where different links along a path can be purified to different degrees, asserting its flexibility and near-to-linearity even when heterogeneous fidelities along the sections of a path are considered.

INDEX TERMS Quantum networks, quantum repeaters, path-finding algorithm, end-to-end fidelity, multi-objective routing.

The associate editor coordinating the review of this manuscript and approving it for publication was Bijoy Chand Chatterjee.

I. INTRODUCTION

Quantum technologies are presently undergoing a fast development, particularly in the areas of quantum computing,

quantum secure communications, and also quantum sensing and metrology [1]. There is a renewed interest in quantum computation [2], [3], the first quantum satellite was already sent to space [4], and quantum sensing is pushing the limits of our detection and measurement capabilities [5].

In order to take full advantage of these technologies the next natural step is to have a quantum network capable of distributing entanglement between any two quantum terminals, or even more demanding, between multiple parties at the same time, called multipartite entanglement, and sometimes seen as a form of quantum multicast [6]. The work in [7] considers multipartite entanglement assuming no existence of quantum memories, while [8] assumes they exist at the nodes. Quantum networks should connect multiple quantum computers in order to scale up quantum computing. This distributed quantum computing could circumvent the limitation caused by the reduced number of qubits that a single quantum computer can currently handle, and become a practical manner of making quantum computers with a large number of qubits. Even so, one of the first applications of the future quantum networks will be to secure communication channels based on quantum key distribution (QKD) cryptographic systems [9], doing away with the need for the so-called *trusted nodes* that operate in the classical signal domain. The properties of quantum physics are opening doors to new computing and communication algorithms [10], [11] and the architecture of these future quantum networks (often dubbed *Quantum Internet*) is currently coalescing in the research community [12], [13] and can potentially play a crucial role in future 6th generation networks, in tandem with classical processing in order to dramatically reduce the amount of classical data needed to be transferred to quantum central processing units [14]. A number of applications that will require quantum networks have already been identified in [15], which also proposes methods to evaluate the performance of each one of those applications.

The traditional stack model, consisting of a physical layer, a link layer, a network layer, and a transport layer, remained a solid foundation for the impending work of specifying the protocols at all layers [16]. A first contribution to defining a specific protocol for the quantum physical layer has been proposed in [17]. An overview of the whole network stack required for a quantum internet, and including routing, is provided in [18]. At the network layer, finding the shortest path between any two nodes of a network is a fundamental problem in both network theory and graph theory, and is at the core of several important applications, such as finding the shortest route between two locations, or efficiently routing information packets in communication networks. These objectives also hold in the context of quantum networks.

The details of how a quantum node should respond to incoming requests was analysed in [19]. However, the routing problem is one of a different nature and has been approached in different ways. In [20], the authors have studied protocols for remote entanglement that maximize the rate at which

entanglement is produced between the nodes in homogeneous quantum repeater chains. They show that long-distance entanglement is possible in quantum networks with quantum repeaters even when these perform imperfect swapping. In that work, remote entanglement operates in a different manner than the entanglement routing protocols that are the concern of the present paper, and which only focus on finding the optimal path, given some criteria. The remote entanglement protocols focus on deciding the order at which the swapping operations take place along a given path in order to maximise the entanglement rate. The problem of minimizing the entanglement time (and therefore maximizing the entanglement rate) is usually considered assuming that the number of network segments (i.e., the number of links) between the two end-nodes is a power of two [20], [21]. In [22], the authors departed from that paradigm and proposed a swapping scheme for the cases when that does not hold true. In [23] and [24] the authors take a theoretical approach to quantum networks based on the end-to-end capacity and investigate its interplay with routing.

Until very recently, previous works on routing in quantum networks only guarantee that the fidelity at each link in a path lies above a certain minimum. Assuring that a given end-to-end fidelity is attained was only recently addressed in [25] and [26]. In [26], the existence of purification at each link is also considered, and the goal is the one of maximizing the network throughput given memory constraints at the quantum repeaters and capacity constraints in the links. The model used in [26] considers that link purification is possible and solves the optimization problem by means of a polynomial time approximation scheme; nevertheless finding the exact solution would still be NP-hard. Our work rather solves a non-linear optimization problem, that can be solved in an exact form in linear time. Despite these advances, to the authors' best knowledge, there is no quantum routing algorithm that considers multi-objective optimization using nested purification protocols, which greatly increase the communication range [27].

A. QUANTUM NETWORKS

This paper looks at the problem of finding the best path to connect two nodes (in the sense of establishing entanglement between qubits) in a quantum repeater network [28]. These will be networks with quantum nodes, possibly interconnected with the help of quantum repeaters that are able to extend the entanglement of qubit pairs beyond one single section (also known as a *hop* or *link*). Tackling this problem involves looking at both the link layer and the network layer. The algorithm proposed in the present paper can be applied to any network topology (in contrast with works assuming lattice structures [29], [30]). To assess the proposed algorithm the paper assumes a random network, more specifically an Erdős-Rényi network, in which all links in the network are established with the same probability [31].

In classical networks, with the nodes connected by analogue or digital transmission links, the problem of finding the shortest path between any two nodes is efficiently solved by the well-known Dijkstra algorithm (and similar ones) in an exact manner [32]. The concept of *distance* between the nodes is not necessarily the physical distance; it can be any other type of cost associated to the links (e.g., price, power loss, or bandwidth). In quantum networks the definition of a cost metric is still an unsettled matter, even so the so-called *fidelity* of a connection seems to be an unavoidable metric; it measures the quality of an entanglement, providing a measure of the correlation between the qubits of a link. The fidelity is a real number between 0 and 1 (naturally, only values above 0.5 are of any practical value).

The fidelity of a link can be increased by the so-called *purification* process if more than one pair of entangled qubits exist in that link. This amounts to “merging” two qubits into one with a higher fidelity level, and this process can be iteratively extended by successively merging further entangled pairs (alternatives to this purification process will be detailed later in the paper). Consequently, the highest attainable fidelity in a link is proportional to the number of qubit pairs available in that link. This number of qubits in a link is referred to in the literature as the *number of resources* in the link, and is of central importance to the problem dealt with in this work. As pointed out in [30], quantum routing protocols should depend on a metric that explicitly takes into account the required fidelities and the purification steps.

Although having a set of different paths connecting a source node and an end node may have a positive impact on the final entanglement of the qubits [33], the objective in this paper is to determine the *unique* shortest path between any two nodes that guarantees some minimum entanglement fidelity. Previous work suggested that, although not exact, Dijkstra’s path finding algorithm could be used, in some cases, to find the best route in a quantum network [34]. In some situations, as seen in [34], Dijkstra’s algorithm finds the optimal path, however, finding the optimal route that connects two nodes in a quantum repeater network poses more challenges than its classical counterpart.

In [35] the authors considers links with purification and a minimum constraint on the end-to-end fidelity but it does not look at the problem as a multi-objective optimization problem and therefore the found paths are sub-optimal in respect to the bi-dimensional framing of the problem.

One may look at the network models as being an *advance generation model* (where entanglement pre-exists before routing takes place) and *on-demand generation model* (where entanglement is created after routing) [35], [36]. In this work we deal with an *advance generation model*, where there is a decoupling between the physical layer and the network layer that makes the routing decision, based on the information it has about the link layer. Beyond the path selection problem, other problems in quantum networks also need to be addressed, such as the scheduling of different services over some previously selected end-to-end path [37]. Moreover, the

operation of a link needs to be maintained by taking care of packet losses, which requires specific protocols such as [38] and quantum error correction [39].

B. ROUTING IN QUANTUM NETWORKS

This paper presents an exact algorithm to find the shortest path to connect two nodes in a quantum repeater network that is random in the Erdős-Rényi sense, while attaining a given fidelity. Most importantly, it is shown that solving this problem exactly is *not* computationally much more expensive than solving the classical shortest-path problem. The approach can be seen as an application of multi-objective routing [40], [41], and a predictable consequence of a general algebraic theory for routing [41], [42]. Of practical importance is the fact that the presented solution can be combined with works such as [20], [43], and [44], which apply sophisticated mathematical tools to perform decentralized routing.

The first step is to characterize the links by the number of entangled qubits (with the required fidelity) available in that connection. This can be seen as the maximum number of qubits that can be entangled between two quantum nodes (one of them may happen to be a quantum repeater) while attaining a certain fidelity after a purification process. What limits in practice the number of resources available in a link depends on the particular hardware implementation: for example, in a quantum repeater network based on nitrogen-vacancy centers (NV-centers), both the amount and the quality of the entangled pairs will likely be related to the number and quality of its constituent quantum memories [45], while for an all-photon implementation of a quantum network the limitation will likely come from the difficulty in generating entangled photon pairs in the first place. In general, the networks’ characterization made in this paper is fully compatible with the quantum network stack model proposed in [17]. One assumes here that the link layer would communicate to the network layer (which hovers immediately above the link layer) information about the links’ properties. The proposed algorithm, or a variation of it, can then be applied at the network layer to find the best path.

It is relevant to stress the fundamental distinction of the routing problem in classical and in a quantum network. In a classical network paradigm, after having found the best path (in some sense) between two nodes A and B, any connection from A to a third node C that is linked to B can be established by extending the previously found best-path between node A and B, unless a better path exists from A to C. This is *not* true in a quantum network due to a known feature of quantum repeaters based on *entanglement swapping* and requiring a purification phase: the number of entangled qubits in each link (in *all* the links constituting the path between a source-node and an end-node) needs to increase with the total distance of the overall end-to-end chain, i.e., it needs to grow with the number of hops, or the number of quantum repeaters in between) [45]. The simple extension of a previously known best path may *not* be possible in a quantum network since the number of resources sustaining the entanglement of nodes A

and B may not suffice to perform entanglement starting from node A and ending in a third node C, through node B. Any extension to a path involves having at least one more hop, and consequently a larger number of resources available in *all* links right from the departing node A, through node B, and up until node C. In short, extending the path, even by one single additional hop, impacts on the minimum requirements for *all* the other sections in the path or chain. As a consequence, some of the links become ineligible to be a member of that end-to-end path.

This paper sets the problem in the context of multi-criteria (or multi-objective) routing [40]; in particular, the proposed path-finding algorithm makes use of two parameters to efficiently find the shortest path between two nodes in a static quantum repeater network. This is in strike contrast with other similar problems such as the classical resources-constrained shortest path [46] and the Pareto shortest-path problem, both of which are, in general, NP-hard problems [47]. In yet another related problem, one can similarly find an algorithm to solve the maximum rate problem in a quantum repeater networks that is also computationally hard, growing factorially with the network size in [48] (in detail: $O(N^3 N! L \ln L)$, from [48, corolary 3 and subsequent discussion], where N and L are the number of nodes and links in the network, respectively). In contrast, the herein proposed algorithm solves the shortest path in a quantum repeater network in polynomial time. As it shall be presented, this complexity reduction comes from some embedded mechanisms that discard some low-value paths. However, for a general Pareto shortest-path problem there is no guarantee that it is possible to discard enough paths to reduce the complexity of the problem, and such mechanisms were also not taken into account in [48]. Although the problem in the present paper is not exactly the one in [48], the proposed solution suggests that the maximum rate problem in a quantum repeater network might also be solvable in polynomial time. How to exactly write such an algorithm will depend on the specific quantum repeater protocol and implementation.

After this introductory section, section II presents a detailed statement of the problem, section III describes the proposed algorithm, section IV presents simulation results that allow one to verify the algorithm's complexity, section V shows that the algorithm can be particularised to specific quantum repeater strategies, and the conclusions are drawn in section VI. A formal proof of the algorithm's complexity is presented in appendix A.

Notation: In the paper, \mathbf{I}_a denotes a $a \times a$ identity matrix and $\ln(\cdot)$ is the Napierian logarithm.

II. SYSTEM MODEL AND PROBLEM DEFINITION

Likewise a classical network, a quantum network consists of a set of *nodes* connected by *links* (sometimes also referred as *sections* or *hops* in a path). In graph theory they correspond to the *vertices* and the *edges* of a graph, respectively. A network comprising of V nodes and L links will be considered. A link e_{ij} between node v_i and node v_j contains a finite number

of entangled qubits, n_{ij} , each one with fidelity f_{ij} . Applying this characterization of the network in the context of the stack model of abstract layers proposed in [17], the links would inform the network layer of how many entangled qubit pairs it could entangle, and with which fidelity. The network layer would then find the best path to connect the two nodes. The algorithm here presented can be easily applied to any description of the links between nodes, such as the time required to generate entangled qubits, the probability of entanglement success, or other metrics describing the links. Note that in a practical setup some of the assumed symmetry of the problem may not exist: due to the stochastic nature of entanglement generation and link purification there may exist several entangled qubit pairs with different fidelities in that link. Even so, this system model still captures the essential aspects at stake in the path-finding problem.

In short, the problem is the one of finding the shortest path between nodes v_i and v_j such that *each* link holds the minimum resources to create an entangled qubit pair with a goal fidelity f_{target} . In order to achieve this, the considered swapping and purification model imposes that the number of entangled qubit pairs necessary in *each* of the links must grow with the total end-to-end distance (i.e., the number of sections or hops traversed), as pointed out in [45]. The reason for this requirement will be detailed in the next section.

A. PURIFICATION AND SWAPPING STRATEGIES FOR PATH EXTENSIONS

We begin with a brief introduction to how quantum repeaters operate based on quantum purification and swapping. Let one consider two nodes, v_i and v_k , that are not directly connected but share a neighbor v_j , as depicted in step 0 of Fig. 1 (a). The picture also depicts seven additional nodes for which this discussion can be extrapolated. The entanglement of qubits between v_i and v_k can be accomplished by means of entanglement *swapping* on the qubits contained in v_j , half of which is connected to v_i and the other half to v_k (these qubits are highlighted by the orange dashed boxes at v_j). The entanglements between v_i and v_k that result from the swapping operations are represented in Fig. 1 (b) by dashed red lines. Unfortunately, swapping is a lossy operation [20] and the resulting fidelity of these new entangled qubit pairs is lower than the fidelities of the original entangled qubits in the links connecting v_i to v_j and v_j to v_k . Even so, this fidelity can be augmented by means of a procedure called *purification*, which combines multiple entangled qubits between the same two nodes in order to create one single entangled pair with higher fidelity. The mechanism is represented in steps 1 and 2 of Fig. 1 (a): the qubit pairs to be purified are represented within the blue dot-dashed boxes in step 1 of Fig. 1 (a), and the resulting qubit pairs are represented in step 2 by black lines.

The number of entangled qubits necessary for a purification process to recover the original fidelity of the entangled qubit pairs depends on the type of entanglement that is used at the physical layer. Another degree of freedom of the purification process is the ordering in which the purification and




FIGURE 1. Two different quantum repeater strategies: (a) iterations between link purification phases and swapping phases, (b) full link purification applied first in the links, and then followed by swapping processes occurring at each repeater node.

swapping operations are applied [20]. For that matter, there are two different strategies that can be applied, and which will now be shortly described. Fig. 1 (a) depicts the method that alternates between purification and swapping phases: for each round of swapping and purification, the distance between entangled qubits is doubled (in the sense of number of hops it bridges). Step zero shows the original network, and the qubits inside the orange dashed box are the ones to undergo the swapping process, leading to the equivalent quantum links shown in step 1. Now nodes v_i , v_k , v_m , v_o , and v_q are connected by eight lower fidelity qubit pairs, represented by red lines. The entangled qubits of lower fidelity inside the blue boxes can be purified in order to obtain four entangled qubits holding the original fidelities. This is an iterative process that cycles through the rules applied in the first three steps. The

remaining represented steps (3 to 6) are analogue to what was described and apply the same rules. The iterations are repeated until quantum entanglement between the end-nodes is attained. In this description one considered that purifying two entangled qubits after a swap suffices to recover the original fidelity. In practice, how much purification is needed in step one will depend on the original fidelity and distance between the two nodes.

Fig. 1 (b) illustrates a different strategy in which purification is first applied to all the qubit pairs in the links (inside the blue boxes) such that the qubits are purified to the highest possible fidelity value, leading to the equivalent single-qubit links represented by dashed green lines in Step 1. Later, in step 2, the resulting qubit pairs undergo swapping operations at all intermediate nodes, eventually establishing the end-to-end entanglement between v_i and v_q with the original fidelity (solid black line). The actual repeater protocols used in a practical systems will likely be a combination of the two aforementioned strategies, complemented by an error correction phase [27], [47].

Regardless of the applied strategy for purification and swapping, once a path that verifies the selection criteria is found, it will consist of a set of links which in general hold different number of resources. Some sections will only have the minimum number of resources but several may have a number above that threshold. Given the larger number of qubits available at those links, one could eventually purify those links to a higher degree. In the first model to be assessed by simulation, here dubbed *homogeneous model*, all links are purified to the same degree. To illustrate the concept, consider for example a case of a path consisting of four links, where the minimum number of resources is four. A link holding, for example, nine entangled qubits, would still only make use of four qubits in order to attain the desired minimum fidelity, rather than using all the nine pairs of qubits to get a higher fidelity. Under the homogeneous model several sections of a path will have resources underused. For a particular type of quantum repeaters, that waste can be eradicated, leading to the so called *heterogeneous model*, where the links can be purified to the maximum degree and compensate for some sections with a diminished number of resources.

B. MINIMUM LINK RESOURCES WITH HOMOGENEOUS PURIFICATION

One considers an high-level model of a quantum internet such as the one in [49]. A consequence of applying the two described strategies, or a combination of both, is that in the first generations of quantum repeaters the minimum number of resources, R , necessary in *each* link to connect two distant nodes, scales *polynomially* (with order α) with the distance d , [27], [45], [49], i.e., with a leading term of the form:

$$R(d) = d^\alpha. \tag{1}$$

Let one consider the goal of connecting nodes v_i and v_j , where a path p with a distance of d_p hops is a possible candidate to sustain the entanglement between those two

nodes. Furthermore, consider that one of the sections of path p is the link e_{lm} , characterized by having n_{lm} qubits. The link e_{lm} can only be a section of a path connecting node i to j if $n_{lm} \geq R(d_p)^\alpha$. Without loss of generality, it is possible to simply consider $\alpha = 1$

$$R(d) = d. \quad (2)$$

One starts by applying (1) to a particular link,

$$R(d_{ij}) = d_p^\alpha, \quad (3)$$

which implies that

$$n_{lm}^{1/\alpha} > d_p. \quad (4)$$

By simply redefining the resources in each link as $\tilde{n}_{ij} \triangleq n_{ij}^{1/\alpha}$, we obtain

$$\tilde{n}_p > d, \quad (5)$$

which is equivalent to considering the case with the linear exponent $\alpha = 1$. This relabeling is possible because the output of the minimum operator is invariant to the α exponent, i.e., $\min(a, b, c) = (\min(a^\alpha, b^\alpha, c^\alpha))^{1/\alpha}$. In fact, even if $R(d)$ was not of the form (1), it would be possible to apply the inverse function of $R(d)$ and convert it to the form of (2). While the number of entangled qubits might not be an integer number in those cases, one can still accommodate that, as it will be seen in section V. Without loss of generality in what respects finding the best path, it is assumed henceforth that the required number of resources in each link grows linearly with the distance between them, as given in expression (2).

III. ENTANGLEMENT PATH-FINDING ALGORITHM

The no-cloning theorem of quantum physics prohibits the cloning of unknown qubits, that is, when they are in a superposition state, before measurement and the consequent collapse of the state. For that reason no quantum repeater will ever be able to copy qubits. Furthermore, as just seen in section II, the number of minimum resources across all the sections of a quantum path scales with the number of hops.

These limitations makes the well-known Dijkstra's algorithm unfit to optimally solve the shortest-path problem, making entanglement routing more challenging. Such limitations become glaring even in a very simple network such as the one represented in Fig. 2. In this example, the aim is to connect the source node v_s to the target (or destination) node v_t . Although the shortest path between vertices v_s and v_t is p'_2 , there are not enough entangled qubits pairs in each of the constituent links of p'_2 to establish entanglement from v_i to v_t making use of the sub-path p_2 . This is because a minimum of three resources is required at *all* nodes once there are three hops in p'_2 to connect v_s to v_t . In contrast, albeit being a longer path, p'_1 guarantees in all its sections the minimum number of resources to connect v_s and v_t with the desired fidelity, so that the swapping and purification path-extension technique can be applied.




FIGURE 2. Example of a small network for which a classical shortest-path algorithms cannot find the shortest path between the source node v_s and target node v_t .

A. PATH-METRICS' ALGEBRAIC PROPERTIES

According to the formal networking theory of cost metrics defined for paths on graphs, as described in [42], the path metric considered in this work is monotone but not isotone. *Monotonicity* is the property of cost metrics that, when a path extension occurs, invariably either increases or decreases, never changing that behavior. Let us look at path p_1 for example; the distance between v_s and v_j is larger than the distance between v_s and v_i and the distance between v_s and v_k is also larger than the distance between v_s and v_i . If we consider a situation like the one found through p_2 , where the number of resources is insufficient to reach v_t from v_s , we can assign an infinite distance to the link between these two nodes, and the monotonicity is preserved, given that those two nodes will be treated as if they were disconnected. On the other hand, *isotonicity* is a propriety related to the comparison of paths and its meaning will be next defined by means of the example at hand. As hinted in section II, the proposed algorithm has the following multi-objective goal: to find the shortest path that holds sufficient resources for establishing an end-to-end entanglement. If this metric were *isotone*, it would mean that since path p_2 is better (in a distance sense) than p_1 to connect v_s to v_k , then the extended path p'_2 would also be better than the extended path p'_1 to connect v_s to v_t . However, as explained before, this is not the case. This has also been pointed out in [48] in relation to finding the path that maximizes the rate transfer in a quantum network, by using the non-classical algebra of [42].

Using the notation of [42], the concatenation of a path p_1 with p' , where p' by acts as an extension to path p_1 , is denoted as $p_1 \oplus p'$. Given the aforementioned properties of the path-finding problem, it is useful to define for any path p the following cost metric:

$$d(p) = \begin{cases} d(p) = d_p & \text{if } n_{ij} \geq d_p \text{ for all } e_{ij} \in p \\ d(p) = +\infty & \text{if } n_{ij} < d_p \text{ for any } e_{ij} \in p. \end{cases} \quad (6)$$

Therefore, the problem of finding the shortest path between two nodes with sufficient number of resources, becomes the one of finding the path that minimizes the metric $d(p)$. Indeed,

Algorithm 1 Shortest-Path Algorithm

function ShortestPath(*source*)

$\mathcal{A} :=$ the set of all admissible paths $p_i = \{d(i), n_i, v_i\}$ ordered as a priority queue data structure (initialized as $\{0, \infty, source\}$). The order is defined by an increasing $d(k)$, with the smallest distance at the top of the priority queue.

$\mathcal{B} :=$ the set that contains, for each node, a set $B[v_i]$ containing a history of visited paths $\{d(i), n_i\}$ up to date and the paths to be next visited (initialized as $\mathcal{B} = \emptyset$).

while \mathcal{A} is not empty **do**

 Select path $p_u = \{d(u), n_u, v_u\}$ at the top of the priority queue and remove it from \mathcal{A} .

if $\nexists \{d(i), n_i\} \in B[v_u]$ such that $n_i > n_u$ and $d(i) < d(u)$ **then**

 Add path p_u to \mathcal{B} .

for each neighbouring vertex v_t of the end vertex v_u of path p_u **do**

if $n_{p_t} \geq d(p_t)$ **then**

 Add path p_t to \mathcal{A} .

end if

end for

end if

if $\exists \{d(i), n_i\} \in B[v_u]$ such that $n_i \leq n_u$ and $d(i) \geq d(u)$ **then**

 remove $B[v_i] \in \mathcal{B}$.

end if

end while

end function

$p_t :=$ path $p_u \oplus v_t$

$n_{p_t} := \min(n_u, n_{ut})$

$n_{ut} :=$ available resources in the link $v_u - v_t$.

this metric is non-isotonic, given that

$$d(p_1) > d(p_2) \not\Rightarrow d(p_1 \oplus p') > d(p_2 \oplus p'). \quad (7)$$

B. THE PROPOSED ALGORITHM

The central proposition in this work is that in the case of quantum networks relying on swapping and purification, it is possible to solve the multi-objective routing problem while overcoming the non-isotonicity of the cost metric. Furthermore, we achieve this in near-to-linear computational complexity by keeping track of more paths than just the shortest path between nodes. To that end, each possible path p between two nodes v_i and v_j , is characterized by two parameters: i) the path distance, d_p , which amounts to the number of hops (i.e., sections or links), and ii) the distance associated with the smallest number of entangled qubit found along all the links (or sections) of the path, denoted as n_p^{\min} . Hence, a path p is characterized by the pair (d_p, n_p^{\min}) . In this framework, a path is only discarded if it does not contain the minimum number of entangled qubit pairs to connect two vertices at distance d_p , i.e., when $n_p^{\min} < R(d_p)$, or when there is unequivocally a worst path than p . In the latter case, there must exist a path




FIGURE 3. Flowchart for the proposed algorithm.

p' that is shorter and has a larger number of resources than p , i.e., $d_{p'} < d_p$ and $n_{p'}^{\min} > n_p^{\min}$. The reason why it is possible to discard some paths is that the parameters characterizing each path are isotonic themselves when the other parameter is fixed – this is dubbed *partial isotonicity*. Let one focus on the distance metric and consider three paths p, p', p'' ; given any values for $n_p^{\min}, n_{p'}^{\min}, n_{p''}^{\min}$, if $d_p \geq d_{p'}$ then one will always have $d_{p \oplus p''} \geq d_{p' \oplus p''}$, meaning that the parameter d_p is an isotonic partial metric. Similarly, it is easy to check that this partial isotonicity also holds for the parameter n_p^{\min} .

Algorithm 1 solves the routing problem from a fixed source node to all the remaining nodes in the network. For a fixed network (i.e., a given topology and a given resources distribution among the links), the algorithm can be run once, before the network starts operating with successive entanglement requests taking place.

The algorithm starts at a source node and then visits all its neighbors. Then the paths are added to a priority queue (set \mathcal{A}) that is ordered from the path with shortest distance (places at the top) to the one with the longest one (placed at the bottom). The path at the top of the priority queue is selected and its neighbors are visited. New paths from the source to the visited node are only added to the priority queue if there is no other path from the source to that same node holding an unequivocal better pair of (distance, number of resources). In order to perform this checking, one needs a data structure for each node v_i , the $B[v_i]$ sets, that keeps track of all paths from the source to v_i that are not objectively worse than the new ones. The ones who are not, are removed from $B[v_i]$. At that point the following binary case unfolds:

- i) if the current path offers no advantage over the others (i.e., if there is a path in $B[v_i]$ that guarantees both a greater fidelity and a shorter distance), then the current

path is immediately discarded and the remaining path with the smallest distance in the priority queue set \mathcal{A} is now selected. This process repeats itself until there are no more paths to explore;

- ii) if this current path offers some advantage, then a set of new paths p'_i are added to the priority queue set \mathcal{A} , corresponding to the extension of p to all its neighbors v_l .

A more general version of Algorithm 1 is depicted by the flowchart in Fig. 3, where, in addition to the described cost metric, each path also has a fidelity associated to it. This more general approach will be later explored in section V.

IV. SIMULATION RESULTS

The proposed routing algorithm was applied to random quantum repeater networks (of the Erdős-Rényi type) in order to initially assess the algorithm's complexity via computer simulation. Intuitively, the path exploration process should not lead to a complexity explosion given that, when the length of the paths grows, it is increasingly less likely that the minimum required number of entangled qubits exist across all the path such that the target fidelity can be met. For simplicity, one considers a network model with no degree-degree correlation (i.e., two directly connected nodes have independent degrees), and also no correlation between the degree of a node and the number of qubits in each link incident to that node. In this case, the computational complexity scales quasi-linearly with the number of nodes, V , with the following upper-bound, which is derived in section A of the appendix:

$$UB = \mathcal{O} \left(\sqrt{\bar{k}^2 \bar{n}^2} \ln(\sqrt{\bar{k}^2 \bar{n}^2}) \right), \quad (8)$$

where \bar{k}^2 and \bar{n}^2 respectively correspond to the second moment of the *degree distribution* (i.e., the distribution of the number of links connected to a node) and to the second moment of the distribution of the qubits across the links. The random networks considered are Erdős-Rényi networks [31], with its degree distribution following a Poisson law. In this network model, the probability that a node v_i is connected to k other nodes is given by

$$p_i^k(k) = \sum_{k=0}^{\infty} \bar{k}^k e^{-\bar{k}} / k!. \quad (9)$$

Also for simplicity, the number of qubits across the network's links are exponentially distributed, being p_{ij}^n the probability that n qubits exist in the link connecting node v_i to node v_j given by

$$p_{ij}^n(n) = e^{-(n/\bar{n})} / \bar{n}. \quad (10)$$

In such a network $\bar{k}^2 = \bar{k} + 1$ and $\bar{n}^2 = \bar{n}$. Furthermore, for an Erdős-Rényi network with constant link-to-node ratio, when the network size increases, its diameter (number of hops necessary to connect two given nodes) also increases. This assumes that the network is operating in the so-called *connected regime* [31], [49]. For the network to remain in the

connected regime, it is necessary to increase the number of qubits in each edge when the number of nodes in the network increases. The distances in an Erdős-Rényi network in the connected regime increase roughly logarithmically with the number of nodes [31]. This is accounted for by generating networks with $\bar{n} \propto \ln V$. In general, the distance in an Erdős-Rényi network grows logarithmically with the network size, or even sub-logarithmically, as a consequence of the small-world effect [31]. Substituting in (8), one obtains a more detailed upper-bound:

$$UB = \mathcal{O} \left(\sqrt{\bar{k}^2 \ln^2(V)} \ln(\sqrt{\bar{k}^2 \ln^2(V)}) \right). \quad (11)$$

In fact, the results obtained via numerical simulation for the computation time (which serves as a proxy metric for the algorithm's complexity) exhibited a dependence with the network size, V , lower than (11). As it can be observed in Fig. 4, the computational time increases as $\mathcal{O}(V \ln^2(V))$, which is below the upper-bound in (11).

The average execution time presented in Fig. 4 is computed based on the selection of a percentage P_v of the nodes as sources nodes (1% in figures 4(a) and 4(b), and 10% in figures 4(c) and 4(d)). The variance, represented by the shadowed region, is computed using 100 networks for each value of V .

V. HETEROGENEOUS MODEL

The model considered so far can be called *homogeneous*, in the sense that all links have an equal number of resources, and thus the same fidelity. This section extends the system model to the case where the links concatenated along the full extension of a path between two nodes have *heterogeneous* fidelities, that is, the different sections along a path are purified to different levels of fidelity. For the analysis of this case, one will consider the second quantum repeater strategy described in section II-A (Fig. 1(b)), in which each link first purifies the qubits ensemble to a desired level and a series of swapping processes are performed across all the nodes of the path. A key difference of the heterogeneous model in respect to the homogeneous one is that some links with larger fidelity will be able to compensate for some links with reduced fidelity along a path.

Algorithm 1 can be modified to take into account both fidelities and path costs explicitly, and solve problems beyond the shortest-path problem, such as the one of finding the cheapest path to connect two nodes with some minimum end-to-end fidelity f_{target} . The cost metric can be associated to different quantities, depending on which metric one wants to maximize (or minimize); in the proposed algorithm, the metric is the number of entangled qubits pairs available in the link. For another set of problems, related to the entanglement distribution rate (EDR), one alternative cost metric might be the time taken in the creation of a new quantum connection.

Instead of using n_p^{min} and d_p , each path p can be characterized by i) the maximum single-qubit pair fidelity that can be harvested from the existing resources in that path, f_p^{max} ,




FIGURE 4. Average execution time of Algorithm 1 as a function of the size of the network, V , fitted to the expression $time = a \times V \ln(V)^2$, with $\alpha = 1$, and for different pairs of average degree \bar{k} and a fraction of sampled nodes P_v . The fitting constant a is given on the plots.

and ii) the cost, c_p , of creating a path with fidelity f_{target} in a certain path p . A path is only discarded if either there are not enough resources in the path, if $f_p^{max} < f_{target}$, or there is a better path p' that is “cheaper” and contains more resources, i.e., path p' has $c_{p'} < c_p$ and $f_{p'}^{max} > f_p^{max}$.

Note that selecting the best combination of fidelity levels at the sections along a path imply solving an optimization problem to find the cheapest way of assuring the desirable end-to-end fidelity. Next, the heterogeneous model will be studied for the case of Werner states, which allow a sufficiently simple mathematical treatment of the concatenation of links via the swapping operation. This is due to the way that the resulting fidelity of the concatenation of two links can be computed.

A. QUANTUM LINKS BASED ON WERNER STATES

To compute the cost c_p of creating a link with a certain fidelity, or similarly, to compute the loss in fidelity after a swapping process, the details of the implementation do matter. Additionally, the type of entanglement between the qubits ought to be known. Hereafter one of the most studied types of entanglement considered for quantum networks is assumed: the Werner state [27]. The state of two entangled

qubits can be fully characterized by its density function [50]. In the case of two qubits in a Werner state with fidelity f , the density function can be written as [27]

$$\rho = \frac{1 - \gamma}{4} \mathbf{I}_4 + \gamma |\phi^+\rangle\langle\phi^+|, \tag{12}$$

where the following linear transformation is used (see appendix B):

$$\gamma = \frac{4f - 1}{3}. \tag{13}$$

The γ parameter is a mere linear transformation of f and therefore they are interchangeable metrics to characterize the fidelity of a Werner state. However, as seen in Appendix B, this alternative characterization of the fidelity allows to compute the end-to-end fidelity in a path p as a simple multiplication of the γ_{ij} in the links along the path (this technique is also used in [25]):

$$\gamma_p = \prod_{ij \in p} \gamma_{ij}. \tag{14}$$

One first needs to define the cost of creating an entangled qubit pair with fidelity f starting from a large number of entangled qubit pairs, each of which holding an initial fidelity,




FIGURE 5. Example of a nested purification protocol.

f_{in} , that is low. It is important to highlight that $f_{in} = 1/2$ is the lowest value that entangled qubits pairs can have so that they can still have a positive contribution to the purification process.

Fig. 5 illustrates the process of combining pairs of entangled qubits in a nested manner [27], starting with entangled qubits with a fidelity $f_{in} = 1/2 + \delta$, with $\delta \ll 1$, and progressing until the desired fidelity is reached. In the figure, the process starts with six entangled qubit pairs with fidelity $f_1 > 0.5$ (one purification fails because of this restriction), which are then combined two at a time in order to obtain two entangled qubits with fidelity $f_2 > f_1$. In round 2 one starts with two entangled qubits with fidelity f_2 , which are combined to create an entangled qubit with fidelity $f_3 > f_2$. For the case of Werner states, it is known that the resulting fidelity from combining two entangled qubits with fidelity f_1 is [27]

$$f_2 = \frac{f_1^2 + \frac{1}{9}(1-f_1)^2}{f_1^2 + \frac{2}{3}f_1(1-f_1) + \frac{5}{9}(1-f_1)^2}, \quad (15)$$

and this succeeds with a probability of purification

$$p_p = f_1^2 + \frac{2}{3}f_1(1-f_1) + \frac{5}{9}(1-f_1)^2. \quad (16)$$

It can be shown that the average number of entangled qubits with fidelity f needed to create one entangled qubit with fidelity f_2 is $2/p_p$, on average. This information can be used to compute how many entangled qubits are necessary, on average, to create one entangled qubit with fidelity f , when starting with an initial fidelity f_{in} across all the qubit pairs.

When the fidelity is characterized by the γ parameter defined in (13) rather than by f , the mathematical treatment becomes simpler, as it shall be seen later. As an example, Fig. 6(a) shows that for extremely low values of δ ($\delta = 10^{-8}, 10^{-7}, 10^{-6}$ and 10^{-5}) the average number of entangled qubits pairs, \overline{N}_{ij} , with initial fidelity γ_{in} , that are necessary to create one purified entangled qubit pair with fidelity f scales according to the following approximation

$$\overline{N}_{ij} \sim (-\ln \gamma_{ij})^{-\eta}. \quad (17)$$

For $\delta = 10^{-8}$, one has $\eta = 1.17288 \pm 0.00056$. Fig. 6(a) was generated by applying expressions (15)-(16) recursively until the desired fidelity was reached, while keeping track of the average number of entangled qubits used in each round of purification. The black dashed line exemplifies the scaling law given in (17), with $\eta = 1.17288$. The gaps between the points are due to the assumption of an integer number of purification rounds in the nested purification protocol.





FIGURE 6. (a) Number of qubits N_{ij} with initial fidelity $f_{in} = 1/2 + \delta$ necessary to create an entangled qubit with fidelity $f = (3\gamma_{ij} + 1)/4$, as a function of γ_{ij} . (b) Normalized number of qubits, n_{ij} , necessary to create an entangled qubit with fidelity $f = (3\gamma_{ij} + 1)/4$, as a function of γ_{ij} .

Naturally, some fidelity values are obtained with a number of purification rounds that is not a power of two. In such cases the purification process needs to be taken beyond that minimum threshold. This can be put in place in a practical manner by means, for example, of three entangled qubits (or other number of qubits) in order to achieve those fidelities without using more qubits than the ones really needed. Note that this procedure would not change the overall scaling. For further simplicity, the number of qubits will be normalized to the number of entangled qubits necessary to obtain an entangled qubit with target fidelity γ_{target} between adjacent nodes, with average

$$\overline{n}_{ij} = \left(\frac{\ln \gamma_{ij}}{\ln(\gamma_{target})} \right)^{-\eta}, \quad (18)$$

so that for $n_{ij} = 1$, a link e_{ij} can generate one entangled qubit pair with the target fidelity, for $n_{ij} = 2$ it can generate two entangled qubits with the target fidelity, and so on. Note that, in this context, $n_{ij} = 1.5$ allows the creation of a




FIGURE 7. Average execution time of Algorithm 1 and the corresponding variance per number of vertices V applied to the heterogeneous model, fitted to the expression $time = a \times V \ln(V)^3$, for different pairs of average degree \bar{k} and fraction of sampled nodes P_v . In all simulations $\bar{n} = \beta \ln V^\alpha$, with $\alpha = \eta$. The fitting constant a is given on the plots.

single entangled qubit pair with the target fidelity, while the fidelity of the remaining entangled qubit pairs will not be improved. The number of resources n_{ij} is plotted as a function of $\ln \gamma_{ij} / \ln \gamma_{target}$ in Fig. 6(b), showing that the scaling given by (18) is fairly accurate.

From now on, n_{ij} stands for the number of entangled qubits in a link, while n_{ij}^c is the cost (i.e., the number of resources that is required) of creating one entangled qubit with the desired fidelity. In this framework, a link can only be used for a particular connection if $n_{ij}^c < n_{ij}$. In practice, a measure for the cost of creating a link with a certain fidelity will depend on the particular technology that is used. Nevertheless, the proposed framework is implementation independent, it captures the key scaling problem of this process, and is simple enough to be treated analytically.

The remaining of this section focuses on the computation of the end-to-end fidelity of a path and on how much purification is necessary at each link in order to obtain the end-to-end target fidelity. For a Werner state, considering that each section has fidelity γ_{ij} , the end-to-end fidelity is simply

$$\gamma_p = \prod_{ij \in p} \gamma_{ij} \implies \ln \gamma_p = \sum_{ij \in p} \ln \gamma_{ij}, \quad (19)$$

as shown in appendix B. At this point one needs to find the cheapest allocation of resources along path p provided that the target fidelity between the source and target nodes is achieved and that no more entangled qubits are used than the ones present in the link. Considering the relation between the number of resources in a link and the fidelity it can attain when purification is applied to that link, the cost of a path p is defined by the following minimization:

$$c_p = \min_{n_{ij}^c} \left(\sum_{ij \in p} n_{ij}^c \right) = \min_{\gamma_{ij}} \left(\sum_{ij \in p} \left(\frac{\ln \gamma_{ij}}{\ln \gamma_{target}} \right)^{-\eta} \right), \quad (20)$$

subject to the constraints:

- i) $n_{ij}^c < n_{ij}$ due to the limited number of entangled qubits in each link;
- ii) $\sum_{ij \in p} \ln \gamma_{ij}^{-\eta} > \ln \gamma_{target}$, since the end-to-end fidelity of the entangled qubit pairs has to match the target fidelity.

Note that there are different ways of achieving a certain γ_{target} by distributing the fidelities of the links along a path in different manners, which justifies the optimization in (20). This problem can be easily solved by using convex optimization

to find the cheapest allocation of resources in each link that allows achieving the required fidelity between the source and the destination nodes through a certain path. Since it is now possible to characterize each path p by its maximum fidelity, f_p^{\max} , and its cost c_p , one can therefore use the algorithm proposed in section III. It can be easily checked that if all links are homogeneously purified to the same fidelity, the scaling of the homogeneous model ($\eta = \alpha$) is recovered, meaning that the average number of entangled qubits necessary at each link, \bar{N}_{ij} , becomes the one defined by (1), equal in all links of a path.

In order to prove the adaptability of the proposed algorithm to different parameters, it was applied to an Erdős-Rényi network with the same features as the one in section IV. The results for complexity dependence on the network size are presented in Fig. 7. Once again one observes a near-to-linear time complexity, which in this case is $\mathcal{O}(V \log^3 V)$. The slight increase in the computational complexity in respect to the one in the homogeneous model was expected, since the number of qubits in each edge scales with V as $\bar{n} \propto (\ln V)^\eta$ and a convex optimization is made to find the best way of distributing the entangled qubits along the path. The average execution time presented in Fig. 7 is computed based on the selection of a percentage P_v of the nodes as sources nodes (1% in figures 7(a) and 7(b), and 10% in the case of figures 7(c) and 7(d)), and the variance, represented by the delimited region, is computed using 300 networks for each value of V . The optimization of the combination of fidelities of each section (associated to a certain purification level) along a path was performed via a convex optimization solver.

VI. CONCLUSION

This paper provides an efficient algorithm that finds, for any given source node of a quantum network, a list of all nodes with which it can establish a quantum link with some required end-to-end fidelity, and the respective shortest path to reach that destination node. The proposed multi-objective routing algorithm can be applied to maximize or minimize any path property even if the overall metric is not isotonic, provided that the non-isotonic metric results from the combination of several metrics that are themselves isotonic. The routing problem of finding the shortest path from one source to any other node in the network is solved while considering an end-to-end fidelity constraint, which is an objective that only very recently has been taken into consideration [25], [26]. Moreover, the role of purification in enabling a larger number of hops (and thus physical distances) is modeled and considered in the multi-objective path selection mechanism.

This work considers an homogeneous model, with all sections in a path purified to the same degree; and an heterogeneous model, where different sections take full advantage of the existing number of resources they hold, allowing for some sections with a higher fidelities to compensate for lower fidelities in other sections. The proposed algorithm finds the optimal solution in linear time (in respect to the number of nodes in the network). This linearity has been proved both

analytically and numerically in the case of the homogeneous model, and for the heterogeneous model a numerical assessment exhibited that same linear growth.

A. FUTURE DIRECTIONS

Interesting questions can be raised regarding the computational complexity of the shortest and other optimal paths in quantum repeater networks:

- Could the complexity of these problems depend on the specifics of their implementation? For instance, the algorithm could consider the time required to generate entanglements between end nodes and tackle the problem of finding the path that maximizes the entanglement creation rate.
- Could the maximum rate problem be solved with near-to-linear time complexity? The complexity depends on how many paths can be found to be objectively worse than others so that they can be immediately discarded.

The present work is expected to provide a solid foundation to exactly solve more general routing problems encompassing a larger number of parameters, and also to be used in a decentralized routing framework. Nevertheless, the proposed routing solution can be improved and here one provides some future research directions that appear as a natural extension of the present work:

- The characterization of the quantum repeater protocol assumed in this work is quite high-level and it could be fleshed out with more details dictated by the underlying technology (e.g., photonic wireless channels, optical fibers). For example, the link resources may be characterized by a probability density function. Moreover, the statistics of the swapping and purification protocols could be taken into account by means of the entanglement times (and therefore the associated rates), as well as the success probabilities of such operations.
- The linear complexity of the proposed technique is only analytically proved for the case of the homogeneous model, while in the case of the heterogeneous model that is only conjectured via numerical results. An analytical proof for the latter would be important to derive.
- Formulating the homogeneous and the heterogeneous scenarios as a canonical non-linear programming (NLP) could be helpful, so that efficient tools from NLP could be directly applied.

APPENDIX A COMPLEXITY ANALYSIS

Let L and V be, respectively, the number of links and the number of nodes in a graph. Let also \bar{k} and \bar{n} be, respectively, the average number of links connected to a node and the average number of entangled qubits with the required fidelity in the links of the network. n_i^{\max} denotes the number of resources of the link with more entangled qubit connected to node i . One must note that i) node v_i will never be connected to the source node through a path with a length d larger than n_i^{\max} . Moreover, ii) for a node v_i at distance d we can

have at most d paths passing through it. This is because the only surviving paths that connect to it will be ones holding a maximum number of resources $n_p^{\min} < d$, and only one for each value of $n_p^{\min} = 1, 2, \dots, d$. Therefore, the observations i) and ii) lead to the following upper bound on the maximum number of paths going through a node (i.e., pairs of the form {distance, resources}):

$$P_i \leq \sum_{j=1}^{n_i^{\max}} j = \frac{n_i^{\max}(n_i^{\max} + 1)}{2}, \quad (21)$$

where the equality comes from the sum formula of the arithmetic progression. One other, perhaps more obvious, observation is that the maximum number of entangled qubits in a link connected to node v_i is always smaller than the total number of entangled qubits connected to v_i

$$n_i^{\max} \leq \sum_{j=1}^V a_{ij}n_{ij}, \quad (22)$$

where a_{ij} is the adjacency matrix [31] (with $a_{ij} = 0$ if there is no connection between i and j , and $a_{ij} = 1$ otherwise). Albeit not a tight bound, this is sufficient to show that the complexity of the algorithm scales near-to-linearly with the size of the network. The total number of paths added to the priority queue is then

$$P = \sum_{i=1}^V P_i \leq \frac{1}{2} \sum_{i=1}^V \left(\sum_{j=1}^V a_{ij}n_{ij} \right)^2 + \frac{1}{2} \sum_{i=1}^V \sum_{j=1}^V a_{ij}n_{ij}, \quad (23)$$

where the first term is the leading one. Applying the Cauchy–Schwarz inequality and the fact that $a_{ij} = a_{ij}^2$, one can write:

$$\begin{aligned} \left(\sum_{j=1}^V a_{ij}n_{ij} \right)^2 &= \left(\sum_{j=1}^V a_{ij}(a_{ij}n_{ij}) \right)^2 \\ &\leq \sum_{j=1}^V (a_{ij})^2 \sum_{j=1}^V (a_{ij}n_{ij})^2 \\ &= k_i \sum_{j=1}^V (a_{ij}n_{ij})^2 \\ &= k_i \sum_{j=1}^V a_{ij}n_{ij}^2, \end{aligned} \quad (24)$$

where the degree on node v_i equals to $k_i = \sum_j a_{ij} = \sum_j a_{ij}^2$. The leading term in (23), by using the inequality (24), can be upper bounded as

$$\sum_{i=1}^V \left(\sum_{j=1}^V a_{ij}n_{ij} \right)^2 \leq \sum_{i=1}^V \left(k_i \sum_{j=1}^V a_{ij}n_{ij}^2 \right). \quad (25)$$

By considering that there is no correlation between the number of entangled qubits in a link and the degree of the nodes connected by that link, a simpler expression can be




FIGURE 8. Entangled qubits chain.

derived. Given that the two discrete distributed random variables k_i (the degree of a node v_i) and n_{ij} (the resources from node v_i to node v_j) are independent, the expected value of the right-hand side of (25) is

$$\mathbb{E} \left(\sum_{ij} k_i a_{ij} n_{ij}^2 \right) = V \cdot \overline{(k_i a_{ij})} \cdot \overline{n_{ij}^2} = V \cdot \overline{k_i^2} \cdot \overline{n_{ij}^2}, \quad (26)$$

where we used the fact that $\overline{a_{i,j}} = k_i$ (the mean of the values of the incident matrix). Therefore, the number of surviving paths is of the order:

$$P = \mathcal{O} \left(V \overline{k^2} \overline{n^2} \right). \quad (27)$$

In order to estimate the time efficiency of the algorithm one also needs to incorporate the time spent adding and removing an element from a binary min-heap. It is known that for a binary min-heap with M elements, it takes a time $\mathcal{O}(\ln M)$. Since the maximum number of elements in the set \mathcal{A} is the maximum number of paths, P , the total time of all priority value updates is

$$\sum_{p=1}^M \ln(M_p) \leq \sum_{p=1}^P \ln(P). \quad (28)$$

Since the binary min-heaps at each node are always smaller than the binary heap \mathcal{A} , by using (27) and (28), the running time can be upper bounded by

$$UB = \mathcal{O} \left(V \overline{k^2} \overline{n^2} \ln \left(V \overline{k^2} \overline{n^2} \right) + V \right), \quad (29)$$

where the last term is the time necessary to initialize the set \mathcal{B} . For networks in the connected regime one can simply consider

$$UB = \mathcal{O} \left(V \overline{k^2} \overline{n^2} \ln \left(V \overline{k^2} \overline{n^2} \right) \right). \quad (30)$$

APPENDIX B SWAPPING MULTIPLE WERNER STATES IN A CHAIN

Let us consider two entangled qubits pairs, connecting nodes v_1 and v_2 and nodes v_2 and v_3 , all in Werner states form [27]. Node v_2 will contain two qubits, one at each end of the link: one qubit denoted as 2a, entangled with the qubit in node v_1 , and one qubit 2b, entangled with the qubit in node v_3 , as exemplified in Fig.8. This system can be described by the

following state:

$$\rho \equiv \rho_{12} \otimes \rho_{23} = \frac{(1 - \gamma_{12})(1 - \gamma_{23})}{16} \mathbf{I}_8 \quad (31)$$

$$+ \frac{\gamma_{12}(1 - \gamma_{23})}{4} \mathbf{I}_4^2 \otimes |\phi_{2b3}^+\rangle \langle \phi_{2b3}^+| \quad (32)$$

$$+ \frac{\gamma_{23}(1 - \gamma_{12})}{4} \mathbf{I}_4^2 \otimes |\phi_{12a}^+\rangle \langle \phi_{12a}^+| \quad (33)$$

$$+ \gamma_{12}\gamma_{23} |\phi_{12b}^+\rangle \langle \phi_{12a}^+| \otimes |\phi_{2b3}^+\rangle \langle \phi_{2b3}^+|. \quad (34)$$

By performing a Bell measurement on the two qubits at node v_2 , depending on the result of the Bell measurement, one of the following four different states can be obtained with probability $1/4$:

$$\rho_1 = \frac{1 - \gamma_{12}\gamma_{23}}{4} \mathbf{I}_4 + \gamma_{12}\gamma_{23} |\phi_{13}^+\rangle \langle \phi_{13}^+| \quad (35)$$

$$\rho_2 = \frac{1 - \gamma_{12}\gamma_{23}}{4} \mathbf{I}_4 + \gamma_{12}\gamma_{23} |\phi_{13}^-\rangle \langle \phi_{13}^-| \quad (36)$$

$$\rho_3 = \frac{1 - \gamma_{12}\gamma_{23}}{4} \mathbf{I}_4 + \gamma_{12}\gamma_{23} |\psi_{13}^+\rangle \langle \psi_{13}^+| \quad (37)$$

$$\rho_4 = \frac{1 - \gamma_{12}\gamma_{23}}{4} \mathbf{I}_4 + \gamma_{12}\gamma_{23} |\psi_{13}^-\rangle \langle \psi_{13}^-|, \quad (38)$$

where ϕ^\pm and ψ^\pm are the states forming the Bell basis [50]. These four states can be converted to the form of expression (12) using local operations and classical communication, with $\gamma = \gamma_{12}\gamma_{23}$. Note that this corresponds to an entangled state between the qubits in nodes v_1 and v_3 . From this elementary swapping operation it is straightforward to extrapolate the general rule of a quantum repeater chain p with any number of links. One considers a quantum repeater chain where all entangled qubits are in a Werner state with fidelity $f_{ij} = (3\gamma_{ij} + 1)/4$. By performing a Bell measurement on intermediate nodes and performing local operations and classic communication, the final state will be a Werner state with fidelity $f_p = (3\gamma_p + 1)/4$, where γ_p is given by (19).

ACKNOWLEDGMENT

The authors would like to thank João Luís Sobrinho, Kae Nemoto, William Munro, and Stephanie Wehner for helpful discussions.

REFERENCES

- [1] S. X. Ng, A. Conti, G.-L. Long, P. Müller, A. Sayeed, J. Yuan, and L. Hanzo, "Guest editorial advances in quantum communications, computing, cryptography, and sensing," *IEEE J. Sel. Areas Commun.*, vol. 38, no. 3, pp. 405–412, Mar. 2020.
- [2] D. Castelvecchi, "IBM's quantum cloud computer goes commercial," *Nature*, vol. 543, no. 7644, p. 159, Mar. 2017.
- [3] P. Ball, "First quantum computer to pack 100 qubits enters crowded race," *Nature*, vol. 559, p. 542, Nov. 2021.
- [4] J. Yin, Y. Cao, Y. H. Li, S. K. Liao, L. Zhang, J. G. Ren, and W. Q. Cai, "Satellite-based entanglement distribution over 1200 kilometers," *Science*, vol. 356, no. 6343, pp. 1140–1144, 2017.
- [5] C. L. Degen, F. Reinhard, and P. Cappellaro, "Quantum sensing," *Rev. Mod. Phys.*, vol. 89, no. 3, Jul. 2017, Art. no. 035002.
- [6] X.-J. Wang, L.-X. An, F.-X. Meng, X.-T. Yu, and Z.-C. Zhang, "A multicast scheme based on fidelity metrics in quantum networks," *IEEE Access*, vol. 7, pp. 65703–65713, 2019.
- [7] L. Bugalho, B. C. Coutinho, F. A. Monteiro, and Y. Omar, "Distributing multipartite entanglement over noisy quantum networks," 2021, *arXiv:2103.14759*.
- [8] G. Avis, F. Rozpędek, and S. Wehner, "Analysis of multipartite entanglement distribution using a central quantum-network node," 2022, *arXiv:2203.05517*.
- [9] Y. Cao, Y. Zhao, Q. Wang, J. Zhang, S. X. Ng, and L. Hanzo, "The evolution of quantum key distribution networks: On the road to the qinternet," *IEEE Commun. Surveys Tuts.*, vol. 24, no. 2, pp. 839–894, 2nd Quart., 2022.
- [10] S. Imre, "Quantum communications: Explained for communication engineers," *IEEE Commun. Mag.*, vol. 51, no. 8, pp. 28–35, Aug. 2013.
- [11] P. Botsinis, D. Alanis, and Z. Babar, "Quantum search algorithms for wireless communications," *IEEE Commun. Surveys Tuts.*, vol. 21, no. 2, pp. 1209–1242, 2nd Quart., 2019.
- [12] S. Wehner, D. Elkouss, and R. Hanson, "Quantum internet: A vision for the road ahead," *Science*, vol. 362, no. 6412, Oct. 2018, Art. no. eaam9288.
- [13] A. S. Cacciapuoti, M. Caleffi, F. Tafuri, F. S. Cataliotti, S. Gherardini, and G. Bianchi, "Quantum internet: Networking challenges in distributed quantum computing," *IEEE Netw.*, vol. 34, no. 1, pp. 137–143, Jan. 2020.
- [14] R. Ferrara, R. Bassoli, C. Deppe, F. H. P. Fitzek, and H. Boche, "The computational and latency advantage of quantum communication networks," *IEEE Commun. Mag.*, vol. 59, no. 6, pp. 132–137, Jun. 2021.
- [15] C.-T. Liao, S. Bahrani, F. F. da Silva, and E. Kashefi, "Benchmarking of quantum protocols," *Sci. Rep.*, vol. 12, no. 1, p. 5298, Mar. 2022.
- [16] W. Kozłowski, A. Dahlberg, and S. Wehner, "Designing a quantum network protocol," in *Proc. 16th Int. Conf. Emerg. Netw. Exp. Technol.*, Barcelona, Spain, Nov. 2020, pp. 1–16.
- [17] A. Dahlberg, M. Skrzypczyk, T. Coopmans, L. Wubben, F. Rozpundineddek, M. Pompili, A. Stolc, P. Pawelczak, R. Knežens, J. de Oliveira Filho, R. Hanson, and S. Wehner, "A link layer protocol for quantum networks," in *Proc. ACM Special Interest Group Data Commun. (SIGCOM)*, Beijing, China, Aug. 2019, pp. 159–173.
- [18] J. Illiano, M. Caleffi, A. Manzalini, and A. S. Cacciapuoti, "Quantum internet protocol stack: A comprehensive survey," *Comput. Netw.*, vol. 213, Aug. 2022, Art. no. 109092.
- [19] S. Khatri, "Policies for elementary links in a quantum network," *Quantum*, vol. 5, p. 537, Sep. 2021.
- [20] W. Dai, T. Peng, and M. Z. Win, "Optimal remote entanglement distribution," *IEEE J. Sel. Areas Commun.*, vol. 38, no. 3, pp. 540–556, Mar. 2020.
- [21] M. Ghaderibaneh, C. Zhan, H. Gupta, and C. R. Ramakrishnan, "Efficient quantum network communication using optimized entanglement swapping trees," *IEEE Trans. Quantum Eng.*, vol. 3, 2022, Art. no. 4100420.
- [22] E. Shchukin and P. van Loock, "Optimal entanglement swapping in quantum repeaters," *Phys. Rev. Lett.*, vol. 128, no. 15, Apr. 2022, Art. no. 150502.
- [23] S. Pirandola, "End-to-end capacities of a quantum communication network," *Commun. Phys.*, vol. 2, no. 1, p. 51, May 2019.
- [24] Q. Zhuang and B. Zhang, "Quantum communication capacity transition of complex quantum networks," *Phys. Rev. A, Gen. Phys.*, vol. 104, no. 2, Aug. 2021, Art. no. 022608.
- [25] K. Chakraborty, D. Elkouss, B. Rijsman, and S. Wehner, "Entanglement distribution in a quantum network: A multicommodity flow-based approach," *IEEE Trans. Quantum Eng.*, vol. 1, pp. 1–21, 2020.
- [26] Y. Zhao, G. Zhao, and C. Qiao, "E2E fidelity aware routing and purification for throughput maximization in quantum networks," in *Proc. IEEE Conf. Comput. Commun. (INFOCOM)*, London, U.K., May 2022, pp. 480–489.
- [27] W. J. Munro, K. Azuma, K. Tamaki, and K. Nemoto, "Inside quantum repeaters," *IEEE J. Sel. Topics Quantum Electron.*, vol. 21, no. 3, pp. 78–90, May/Jun. 2015.
- [28] R. V. Meter and J. Touch, "Designing quantum repeater networks," *IEEE Commun. Mag.*, vol. 51, no. 8, pp. 64–71, Aug. 2013.
- [29] C. Li, T. Li, Y.-X. Liu, and P. Cappellaro, "Effective routing design for remote entanglement generation on quantum networks," *npj Quantum Inf.*, vol. 7, no. 1, p. 10, Jan. 2021.
- [30] M. Pant, H. Krovi, D. Towsley, L. Tassiulas, L. Jiang, P. Basu, D. Englund, and S. Guha, "Routing entanglement in the quantum internet," *npj Quantum Inf.*, vol. 5, no. 1, p. 25, Mar. 2019.
- [31] A.-L. Barabási, *Network Science*. Cambridge, U.K.: Cambridge Univ. Press, 2016.
- [32] K. Magzhan and H. Jani, "A review and evaluations of shortest path algorithms," *Int. J. Sci. Technol. Res.*, vol. 2, no. 6, pp. 99–104, 2013.

- [33] L. Gyongyosi and S. Imre, "Entanglement access control for the quantum internet," *Quantum Inf. Process.*, vol. 18, no. 4, p. 107, Feb. 2019.
- [34] R. Van Meter, T. Satoh, T. D. Ladd, W. J. Munro, and K. Nemoto, "Path selection for quantum repeater networks," *Netw. Sci.*, vol. 3, nos. 1–4, pp. 82–95, Dec. 2013.
- [35] J. Li, M. Wang, K. Xue, R. Li, N. Yu, Q. Sun, and J. Lu, "Fidelity-guaranteed entanglement routing in quantum networks," *IEEE Trans. Commun.*, vol. 70, no. 10, pp. 6748–6763, Oct. 2022.
- [36] Z. Li, K. Xue, J. Li, N. Yu, D. S. Wei, and R. Li, "Connection-oriented and connectionless remote entanglement distribution strategies in quantum networks," *IEEE Netw.*, vol. 36, no. 6, pp. 150–156, Nov./Dec. 2022.
- [37] C. Cicconetti, M. Conti, and A. Passarella, "Request scheduling in quantum networks," *IEEE Trans. Quantum Eng.*, vol. 2, pp. 2–17, 2021.
- [38] N. Yu, C.-Y. Lai, and L. Zhou, "Protocols for packet quantum network intercommunication," *IEEE Trans. Quantum Eng.*, vol. 2, Sep. 2021, Art. no. 4103709.
- [39] D. Cruz, F. A. Monteiro, and B. C. Coutinho, "Quantum error correction via noise guessing decoding," 2022, *arXiv:2208.02744*.
- [40] E. Q. V. Martins, "On a multicriteria shortest path problem," *Eur. J. Oper. Res.*, vol. 16, no. 2, pp. 236–245, 1984.
- [41] J. L. Sobrinho and M. A. Ferreira, "Routing on multiple optimality criteria," in *Proc. Annu. Conf. ACM Special Interest Group Data Commun. Appl., Technol., Architectures, Protocols Comput. Commun.*, Jul. 2020, pp. 211–225.
- [42] J. L. Sobrinho, "An algebraic theory of dynamic network routing," *IEEE/ACM Trans. Netw.*, vol. 13, no. 5, pp. 1160–1173, Oct. 2005.
- [43] L. Gyongyosi and S. Imre, "Decentralized base-graph routing for the quantum internet," *Phys. Rev. A, Gen. Phys.*, vol. 98, no. 2, Aug. 2018, Art. no. 022310.
- [44] L. Gyongyosi and S. Imre, "Entanglement-gradient routing for quantum networks," *Sci. Rep.*, vol. 7, no. 1, p. 14255, Oct. 2017.
- [45] S. Muralidharan, L. Li, J. Kim, N. Lütkenhaus, M. D. Lukin, and L. Jiang, "Optimal architectures for long distance quantum communication," *Sci. Rep.*, vol. 6, no. 1, p. 20463, Feb. 2016.
- [46] G. Y. Handler and I. Zang, "A dual algorithm for the constrained shortest path problem," *Networks*, vol. 10, no. 4, pp. 293–309, 1980.
- [47] Z. Tarapata, "Selected multicriteria shortest path problems: An analysis of complexity, models and adaptation of standard algorithms," *Int. J. Appl. Math. Comput. Sci.*, vol. 17, no. 2, pp. 269–287, Jun. 2007.
- [48] M. Caleffi, "Optimal routing for quantum networks," *IEEE Access*, vol. 5, pp. 22299–22312, 2017.
- [49] B. C. Coutinho, W. J. Munro, K. Nemoto, and Y. Omar, "Robustness of noisy quantum networks," *Commun. Phys.*, vol. 5, no. 1, p. 105, Apr. 2022.
- [50] M. A. Nielsen and I. Chuang, *Quantum Computation and Quantum Information*. Cambridge, U.K.: Cambridge Univ. Press, 2000.




SARA SANTOS received the B.Sc. degree from the Instituto Superior Técnico, University of Lisbon, Portugal, in 2019, and the M.Sc. degree in physics from the École Polytechnique Fédérale de Lausanne (EPFL), Switzerland, in 2022. She was a Calouste Gulbenkian Scholar at the Instituto de Telecomunicações, Lisbon, Portugal, in 2018 and 2019. She is currently a Doctoral Assistant at the Laboratory of Theoretical Physics of Nanosystems (LTPN), EPFL.



FRANCISCO A. MONTEIRO (Member, IEEE) received the Licenciatura and M.Sc. degrees in electrical and computer engineering from IST, University of Lisbon, and the Ph.D. degree from the University of Cambridge, U.K. He became a Teaching Assistant with the University of Lisbon. He is currently an Assistant Professor with the Department of Information Science and Technology, ISCTE—University Institute of Lisbon, and a Researcher at the Instituto de Telecomunicações, Lisbon, Portugal. He held visiting research positions at the Universities of Toronto, Canada, Lancaster University, U.K., University of Oulu, Finland, and Pompeu Fabra University, Barcelona, Spain. He has won two best paper prizes awards at IEEE conferences (2004 and 2007), a Young Engineer Prize (third place) from the Portuguese Engineers Institution (Ordem dos Engenheiros), in 2002, and for two years in a row was a recipient of an exemplary reviewer awards from the IEEE WIRELESS COMMUNICATIONS LETTERS, in 2014 and 2015. He co-edited the book *MIMO Processing for 4G and Beyond: Fundamentals and Evolution* (CRC Press, 2014). In 2016, he was the Lead Guest Editor of a Special Issue on Network Coding of the *EURASIP Journal on Advances in Signal Processing*. He was the General Chair of ISWCS 2018—The 15th International Symposium on Wireless Communication Systems, an IEEE Major Conference in Wireless Communications.



BRUNO C. COUTINHO received the B.Sc. and M.Sc. degrees in physics from the University of Aveiro, Portugal, in 2009 and 2011, respectively, and the Ph.D. degree in physics from Northeastern University, USA, in 2016. Since 2017, he has been with the Physics of Information and Quantum Technologies Group, Instituto de Telecomunicações, initially as a Postdoctoral Researcher and later as a Research Fellow.



YASSER OMAR received the degree in physics from the Instituto Superior Técnico (IST), University of Lisbon, Portugal, and the Ph.D. degree in physics from the University of Oxford, U.K. Currently, he is an Associate Professor at IST. He is also the Founder and the Leader of the Physics of Information and Quantum Technologies Group, CeFEMA-IST, and PQI—Portuguese Quantum Institute, and the Director of the Doctoral Program in the Physics and Mathematics of Information, IST.

...