

Received January 12, 2020, accepted February 4, 2020, date of publication February 11, 2020, date of current version February 19, 2020.

Digital Object Identifier 10.1109/ACCESS.2020.2973216

# Clustering Mixed Numeric and Categorical Data With Cuckoo Search

JINCHAO JI<sup>1,2,3,4</sup>, WEI PANG<sup>1,5,6</sup>, ZAIRONG LI<sup>1,7</sup>, FEI HE<sup>1,2,3,4</sup>, GUOZHONG FENG<sup>1,2,3</sup>, AND XIAOWEI ZHAO<sup>1,2,3</sup>

<sup>1</sup>School of Information Science and Technology, Northeast Normal University, Changchun 130117, China

<sup>2</sup>Institute of Computational Biology, Northeast Normal University, Changchun 130117, China

<sup>3</sup>Key Laboratory of Intelligent Information Processing of Jilin Universities, Northeast Normal University, Changchun 130117, China

<sup>4</sup>Key Laboratory of Symbolic Computation and Knowledge Engineering of Ministry of Education, Jilin University, Changchun 130012, China

<sup>5</sup>School of Mathematical and Computer Sciences, Heriot-Watt University, Edinburgh EH14 4AS, U.K.

<sup>6</sup>Shaanxi Key Laboratory of Complex System Control and Intelligent Information Processing, Xi'an 710048, China

<sup>7</sup>School of Media Science, Northeast Normal University, Changchun 130117, China

Corresponding authors: Wei Pang (pang.wei@abdn.ac.uk) and Xiaowei Zhao (zhaowx303@nenu.edu.cn)

This work was supported in part by the National Natural Science Foundation of China (NSFC) under Grant 61502093, Grant 11501095, and Grant 61802057, in part by the Natural Science Foundation of the Education Department of Jilin Province under Grant 2016504 and Grant 2016505, in part by the Fundamental Research Funds for the Central Universities under Grant 2412019FZ048, Grant 2412018JC007, Grant 2412019FZ047, and Grant 2412019FZ052, in part by the Science and Technology Research Project of “13th Five-Year” of the Education Department of Jilin Province under Grant JJKH20190290KJ, in part by the China Scholarship Council to Fei He, and in part by the Shaanxi Key Laboratory of Complex System Control and Intelligent Information Processing, Xi'an University of Technology under Contract SKL2017CP01.

**ABSTRACT** Clustering analysis, as an important technique in data mining, aims to identify the nature groups or clusters of data objects in the attribute space. Data objects in real-world applications are commonly described by both numeric and categorical attributes. In this research, considering that the partitional clustering algorithms designed for this type of mixed data are prone to get trapped into local optima and the cuckoo search approach is efficient in solving global optimization problems, we propose CCS-K-Prototypes, a novel partitional Clustering algorithm based on Cuckoo Search and K-Prototypes, for clustering mixed numeric and categorical data. To deal with different types of attributes, we develop a novel representation for candidate solutions, and suggest two formulas for the cuckoo to search for the potential solution around the existing solutions or in the entire attribute space. Finally, the performance of the proposed algorithm is assessed by a series of experiments on five benchmark datasets.

**INDEX TERMS** Data clustering, cuckoo search, mixed data, numeric and categorical attributes.

## I. INTRODUCTION

Clustering analysis aims to detect the nature groups or clusters of data objects in attributes space, and it is one of the most important techniques in data mining [1], [2]. Clustering algorithms are used in a wide range of fields such as social media analysis [3], information retrieval [4], [5], image analysis [6], privacy preserving [7], text analysis [8], and bioinformatics [9], [10]. The goal of clustering is to group data objects into clusters such that the data objects in the same cluster are as similar as possible and the ones from different clusters are as dissimilar as possible [11]. Clustering algorithms can be considered falling into two types: hierarchical

and partitional [2]. In hierarchical clustering algorithms, data objects are distributed into a dendrogram of the nested partitions according to a divisive or agglomerative strategy [12]. Whereas in partitional clustering algorithms, data objects are divided into a given number of clusters by minimizing an objective cost function.

The k-means algorithm is a simple and popular centre-based partitional clustering algorithm [13]. Considering the uncertainty of data objects, Bezdek, Ehrlich, and Full introduced the fuzzy k-means algorithm [14]. The k-means algorithm and its fuzzy version are originally designed for the datasets with numeric attributes. However, in many real-world applications, data objects are described by both numeric and categorical attributes. To deal with this type of data, the k-prototypes algorithm was introduced by

The associate editor coordinating the review of this manuscript and approving it for publication was Xi Peng.

Huang [15]. Considering the fuzzy nature of the data objects amongst clusters, the fuzzy k-prototypes algorithm was introduced by Bezdek *et al.* [16]. In addition, several extensions of the k-prototypes algorithms were proposed by taking the significance of attribute and the representation of cluster's centre into account [11], [17]–[19]. Lam, Wei, and Wunsch proposed the approach UFLA, which is based on the unsupervised feature learning (UFL) and fuzzy adaptive resonance theory (ART) [20]. Based on the density clustering, Chen and He introduced the algorithm ACC-FSFD, which is a self-adaptive peak density clustering algorithm [21].

However, one issue associated with many existing clustering algorithms, including k-prototypes algorithms, is that they are prone to get trapped into local optima. Over the past decades, meta-heuristic algorithms have been widely used to perform global search on complex search space of many problems. Holland *et al* proposed the well-known genetic algorithm, which models the process of the biological evolution on the basis of Charles Darwin's theory of natural selection [22]. Kennedy and Eberhart developed the particle swarm optimization (PSO) on the basis of the swarm behaviour such as fish and bird schooling [22]. Lucic and Teodorović presented a bee colony optimization approach, which is inspired by the foraging behaviour of bee swarm in the real world [23].

Inspired by the brood parasitic behaviour of some cuckoo species, Yang and Deb proposed the cuckoo search (CS) algorithm [24]–[26]. The CS is enhanced by the Lévy flight behaviour of some birds and fruit flies, and has good global convergence property [26]. Yang and Deb also developed the multiobjective version of the cuckoo search [27]. Marichelvam, Prabakaran, and Yang developed an improved cuckoo search approach for flow shop scheduling problem [28]. Adnan, Razzaque *et al* introduced the cuckoo search to deal with the cluster arrangement of the wireless sensor network [29]. Goel, Sharma, and Bedi proposed a cuckoo search clustering algorithm, which used Davies-Bouldin index as fitness function [30]. In the comparative study, Senthilnath, Das, and Omkar *et al* pointed out that the cuckoo search was efficient on clustering problems [31]. Based on the cuckoo search strategy and k-modes algorithm, Lakshmi, Visalakshi, and Shanthi *et al* developed the algorithm Cuckoo-K-Modes for dealing with the categorical data [32].

In real-world applications, the collected data with both numeric and categorical attributes are ubiquitous. Based on the cuckoo search strategy and k-prototypes algorithm, Lakshmi, Visalakshi, and Shanthi introduced the cuckoo search based k-prototype algorithm [33]. In Lakshmi *et al.*'s algorithm, the cluster centres are initialized by the cuckoo search and then updated by the k-prototypes algorithm. In this research we aim to develop a novel CS-based clustering algorithm for the mixed data with both numeric and categorical attributes. We first introduce a novel representation for candidate solutions, and then integrate this representation with the cuckoo search framework to cluster mixed data. Finally, we analyse the time and space complexity of the proposed

approach, and test it on selected datasets. The differences between our proposed algorithm and the Lakshmi *et al.*'s algorithm are summarized as follows: firstly, we give the representation for candidate solutions; secondly, we give the calculation method for the fitness value of a candidate solution; thirdly, we give the calculation methods of the candidate solution for local and global search, respectively; fourthly, the process of the CCS-K-Prototypes algorithm is different from the Lakshmi *et al.*'s algorithm.

The rest of this paper is organized as follows: we first briefly review some related work in Section II. Then, we present the proposed approach in Section III, and report the experimental results which demonstrate the advantages of the proposed method in Section IV. Finally, we conclude this paper and explore the future directions in Section V.

## II. MOTIVATION AND RELATED WORK

In this section, we first present the notations used throughout this paper, the clustering task, the k-prototypes algorithm, and then depict the idea of cuckoo search strategy.

### A. NOTATIONS

Let  $X = \{X_1, X_2, \dots, X_n\}$  be a dataset consisting of  $n$  data objects and  $X_i (1 \leq i \leq n)$  be a data object with  $m$  attributes  $A_1, A_2, \dots, A_m$ . Then all possible values of an attribute  $A_j$  form the domain of values indicated by  $Dom(A_j)$ . The domain of values associated with mixed data has two types: numeric and categorical. The numeric domain is represented by continuous real numbers. Whereas the categorical domain is represented by a finite set without any natural ordering (such as gender, colour), which is usually denoted by  $Dom(A_j) = \{a_j^1, a_j^2, \dots, a_j^t\}$ , where  $t$  is the number of category values of the categorical attribute  $A_j$  in the dataset  $X$ . A data object  $X_i$  is logically represented as a conjunction of attribute-value pairs  $[A_1 = x_{i1}] \wedge [A_2 = x_{i2}] \wedge \dots \wedge [A_j = x_{ij}] \wedge \dots \wedge [A_m = x_{im}]$ , where  $x_{ij} \in Dom(A_j)$  for  $1 \leq j \leq m$ . For ease of description, we represent  $X_i$  as a vector  $[x_{i1}, x_{i2}, \dots, x_{im}]$ . We assume that every data object has exactly  $m$  attributes for the datasets considered in this paper.

### B. THE CLUSTERING TASK

Clustering is the process of identifying the nature groups or clusters of data objects [2]. Let  $X = \{x_1, x_2, \dots, x_n\}$  denote a dataset with  $n$  data objects and  $x_i$  be a data object described by  $m$  attributes. The aim of clustering is to determine a partition  $P = \{C_1, C_2, \dots, C_k\}$  which is subject to the following constraints:  $\forall j : C_j \neq \phi, \forall i \neq j : C_i \cap C_j = \phi$ , and  $\sum_{i=1}^k C_i = X$ . After partition, the data objects in the same cluster are as similar as possible whereas the ones from different clusters are as dissimilar as possible. For achieving good clustering results, one popular way is to minimize the following objective function:

$$E(U, z) = \sum_{i=1}^n \sum_{j=1}^k u_{ij} d(x_i, z_j), \quad (1)$$

where  $z$  is the set of cluster centres and  $z_j$  is the centre of Cluster  $j$ ,  $x_i$  is the data object  $i$ , and  $d(x_i, z_j)$  is the distance between the data object  $x_i$  and cluster centre  $z_j$ , and  $U$  is the partition matrix: if a data object  $i$  belongs to Cluster  $j$ ,  $u_{ij} = 1$ ; otherwise  $u_{ij} = 0$ . Given all cluster centres  $z$ ,  $u_{ij}$  is calculated as follows:

$$u_{ij} = \begin{cases} 1, & \text{if } j = \operatorname{argmin}_{t \in \{1, 2, \dots, k\}} d(x_i, z_t), \\ 0, & \text{otherwise,} \end{cases} \quad (2)$$

where  $i \in \{1, 2, \dots, n\}$  and  $j \in \{1, 2, \dots, k\}$ .

### C. THE K-PROTOTYPES ALGORITHM

The k-prototypes algorithm was first introduced by Huang for clustering the data with both numeric and categorical attributes [15]. This algorithm aims to partition the dataset  $X$  into  $k$  clusters by minimizing the following cost function:

$$E(U, Z) = \sum_{l=1}^k \sum_{i=1}^n u_{il} d(x_i, Z_l), \quad (3)$$

where  $Z_l$  is the prototype of the cluster  $l$ ;  $u_{il} (0 \leq u_{il} \leq 1)$  is an element of the partition matrix  $U_{n \times k}$ ; and  $d(x_i, Z_l)$  is the dissimilarity measure which is given as follows:

$$d(x_i, Z_l) = \sum_{j=1}^m d(x_{ij}, z_{lj}). \quad (4)$$

In (4),  $d(x_{ij}, z_{lj})$  is formulated as:

$$d(x_{ij}, z_{lj}) = \begin{cases} (x_{ij} - z_{lj})^2, & \text{if the } l\text{th attribute is numeric,} \\ \mu_l \delta(x_{ij}, z_{lj}), & \text{if the } l\text{th attribute is categorical,} \end{cases} \quad (5)$$

where  $\delta(p, q) = 0$  if the values of  $p$  and  $q$  are the same;  $\delta(p, q) = 1$  if the values of  $p$  and  $q$  are different;  $\mu_l$  is a weight for categorical attributes in the cluster  $l$ . If the  $j$ th attribute is the numeric attribute,  $z_{lj}$  is the mean of the  $j$ th numeric attribute in the cluster  $l$ ; if the  $j$ th attribute is the categorical one,  $z_{lj}$  is the mode of the  $j$ th categorical attribute in the cluster  $l$ . The procedure of the k-prototypes algorithm is depicted as follows:

*Step 1.* Randomly select  $k$  data objects from the dataset  $X$  as the initial prototypes of clusters.

*Step 2.* Allocate each data object in the dataset  $X$  to the cluster with its nearest prototype according to (4). Update the prototype of cluster after each allocation.

*Step 3.* Once all data objects have been allocated, re-evaluate the similarity of data objects against the current prototypes. If it is found that a data object's nearest prototype locates in another cluster rather than the current one, reallocate this data object to that cluster and update the prototypes for both clusters.

*Step 4.* If no data objects have changed clusters after a full circle test of  $X$ , terminate the algorithm; otherwise, go to Step 3.

### D. THE CUCKOO SEARCH STRATEGY

Cuckoos are the interesting birds with charming sounds and aggressive breed behaviour. Many of them lay their eggs into the nest of the other host birds. If a host bird finds the alien eggs, it will either cast these eggs outside the nest or quit its nest and builds a new one somewhere else. The eggs of cuckoo generally hatch slightly earlier than the eggs of the host birds. The cuckoo chick will push the host eggs out of the nest after it hatched (see [24] for more details). Inspired by these interesting breeding behaviour, Yang and Deb introduced the cuckoo search strategy [24]. This strategy has three idealized rules: 1) the cuckoo lays one egg at a time, and puts its egg into a randomly selected nest; 2) the nests, which contain high quality eggs, will pass to the next generations; 3) the number of obtainable host nests is fixed, and the cuckoo's egg is perceived by the host bird with a probability  $pro_a \in [0, 1]$ . Given the objective function  $f(x)$ ,  $x = (x_1, \dots, x_d)^T$ , the process of cuckoo search is briefly given as follows:

**Initialization:** Initialize the population of  $n$  host nests  $x_i (i = 1, 2, \dots, n)$

**While (the stop criterion is not met)**

Get a cuckoo  $x_i$  in a random way by Lévy flights, and calculate its quality or fitness  $F_i$ ;

Pick up a nest  $x_j$  from the population randomly, and evaluate its quality or fitness  $F_j$ ;

**If** ( $F_i > F_j$ )

Replace the nest  $x_j$  with the new nest  $x_i$ ;

**End if**

Abandon a fraction ( $pro_a$ ) of the worse nests, and generate new ones by Lévy flights;

Keep the nests with the highest quality;

Rank the nests and keep the nest with the highest quality or fitness;

**End while**

Output the best solution;

In the process of cuckoo search, the stop criterion will be either the number of max generations or other termination criteria such as the best clustering solution does not improve for a given number of generations. The Lévy flight is a random walk in essence, and its step length obeys the Lévy distribution.

## III. THE PROPOSED METHOD

In this section, we first describe our proposed CCS-K-Prototypes (Clustering based on Cuckoo Search and K-Prototypes) clustering approach, and we then give an example of the CCS-K-Prototypes algorithm. Finally, we analyse the time and space complexity of the CCS-K-Prototypes algorithm.

### A. THE PROPOSED APPROACH

In this section, we proposed a novel clustering algorithm on the basis of the cuckoo search strategy and the k-prototypes algorithm. In the search process of cuckoo, the egg in a nest

represents a candidate solution. As aforementioned, one nest only contains one egg, and each cuckoo lays one egg at a time. Thus, a cuckoo and a nest correspond to a candidate solution. In our algorithm, the nest, cuckoo, and the egg have the same meaning. In centre-based clustering algorithms, the clustering results depend on the cluster centres: the clustering results are determined once the cluster centres are obtained. Therefore, the clustering task can be seen as the process of searching for good cluster centres, and the set of cluster centres represents a candidate solution. Suppose the dataset with  $n$  data objects has  $k$  clusters, the set of cluster centres  $z_i = \{z_{i1}, z_{i2}, \dots, z_{ik}\}$  represents a candidate solution. For the data with both numeric and categorical attributes, the prototype, which is the combination of the mean and mode, is used to represent the cluster's centre. In such clustering tasks, the fitness value of a candidate solution  $z_i = \{z_{i1}, z_{i2}, \dots, z_{ik}\}$  is given as follows:

$$F(z_i) = \sum_{e=1}^n \sum_{j=1}^k u_{ej} d(x_e, z_{ij}), \quad (6)$$

where  $u_{ej}$  is the element of the partition matrix  $U$  which is determined according to the cluster centres  $z_i = \{z_{i1}, z_{i2}, \dots, z_{ik}\}$ . Given the cluster centre  $z_i$ ,  $u_{ej}$  is calculated as follows:

$$u_{ej} = \begin{cases} 1, & \text{if } j = \operatorname{argmin}_{t \in \{1, 2, \dots, k\}} d(x_e, z_{it}), \\ 0, & \text{otherwise,} \end{cases} \quad (7)$$

where  $e \in \{1, 2, \dots, n\}$ , and  $j \in \{1, 2, \dots, k\}$ . In (6), the dissimilarity measure  $d(x_e, z_{ij})$  is formulated as:

$$d(x_e, z_{ij}) = \sum_{s=1}^m \varphi(x_{es}, z_{ijs}), \quad (8)$$

where  $\varphi(x_{es}, z_{ijs})$  is given by:

$$\varphi(x_{es}, z_{ijs}) = \begin{cases} \left( \frac{x_{es} - z_{ijs}}{\max_s - \min_s} \right)^2 & \text{if the } sth \text{ attribute is numeric,} \\ \mu_s \delta(x_{es}, z_{ijs}) & \text{if the } sth \text{ attribute is categorical,} \end{cases} \quad (9)$$

where  $x_{es}$  is the value of the  $sth$  attribute of a data object  $e$ ,  $\mu_s$  is the weight of the  $sth$  categorical attribute in the cluster  $j$ , and  $\max_s / \min_s$  is the maximum/minimum value of the  $sth$  attribute in the dataset  $X$ . If the  $sth$  attribute is a numeric attribute,  $z_{ijs}$  is the mean of the  $sth$  numeric attribute in the cluster  $j$ ; if the  $sth$  attribute is a categorical one,  $z_{ijs}$  is the most frequent value, i.e., the mode, of the  $sth$  categorical attribute in the cluster  $j$ .

For a cuckoo  $i$ , the new solution  $z_i^{t+1}$  is generated from its current solution  $z_i^t$  and the best solution  $z_{best}^t$ , which is given as follows:

$$z_i^{t+1} = \operatorname{getNextSolution}(z_i^t, z_{best}^t). \quad (10)$$

Let  $z_{ijs}^{t+1}$ ,  $z_{best\_js}^t$  be the value of the  $sth$  attribute of the  $jth$  cluster centre of the candidate solution  $z_i^{t+1}$ , and  $z_{best}^t$ , respectively. If the  $sth$  attribute is a categorical attribute,  $z_{ijs}^{t+1}$  is the categorical value, which is selected randomly from the set of values  $\text{Vals} = \{z_{ijs}^t, z_{best\_js}^t\}$ . If the  $sth$  attribute is a numeric one,  $z_{ijs}^{t+1}$  is calculated by:

$$z_{ijs}^{t+1} = z_{ijs}^t + \alpha \times sl \times |z_{best\_js}^t - z_{ijs}^t|, \quad (11)$$

where  $\alpha$  is the coefficient which is related to the scale of the problem to be solved, and the symbol  $|\cdot|$  denotes the absolute value. In (11),  $sl$  is the step length of Lévy flight. In other words,  $sl$  obeys Lévy distribution. As pointed out by Yang [22], the Mantega's algorithm can be used to generate the step length of Lévy flight. In the Mantega's algorithm, the step length  $sl$  is calculated by:

$$sl = \frac{u}{|v|^{1/\beta}}, \quad (12)$$

where  $u$  and  $v$  obey the normal distribution as follows:

$$u \sim N(0, \sigma_u^2), v \sim N(0, \sigma_v^2). \quad (13)$$

In (13),

$$\sigma_u = \left\{ \frac{\Gamma(1 + \beta) \sin(\pi\beta/2)}{\beta\Gamma((1 + \beta)/2)2^{(\beta-1)/2}} \right\}^{1/\beta}, \sigma_v = 1, \quad (14)$$

where  $\Gamma(\cdot)$  is the gamma function as follows:

$$\Gamma(1 + \beta) = \int_0^\infty t^\beta e^{-t} dt. \quad (15)$$

In the proposed approach, the worst nest will be abandoned by a cuckoo with the probability  $pro_a$ . For the abandoned nest  $z_{aban}^t$ , the new nest  $z_{new}^t$  is generated as follows:

$$z_{new}^t = \operatorname{getNewSolution}(z_{aban}^t, z_f^t, z_g^t), \quad (16)$$

where  $z_{aban}^t$  denotes the abandoned nest, and the two solutions  $z_f^t$  and  $z_g^t$  are selected randomly from the set of candidate solutions. Let  $z_{new\_js}^t$ ,  $z_{aban\_js}^t$ ,  $z_{fjs}^t$ , and  $z_{gjs}^t$  be the values of the  $sth$  attribute of the  $jth$  cluster centre in the solution  $z_{new}^t$ ,  $z_{aban}^t$ ,  $z_f^t$ , and  $z_g^t$ , respectively. If the  $sth$  attribute is a categorical one,  $z_{new\_js}^t$  is the categorical value which is selected in a random way from the collection of values  $\text{Vals} = \{z_{aban\_js}^t, z_{fjs}^t, z_{gjs}^t\}$ . If the  $sth$  attribute is the numeric one,  $z_{new\_js}^t$  is calculated by:

$$z_{new\_js}^t = z_{aban\_js}^t + \varepsilon \times |z_{fjs}^t - z_{gjs}^t|, \quad (17)$$

where  $\varepsilon$  is a random number between 0 and 1. Based on the above descriptions, we give the process of the proposed approach in Algorithm CCS-K-Prototypes.

## B. AN EXAMPLE OF THE PROPOSED ALGORITHM

In this section, for better illustrating our algorithm, we use a simple synthetic dataset to demonstrate the work process of the proposed CCS-K-Prototypes algorithm. The synthetic dataset contains seven data objects, each of which is described



**Algorithm 1** Algorithm CCS-K-Prototypes

**Input:** The cluster number  $k$ , the maximum number of generations ( $\text{maxGen}$ ), the abandon probability  $\text{pro}_a$ , and the number of nests  $N$ ,  $\beta$ ;

**Output:** The best solution and the clustering result.

1: **Initialization:** Initialize each nest  $z_i (i = 1, 2, \dots, N)$  in the population  $P$  randomly. More specifically, the candidate solution  $z_i (1 \leq i \leq N)$  is initialized as the  $k$  data objects, which are randomly selected from the dataset  $X$ ; set the generation number  $t = 0$  for these candidate solutions.

2: Evaluate and pick up the best nest  $z_{\text{best}}$  from the population  $P$ ;

3: **While** ( $t < \text{maxGen}$ )

4: Get a cuckoo  $z_i$  according to (10), and calculate its fitness  $F(z_i)$  according to (6);

5: **If** ( $F(z_i) < F(z_{\text{best}})$ )

6: Replace the best nest  $z_{\text{best}}$  by the new solution  $z_i$ ;

7: **End if**

8: Assign a random value between the range  $[0, 1]$  to the probability  $\text{pro}_t$ ;

9: **If** ( $\text{pro}_t < \text{pro}_a$ )

10: Abandon the worst nest  $z_{\text{worst}}$ , and build a new one  $z_{\text{new}}$  according to (16);

11: Calculate the fitness for the new nest  $z_{\text{new}}$  according to (6);

12: **End if**

13: **If** ( $F(z_{\text{new}}) < F(z_{\text{worst}})$ )

14: Replace the worse nest  $z_{\text{worst}}$  by the new one  $z_{\text{new}}$ ;

15: **End if**

16: Rank the solutions and keep the current best solution  $z_{\text{best}}$ ;

17:  $t = t + 1$ ;

18: **End while**

19: Output the best solution  $z_{\text{best}}$  and output the final clustering result

by two numeric attributes (age and height) and two categorical attributes (gender and hobby). These data objects are listed in Table 1.

Suppose this dataset has two clusters. Let the cluster number  $k$  is 2; the  $\text{maxGen}$  is 3; the abandon probability  $\text{pro}_a$  is 0.3; the number of nests  $N$  is 3;  $\beta$  is 1.5. In the initialization stage, the three nests are initialized as three sets of two randomly chosen data objects. Suppose nest  $z_1$  is the set of data objects 5 and 6, nest  $z_2$  is the set of data objects 1 and 7, and nest  $z_3$  is the set of data objects 3 and 6. We list the nest  $z_1, z_2,$  and  $z_3$  as follows:

- $z_1 = \{\text{male}, 35.0, 195.0, \text{basketball}; \text{male}, 26.0, 180.0, \text{tennis}\}.$
- $z_2 = \{\text{male}, 18.0, 175.0, \text{writing}; \text{female}, 22.0, 172.0, \text{music}\}.$
- $z_3 = \{\text{female}, 23.0, 175.0, \text{tennis}; \text{male}, 26.0, 180.0, \text{tennis}\}.$

**TABLE 1.** The data objects of the synthetic dataset.

ID \ Attributes	Gender	Age	Height(cm)	hobby
1	male	18	175	writing
2	female	24	165	music
3	female	23	175	tennis
4	male	45	185	football
5	male	35	195	basketball
6	male	26	180	tennis
7	female	22	172	music

The fitness values of nests  $z_1, z_2,$  and  $z_3$ , which are calculated using (6), are 7.75, 6.14, and 6.12, respectively. The nest  $z_3$  with the minimum value of fitness is chosen as the best nest  $z_{\text{best}}$ .

In the local search of a cuckoo, nest  $z_2$  is randomly chosen as the current nest  $z_i$ . According to (10),  $z_i$  is updated as:  $z_i = \{\text{male}, 18.0, 175.03, \text{tennis}; \text{female}, 21.99, 171.96, \text{music}\}.$

The fitness value of nest  $z_i$  is 6.14, which is higher than that of the best nest  $z_{\text{best}}$ . Therefore, the best nest keeps unchanged.

In the global search of a cuckoo, the  $\text{pro}_t$  is randomly set as 0.23, which is lower than the abandon probability  $\text{pro}_a$ . The worst nest  $z_1$  with the highest fitness value 7.75 is abandoned, and a new one is generated according to (16). The new nest is listed as follows:

$$z_{\text{new}} = \{\text{male}, 18.0, 175.03, \text{tennis}; \text{female}, 21.99, 171.96, \text{music}\}$$

The fitness value of the new nest  $z_{\text{new}}$  is 7.70, which is lower than that of the worst nest. Therefore, the worst nest is replaced by the new one. The updated candidate nests are listed as follows:

$$z_1 = \{\text{male}, 18.0, 175.03, \text{tennis}; \text{female}, 21.99, 171.96, \text{music}\}.$$

$$z_2 = \{\text{male}, 18.0, 175.0, \text{writing}; \text{female}, 22.0, 172.0, \text{music}\}.$$

$$z_3 = \{\text{female}, 23.0, 175.0, \text{tennis}; \text{male}, 26.0, 180.0, \text{tennis}\}.$$

The fitness values of  $z_1, z_2,$  and  $z_3$  are 7.70, 6.14, and 6.12, respectively. The best nest is updated as nest  $z_3$ .

This search process will repeat until the number of generations reaches the maximum number of generations ( $\text{maxGen}$ ). When the search process terminates, the best solution is:

$$z_{\text{best}} = \{\text{female}, 23.0, 175.0, \text{tennis}; \text{male}, 26.0, 180.0, \text{tennis}\}.$$

The clustering result is obtained according to the best solution  $z_{\text{best}}$ . There are two clusters in the clustering result. Let the symbol Cluster1 denotes the first cluster, and the

symbol Cluster2 indicates the second cluster. In each cluster, the ID of data objects is listed as following:

- Cluster1 = {2,3,7}
- Cluster2 = {1,4,5,6}.

**C. ALGORITHM COMPLEXITY ANALYSIS**

In this section, we analyse the time and space complexity of the proposed CCS-K-prototypes approach. The time complexity of the proposed method mainly contains three parts: the initialization of host nests, the search for candidate solutions, and the calculation of the fitness of candidate solutions. The computational cost of these three parts are  $O(Nk)$ ,  $O(km)$ , and  $O(nkm)$ , respectively. Here  $N$  is the number of host nests,  $n$  is the number of data objects in the dataset  $X$ ,  $m$  is the number of attributes, and  $k$  is the number of clusters. Therefore, the overall time complexity of the proposed approach is  $O(Nk + s(km + nkm))$ , where  $s$  is the number of generations. For space complexity, it requires  $O(mn)$  to store the dataset  $X$ ,  $O(Nkm)$  to store the candidate solutions, and  $O(nk)$  to store the partition matrix. Therefore, the overall space complexity of our method is  $O(mn + Nkm + nk)$ .

**IV. EXPERIMENTS AND DISCUSSION**

To assess the performance of CSS-K-Prototypes, we execute the CCS-K-Prototypes on five datasets: zoo, heart disease, credit approval, soybean, and breast cancer, which are obtained from the well-known UCI Machine Learning Repository (<http://archive.ics.uci.edu/ml/datasets.html>). The details of these datasets are given in Table 2.

In this work, we adopt Yang’s accuracy measures [34] and the Rand Index [35], which are two commonly used criteria, to evaluate the obtained clustering results. In Yang’s method, the accuracy (AC), precision (PR), and recall (RE) is formulated as follows:

$$AC = \frac{\sum_{i=1}^k a_i}{n}, \tag{18}$$

$$PR = \frac{\sum_{i=1}^k \frac{a_i}{a_i+b_i}}{k}, \tag{19}$$

**TABLE 2. The details of the datasets.**

Dataset	Number of numeric attributes	Number of categorical attributes	Number of data objects	Number of classes
Zoo	1	16	101	7
Heart disease (Case 1)	6	9	303	5
Heart disease (Case 2)	6	8	303	2
Credit approval	6	10	690	2
Soybean	0	36	47	4
Breast cancer	9	2	699	2

$$RE = \frac{\sum_{i=1}^k \frac{a_i}{a_i+c_i}}{k}, \tag{20}$$


where  $a_i$  is the number of data objects that are correctly assigned to the class  $C_i$ ,  $b_i$  is the number of data objects that are incorrectly assigned to the class  $C_i$ ,  $c_i$  is the number of data objects that are incorrectly denied from the class  $C_i$ ,  $n$  is the number of data objects in a dataset, and  $k$  is the number of classes contained in the dataset. In Yang’s measures, AC has the same meaning as the clustering accuracy  $r$  given in [36], and PR has the same meaning as the purity of clusters given in [21]. Given a dataset  $X = \{x_1, x_2, \dots, x_n\}$  as well as two partitions of this dataset:  $Y = \{y_1, y_2, \dots, y_{h_1}\}$  and  $Y' = \{y'_1, y'_2, \dots, y'_{h_2}\}$ , the Rand Index (RI) [35] is given as follows:

$$RI = \frac{\sum_{i=1, j=2; i < j}^n \alpha_{ij}}{\binom{n}{2}}, \tag{21}$$

where  $\alpha_{ij}$  is determined as follows:

$$\alpha_{ij} = \begin{cases} 1, & \text{if there exist } h \text{ and } h' \text{ such that both } x_i \\ & \text{and } x_j \text{ are in both } y_h \text{ and } y'_{h'}, \\ 1, & \text{if there exist } h \text{ and } h' \text{ such that } x_i \text{ is in both} \\ & y_h \text{ and } y'_{h'} \text{ while } x_j \text{ is in neither } y_h \text{ nor } y'_{h'}, \\ 0, & \text{otherwise.} \end{cases} \tag{22}$$

According to these measures, the higher values of AC, PR, RE, and RI denote the better clustering result. In the performance analysis, we run our proposed CCS-K-Prototypes algorithm, the K-prototypes algorithm [15], the SBAC algorithm [37], the KL-FCM-GM algorithm [19], the EKP algorithm [38], and the ABC-K-Prototypes algorithm [39] to cluster five different datasets. For each dataset, we run twenty trials, and the average values of AC, PR, RE, and RI are calculated. The clustering results of the ACC-FSFD algorithm reported in [21] are also supplied for comparison. Then we compare the clustering result of the proposed CCS-K-Prototypes algorithm with those of the other six popular algorithms according to the average of AC, PR, RE, and RI, respectively. All algorithms except ACC-FSFD are implemented in Java language and run on a PC with Intel (R) Core (TM) i7, 3.4GHz CPU, and 16GB RAM. In all algorithms except ACC-FSFD, the number of clusters  $k$  is set as the number of classes provided by the class information of the datasets. We point out that other class information was not used in the clustering process except the number of classes. The other parameters of the K-prototypes algorithm, the SBAC algorithm, and the KL-FCM-GM algorithm, the EKP algorithm, and the ABC-K-Prototypes algorithm are set the same as those given in their original papers. In the proposed CCS-K-Prototypes algorithm, we set the maximum generations as 2,500 by the rule of thumb, and use the number



**FIGURE 1.** (a) The accuracy (AC) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the zoo dataset. (b) The precision (PR) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the zoo dataset. (c) The recall (RE) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the zoo dataset. (d) The rand index (RI) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the zoo dataset.

of nests  $N = 15, 20, 25, 30, 35, 40$ , the abandon probability  $pro_a = 0.15, 0.2, 0.25, 0.3$ , and  $\beta = 1.5$ , which are the typical values given in the original cuckoo search algorithm [22], [24], [25].

We begin our experiments on the zoo dataset. This dataset contains 101 data objects, each of which is characterized by one numeric attribute and 16 categorical attributes. The last categorical attribute is the class attribute, and has seven values. The data objects in the zoo dataset therefore belong to one of the seven classes. Figs. 1a-1d give the effect of the number of nests  $N$  and the abandon probability  $pro_a$  ( $pa$  for short) on the values of AC, PR, RE, and RI of the proposed CCS-K-Prototypes algorithm for clustering this dataset, respectively. From these figures, we can see that AC achieves its highest value when the number of nests  $N$  equals to 40, and the abandon probability  $pa$  equals to 0.2; PR obtains its highest value when the number of nests  $N$  equals to 30, and the abandon probability  $pa$  equals to 0.2; RE achieves its highest value when the number of nests  $N$  equals to 30, and the abandon probability  $pa$  equals to 0.3; RI obtains its highest value when the number of nests  $N$  equals to 20, and the abandon probability  $pa$  equals to 0.25. The results in Figs. 1a-1d illustrate that the performance of the proposed CCS-K-Prototypes algorithm on the zoo dataset is

affected by the number of nests  $N$  and the abandon probability  $pa$ , and the CCS-K-Prototypes algorithm can achieve reasonably good results within the given range of  $N$  and  $pa$ . In Tables 3a-3d, we summarize the clustering results of the CCS-K-Prototypes, the K-Prototypes, the SBAC, the KL-FCM-GM, the EKP, and the ABC-K-Prototypes algorithms on the zoo dataset according to AC, PR, RE, and RI, respectively. In Tables 3a-3b, we also list the clustering results of the algorithm ACC-FSFD, which are taken from [21]. The results in Tables 3a-3d indicate that our proposed CCS-K-Prototypes approach achieves the highest values on AC, PR, RE, and obtains a near highest value on RI.

The heart disease dataset has 303 patient instances, each of which is described by six numeric attributes and nine categorical attributes. The last two attributes are class attributes. When we take the 15th attribute as its class attribute, the data objects in this dataset belong to one of five classes (s1, s2, s3, s4, and H), and each of them is described by 14 attributes; when we take the 14th attribute as its class attribute, the data objects in this dataset belong to one of two classes (buff, sick), and each of them is described by 13 attributes. For the first case, Figs. 2a-2d present the effect of the number of nests  $N$  and the abandon probability  $pro_a$  ( $pa$  for short) on the values of AC, PR, RE, and RI of the proposed CCS-K-Prototypes

**TABLE 3.** (a) The accuracy (AC) of the seven algorithms on the zoo dataset. (b) The precision (PR) of the seven algorithms on the zoo dataset. (c) The recall (RE) of the six algorithms on the zoo dataset. (d) The rand index (RI) of the six algorithms on the zoo dataset.

Algorithms	AC
K-Prototypes	0.806
SBAC	0.426
KL-FCM-GM	0.870 ( $\alpha = 1.3$ )
EKP	0.628
ABC-K-Prototypes	0.886
ACC-FSFDP	0.874
CCS-K-Prototypes	<b>0.888</b> ( $N=40, pa=0.2$ )

(a)

Algorithms	PR
K-Prototypes	0.827
SBAC	0.484
KL-FCM-GM	0.844 ( $\alpha = 1.3$ )
EKP	0.729
ABC-K-Prototypes	0.861
ACC-FSFDP	0.862
CCS-K-Prototypes	<b>0.873</b> ( $N=30, pa=0.2$ )

(b)

Algorithms	RE
K-Prototypes	0.636
SBAC	0.172
KL-FCM-GM	0.685 ( $\alpha = 1.3$ )
EKP	0.419
ABC-K-Prototypes	<b>0.718</b>
CCS-K-Prototypes	0.709 ( $N=30, pa=0.3$ )

(c)

Algorithms	RI
K-Prototypes	0.857
SBAC	0.648
KL-FCM-GM	<b>0.918</b> ( $\alpha = 1.8$ )
EKP	0.601
ABC-K-Prototypes	0.894
CCS-K-Prototypes	0.901 ( $N=20, pa=0.25$ )

(d)


algorithm for clustering this dataset, respectively. From these figures, we can see that AC achieves its highest value when the number of nests  $N$  equals to 30, and the abandon probability  $pa$  equals to 0.2; PR obtains its highest value when the number of nests  $N$  equals to 40, and the abandon probability  $pa$  equals to 0.15; RE achieves its highest value when the number of nests  $N$  equals to 35, and the abandon probability  $pa$  equals to 0.15; RI obtains its highest value when the number of nests  $N$  equals to 35, the abandon probability  $pa$  equals to 0.25. The results in Figs. 2a-2d show that the performance of the proposed CCS-K-Prototypes algorithm on the heart disease dataset (first case) is affected by the number of nests  $N$  and the abandon probability  $pa$ , and the CCS-K-Prototypes algorithm can achieve reasonably good results within the given range of  $N$  and  $pa$ . In Tables 4a-4d, we list the clustering results of the CCS-K-Prototypes, the K-Prototypes, the SBAC, the KL-FCM-GM, the EKP, and the ABC-K-Prototypes algorithms on the heart diseases dataset (first case) according to AC, PR, RE, and RI, respectively. The results in Tables 4a-4d indicate that our proposed CCS-K-Prototypes approach achieves the highest values or near highest values on most of the four measures.

For the second case where each data object in the heart disease dataset is characterized by 13 attributes and the 14th attribute is taken as its class attribute. Figs. 3a-3d illustrate the effect of the number of nests  $N$ , and the abandon probability  $pro_a$  ( $pa$  for short) on the values of AC, PR, RE, and RI of the proposed CCS-K-Prototypes algorithm for clustering this dataset, respectively. From these figures, we can see that AC achieves its highest value when the number of nests  $N$  equals to 20, and the abandon probability  $pa$  equals to 0.3; PR obtains its highest value when the number of nests  $N$  equals to

20, and the abandon probability  $pa$  equals to 0.3; RE achieves its highest value when the number of nests  $N$  equals to 20, and the abandon probability  $pa$  equals to 0.3; RI obtains its highest value when the number of nests  $N$  equals to 20, and the abandon probability  $pa$  equals to 0.3. The results in Figs. 3a-3d show that the performance of the proposed CCS-K-Prototypes algorithm on heart disease dataset (second case) is affected by the number of nests  $N$  and the abandon probability  $pa$  not obviously except for  $pa$  equalling to 0.25, and the CCS-K-Prototypes algorithm can achieve reasonably good results within the given range of  $N$  and  $pa$ . In Tables 5a-5d, we summarize the clustering results of the CCS-K-Prototypes, the K-Prototypes, the SBAC, the KL-FCM-GM, the EKP, and the ABC-K-Prototypes algorithms on the heart diseases dataset (second case) according to AC, PR, RE, and RI, respectively. The results in Tables 5a-5d indicate that our proposed CCS-K-Prototypes approach achieves the highest value on all the four measures AC, PR, RE, and RI.

The credit approval dataset contains 690 data objects from credit card organizations, where each data object has ten categorical attributes and six numeric attributes. The last attribute is the class attribute, and has two values (negative and positive). Figs. 4a-4d illustrate the effect of the number of nests  $N$  and the abandon probability  $pro_a$  ( $pa$  for short) on the values of AC, PR, RE, and RI of the proposed CCS-K-Prototypes algorithm for clustering this dataset, respectively. From these figures, we can see that AC achieves its highest value when the number of nests  $N$  equals to 30, and the abandon probability  $pa$  equals to 0.2; PR obtains its highest value when the number of nests  $N$  equals to 30, and the abandon probability  $pa$  equals to 0.2; RE achieves its highest value when the number of nests  $N$  equals to 30, and the abandon





**FIGURE 2.** (a) The accuracy (AC) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the heart disease dataset (5 classes and 14 attributes). (b) The precision (PR) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the heart disease dataset (5 classes and 14 attributes). (c) The recall (RE) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the heart disease dataset (5 classes and 14 attributes). (d) The rand index (RI) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the heart disease dataset (5 classes and 14 attributes).

**TABLE 4.** (a) The accuracy (AC) of the six algorithms on the heart disease dataset (5 classes and 14 attributes). (b) The precision (PR) of the six algorithms on the heart disease dataset (5 classes and 14 attributes). (c) The recall (RE) of the six algorithms on the heart disease dataset (5 classes and 14 attributes). (d) The rand index (RI) of the six algorithms on the heart disease dataset (5 classes and 14 attributes).

Algorithms	AC
K-Prototypes	0.547
SBAC	0.545
KL-FCM-GM	<b>0.653</b> ( $\alpha = 1.2$ )
EKP	0.545
ABC-K-Prototypes	0.648
CCS-K-Prototypes	0.648 ( $N=30, pa=0.2$ )

(a)

Algorithms	PR
K-Prototypes	0.521
SBAC	0.566
KL-FCM-GM	<b>0.766</b> ( $\alpha = 1.9$ )
EKP	0.109
ABC-K-Prototypes	0.658
CCS-K-Prototypes	0.675 ( $N=40, pa=0.15$ )

(b)

Algorithms	RE
K-Prototypes	0.216
SBAC	0.2
KL-FCM-GM	<b>0.395</b> ( $\alpha = 1.4$ )
EKP	0.2
ABC-K-Prototypes	0.379
CCS-K-Prototypes	0.388 ( $N=35, pa=0.15$ )


(c)

Algorithms	RI
K-Prototypes	0.601
SBAC	0.503
KL-FCM-GM	0.673 ( $\alpha = 1.2$ )
EKP	0.355
ABC-K-Prototypes	0.667
CCS-K-Prototypes	<b>0.680</b> ( $N=35, pa=0.25$ )

(d)

probability  $pa$  equals to 0.2; RI obtains its highest value when the number of nests  $N$  equals to 30, and the abandon probability  $pa$  equals to 0.2. The results in Figs. 4a-4d show that the

performance of the proposed CCS-K-Prototypes algorithm on the credit approval dataset is affected by the number of nests  $N$  and the abandon probability  $pa$  not obviously, and the



**FIGURE 3.** (a) The accuracy (AC) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the heart disease dataset (2 classes and 13 attributes). (b) The precision (PR) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the heart disease dataset (2 classes and 13 attributes). (c) The recall (RE) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the heart disease dataset (2 classes and 13 attributes). (d) The rand index (RI) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the heart disease dataset (2 classes and 13 attributes).

**TABLE 5.** (a) The accuracy (AC) of the six algorithms on the heart disease dataset (2 classes and 13 attributes). (b) The precision (PR) of the six algorithms on the heart disease dataset (2 classes and 13 attributes). (c) The recall (RE) of the six algorithms on the heart disease dataset (2 classes and 13 attributes). (d) The rand index (RI) of the six algorithms on the heart disease dataset (2 classes and 13 attributes).

Algorithms	AC
K-Prototypes	0.577
SBAC	0.545
KL-FCM-GM	0.762 ( $\alpha = 1.7$ )
EKP	0.545
ABC-K-Prototypes	0.809
CCS-K-Prototypes	<b>0.812</b> ( $N=20, pa=0.3$ )

(a)

Algorithms	PR
K-Prototypes	0.570
SBAC	0.567
KL-FCM-GM	0.783 ( $\alpha = 2.6$ )
EKP	0.272
ABC-K-Prototypes	0.808
CCS-K-Prototypes	<b>0.812</b> ( $N=20, pa=0.3$ )

(b)

Algorithms	RE
K-Prototypes	0.566
SBAC	0.5
KL-FCM-GM	0.768 ( $\alpha = 1.7$ )
EKP	0.5
ABC-K-Prototypes	0.806
CCS-K-Prototypes	<b>0.809</b> ( $N=20, pa=0.3$ )


(c)

Algorithms	RI
K-Prototypes	0.510
SBAC	0.499
KL-FCM-GM	0.641 ( $\alpha = 1.7$ )
EKP	0.502
ABC-K-Prototypes	0.689
CCS-K-Prototypes	<b>0.694</b> ( $N=20, pa=0.3$ )

(d)

CCS-K-Prototypes algorithm can achieve reasonably good results within the given range of  $N$  and  $pa$ . In Tables 6a-6d, we summarize the clustering results of the CCS-K-Prototypes, the K-Prototypes, the SBAC, the KL-FCM-GM,

the EKP, and the ABC-K-Prototypes algorithms on this dataset according to AC, PR, RE, and RI, respectively. In Tables 6a-6b, we also supply the clustering results of the algorithm ACC-FSFD, which are taken from [21].



**FIGURE 4.** (a) The accuracy (AC) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the credit approval dataset. (b) The precision (PR) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the credit approval dataset. (c) The recall (RE) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the credit approval dataset. (d) The rand index (RI) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the credit approval dataset.

**TABLE 6.** (a) The accuracy (AC) of the seven algorithms on the credit approval dataset. (b) The precision (PR) of the seven algorithms on the credit approval dataset. (c) The recall (RE) of the six algorithms on the credit approval dataset. (d) The rand index (RI) of the six algorithms on the credit approval dataset.

Algorithms	AC
K-Prototypes	0.562
SBAC	0.555
KL-FCM-GM	0.578 ( $\alpha = 2.4$ )
EKP	0.686
ABC-K-Prototypes	0.794
ACC-FSFDP	0.784
CCS-K-Prototypes	<b>0.796</b> ( $N=30, pa=0.2$ )

(a)

Algorithms	PR
K-Prototypes	0.780
SBAC	0.558
KL-FCM-GM	0.642 ( $\alpha = 2.4$ )
EKP	0.724
ABC-K-Prototypes	0.792
ACC-FSFDP	<b>0.814</b>
CCS-K-Prototypes	0.794 ( $N=30, pa=0.2$ )

(b)

Algorithms	RE
K-Prototypes	0.508
SBAC	0.5
KL-FCM-GM	0.549 ( $\alpha = 2.4$ )
EKP	0.657
ABC-K-Prototypes	0.795
CCS-K-Prototypes	<b>0.796</b> ( $N=30, pa=0.2$ )


(c)

Algorithms	RI
K-Prototypes	0.507
SBAC	0.499
KL-FCM-GM	0.513 ( $\alpha = 2.4$ )
EKP	0.568
ABC-K-Prototypes	0.673
CCS-K-Prototypes	<b>0.674</b> ( $N=30, pa=0.2$ )

(d)

The results in Tables 6a-6d indicate that our proposed CCS-K-Prototypes approach achieves the highest values or near highest values on all the four measures AC, PR, RE, and RI.

The soybean dataset consists of 47 data objects, where each data object is described by 36 categorical attributes. The last attribute is the class attribute with four values: diaporthe-stem-canker, charcoal-rot, rhizoctonia-root-rot,



**FIGURE 5.** (a) The accuracy (AC) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the soybean dataset. (b) The precision (PR) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the soybean dataset. (c) The recall (RE) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the soybean dataset. (d) The rand index (RI) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the soybean dataset.

**TABLE 7.** (a) The accuracy (AC) of the seven algorithms on the soybean dataset. (b) The precision (PR) of the seven algorithms on the soybean dataset. (c) The recall (RE) of the six algorithms on the soybean dataset. The rand index (RI) of the six algorithms on the soybean dataset.

Algorithms	AC
K-Prototypes	0.855
SBAC	0.362
KL-FCM-GM	0.969 ( $\alpha = 2.8$ )
EKP	<b>0.993</b>
ABC-K-Prototypes	0.982
ACC-FSFD	0.957
CCS-K-Prototypes	0.989 ( $N=20, pa=0.3$ )

(a)

Algorithms	PR
K-Prototypes	0.903
SBAC	0.829
KL-FCM-GM	0.983 ( $\alpha = 2.8$ )
EKP	<b>0.993</b>
ABC-K-Prototypes	0.983
ACC-FSFD	0.985
CCS-K-Prototypes	0.990 ( $N=20, pa=0.3$ )

(b)

Algorithms	RE
K-Prototypes	0.849
SBAC	0.250
KL-FCM-GM	0.968 ( $\alpha = 2.8$ )
EKP	<b>0.994</b>
ABC-K-Prototypes	0.988
CCS-K-Prototypes	0.991 ( $N=20, pa=0.3$ )


(c)

Algorithms	RI
K-Prototypes	0.884
SBAC	0.292
KL-FCM-GM	0.973 ( $\alpha = 2.8$ )
EKP	<b>0.993</b>
ABC-K-Prototypes	0.981
CCS-K-Prototypes	0.988 ( $N=20, pa=0.3$ )

(d)

and phytophthora-rot. Figs. 5a-5d illustrate the effect of the number of nests  $N$  and the abandon probability  $pro_a$  ( $pa$  for short) on the values of AC, PR, RE, and RI of the proposed CCS-K-Prototypes algorithm for clustering this dataset, respectively. From these figures, we can see that

AC, PR, RE, and RI achieve their highest values when the number of nests  $N$  equals to 20, and the probability  $pa$  equals to 0.3. The results in Figs. 5a-5d show that the performance of the proposed CCS-K-Prototypes algorithm on the soybean dataset is not significantly affected by the number of nests  $N$



**FIGURE 6.** (a) The accuracy (AC) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the breast cancer dataset. (b) The precision (PR) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the breast cancer dataset. (c) The recall (RE) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the breast cancer dataset. (d) The rand index (RI) of the CCS-K-Prototypes algorithm with varying values of  $N$  and  $pa$  on the breast cancer dataset.

and the abandon probability  $pa$ , and the CCS-K-Prototypes algorithm can achieve reasonably good results within the given range of  $N$  and  $pa$ . In Tables 7a-7d, we list the clustering results of the CCS-K-Prototypes, K-Prototypes, SBAC, KL-FCM-GM, EKP, and ABC-K-Prototypes algorithms on this dataset in terms of AC, PR, RE, and RI, respectively. In Tables 7a-7b, we also supply the clustering results of the algorithm ACC-FSFD, which are taken from [21]. The results in Tables 7a-7d indicate that performance of our proposed CCS-K-Prototypes approach outperforms most other algorithms according to the measures of AC, PR, RE, and RI.

The breast cancer dataset has 699 data objects, where each data object is described by eleven attributes. The first attribute is the sample code number, which is not used in clustering analysis; while the last attribute is the class attribute, and it has two values: benign and malignant. Figs. 6a-6d illustrate the effect of the number of nests  $N$  and the abandon probability  $pro_a$  ( $pa$  for short) on the AC, PR, RE, and RI of the proposed CCS-K-Prototypes algorithm for clustering this dataset, respectively. From these figures, we can see that AC, PR, RE, and RI achieve their highest values when the number of nests  $N$  equals to 40, and the abandon probability  $pa$  equals to 0.3. The results in Figs. 6a-6d show that the performance of the proposed CCS-K-Prototypes algorithm on breast cancer

dataset is not significantly affected by the number of nests  $N$  and the abandon probability  $pa$ , and the CCS-K-Prototypes algorithm can achieve reasonably good results within the given range of  $N$  and  $pa$ . In Tables 8a-8d, we list the clustering results of the CCS-K-Prototypes, the K-Prototypes, the SBAC, the KL-FCM-GM, the EKP, and the ABC-K-Prototypes algorithms on this dataset according to AC, PR, RE, and RI, respectively. In Tables 8a-8b, we also supply the clustering results of the algorithm ACC-FSFD, which are taken from [21]. The results in Tables 8a-8d show that performance of our proposed CCS-K-Prototypes approach outperforms most other algorithms according to the measures AC, PR, RE, and RI.

The results in Figs. 1a-6d show that the number of nests  $N$  and the abandon probability  $pro_a$  ( $pa$  for short) have a slight impact on the performance of the proposed CCS-K-Prototypes approach on all datasets according to the measures of AC, PR, RE, and RI. Moreover, the CCS-K-Prototypes approach achieves high and stable values of all these measures in most cases. Therefore, we can say that the proposed CCS-K-Prototypes algorithm can achieve a reasonably good performance within the given range of  $N$  and  $pa$ . The experimental results in Tables 3a-8d show that our proposed CCS-K-Prototypes algorithm achieves the highest or near highest



**TABLE 8.** (a) The accuracy (AC) of the seven algorithms on the breast cancer dataset. (b) The precision (PR) of the seven algorithms on the breast cancer dataset. (c) The recall (RE) of the six algorithms on the breast cancer dataset (d) The rand index (RI) of the six algorithms on the breast cancer dataset.

Algorithms	AC
K-Prototypes	<b>0.961</b>
SBAC	0.655
KL-FCM-GM	0.804 ( $\alpha = 1.1$ )
EKP	0.701
ABC-K-Prototypes	0.959
ACC-FSFD	0.938
CCS-K-Prototypes	0.958 ( $N=40, pa=0.3$ )

(a)

Algorithms	PR
K-Prototypes	<b>0.959</b>
SBAC	0.650
KL-FCM-GM	0.813 ( $\alpha = 1.1$ )
EKP	0.767
ABC-K-Prototypes	0.958
ACC-FSFD	0.947
CCS-K-Prototypes	0.957 ( $N=40, pa=0.3$ )

(b)

Algorithms	RE
K-Prototypes	<b>0.954</b>
SBAC	0.500
KL-FCM-GM	0.753 ( $\alpha = 1.1$ )
EKP	0.771
ABC-K-Prototypes	0.952
CCS-K-Prototypes	0.949 ( $N=40, pa=0.3$ )

(c)

Algorithms	RI
K-Prototypes	<b>0.925</b>
SBAC	0.511
KL-FCM-GM	0.686 ( $\alpha = 1.1$ )
EKP	0.580
ABC-K-Prototypes	0.922
CCS-K-Prototypes	0.919 ( $N=40, pa=0.3$ )

(d)

values of AC, PR, RE, and RI in most cases. Therefore, the proposed CCS-K-Prototypes algorithm outperforms the other six popular algorithms according to these measures.

We believe that the reason for the success of the CCS-K-Prototypes approach in the above experiments is as follows: this approach has the ability of efficiently performing global search and local search by introducing the CS search framework. The global search is used to search for candidate solutions in the entire attribute space, and the local search is used to search for candidate solutions around existing solutions. Therefore, the proposed CCS-K-Prototypes algorithm can obtain optimal or near optimal results.

## V. CONCLUSION AND FUTURE WORK

Data objects with both numeric and categorical attributes are ubiquitous in many real-world applications. In this paper, we have proposed a novel clustering algorithm CCS-K-Prototypes (Clustering based on Cuckoo Search and K-Prototypes) for mixed numeric and categorical data. In our algorithm, we converted the clustering task into the problem of searching for the cluster centres. To deal with different types of attributes, we propose a representation method for candidate solutions, and develop approaches of local search around an existing solution and global search in the entire attribute space. These are the major innovations in this research. We then analysed the time and space complexity of the CCS-K-Prototypes algorithm, and tested this algorithm on five datasets according to the clustering accuracy (AC), precision (PR), recall (RE), and rand index (RI). We also illustrate the effect of the number of nests  $N$  and the abandon probability  $pro_a$  on the performance of the CCS-K-Prototypes algorithm. The results in Figs. 1a-6d show that

the number of nests  $N$  and the abandon probability  $pro_a$  (pa for short) have a slight impact on the performance of the CCS-K-Prototypes algorithm. In addition, the CCS-K-Prototypes algorithm can achieve promising results on all datasets within the given range of the number of nests  $N$  and the abandon probability  $pro_a$ . In comparison with other six popular algorithms, we found that our proposed CCS-K-Prototypes algorithm outperformed other algorithms in most cases.

Our future work will consider sparse representation and multi-objective optimisation approaches to clustering mixed data. This is based on the following considerations: the sparse representation models can be used to obtain the sparse representation for a data object. Sparse representation has been applied in numerous computer vision tasks such as image classification and clustering, and it achieves promising performance [40], [41]. Additionally, multi-objective optimization via meta-heuristic has demonstrated promising results in many applications including clustering analysis [27], [42]. Therefore, in our future work, we would like to explore the potential of these two approaches to clustering mixed data.

Another line of future research will involve multi-view clustering and deep clustering for mixed data. Multi-view clustering was introduced by Bickel and Scheffer [43], and has attracted considerable attention in recently years [44]. With the success of deep learning, deep clustering is emerging as an interesting research direction. In [44], MvSCN (multi-view spectral clustering network) was proposed as a deep version of multi-view spectral clustering [44]. In addition, MMFA (multiple marginal Fisher analysis) can estimate the feature dimension automatically [45]. These approaches have demonstrated promising results on image and text data.

Therefore, in our future work, we would like to explore the task of clustering the mixed data by integration these two approaches with CS strategy.

## REFERENCES

- [1] M. E. Celebi, H. A. Kingravi, and P. A. Vela, "A comparative study of efficient initialization methods for the k-means clustering algorithm," *Expert Syst. Appl.*, vol. 40, no. 1, pp. 200–210, Jan. 2013.
- [2] A. K. Jain, "Data clustering: 50 years beyond K-means," *Pattern Recognit. Lett.*, vol. 31, no. 8, pp. 651–666, Jun. 2010.
- [3] C. Luo, W. Pang, and Z. Wang, "Semi-supervised clustering on heterogeneous information networks," in *Proc. 18th Pacific-Asia Conf. Knowl. Discovery Data Mining (PAKDD)*, Taipei, Taiwan, 2014, pp. 548–559.
- [4] G. Bordogna and G. Pasi, "A quality driven hierarchical data divisive soft clustering for information retrieval," *Knowl.-Based Syst.*, vol. 26, pp. 9–19, Feb. 2012.
- [5] F. Naouar, L. Hlaoua, and M. Omri, "Collaborative information retrieval model based on fuzzy clustering," in *Proc. Int. Conf. High Perform. Comput. Simulation (HPCS)*, Genoa, Italy, 2016, pp. 495–502.
- [6] C. Bogner, B. T. Y. Widemann, and H. Lange, "Characterising flow patterns in soils by feature extraction and multiple consensus clustering," *Ecol. Informat.*, vol. 15, pp. 44–52, May 2013.
- [7] Y. Xin, Z.-Q. Xie, and J. Yang, "The privacy preserving method for dynamic trajectory releasing based on adaptive clustering," *Inf. Sci.*, vol. 378, pp. 131–143, Feb. 2017.
- [8] K. K. Bharti and P. K. Singh, "Opposition chaotic fitness mutation based adaptive inertia weight BPSO for feature selection in text clustering," *Appl. Soft Comput.*, vol. 43, pp. 20–34, Jun. 2016.
- [9] F. Saeed, N. Salim, and A. Abdo, "Information theory and voting based consensus clustering for combining multiple clusterings of chemical structures," *Mol. Inf.*, vol. 32, no. 7, pp. 591–598, Jul. 2013.
- [10] P. Blomstedt, R. Dutta, S. Seth, A. Brazma, and S. Kaski, "Modelling-based experiment retrieval: A case study with gene expression clustering," *Bioinformatics*, vol. 32, no. 9, pp. 1388–1394, May 2016.
- [11] J. Ji, W. Pang, C. Zhou, X. Han, and Z. Wang, "A fuzzy k-prototype clustering algorithm for mixed numeric and categorical data," *Knowl.-Based Syst.*, vol. 30, pp. 129–135, Jun. 2012.
- [12] J. Han, M. Kamber, and J. Pei, *Data Mining: Concepts and Techniques*, 3rd ed. San Mateo, CA, USA: Morgan Kaufmann, 2012, pp. 443–490.
- [13] A. K. Jain and R. C. Dubes, "Algorithms for clustering data," *Technometrics*, vol. 32, no. 2, pp. 227–229, 1988.
- [14] J. C. Bezdek, R. Ehrlich, and W. Full, "FCM: The fuzzy c-means clustering algorithm," *Comput. Geosci.*, vol. 10, nos. 2–3, pp. 191–203, Jan. 1984.
- [15] Z. Huang, "Clustering large data sets with mixed numeric and categorical values," in *Proc. 1st Pacific-Asia Conf. Knowl. Discovery Data Mining*, 1997, pp. 21–34.
- [16] J. Bezdek, J. Keller, R. Krisnapuram, and N. Pal, *Fuzzy Models and Algorithms for Pattern Recognition and Image Processing*. Boston, MA, USA: Springer, 1999, pp. 111–182.
- [17] A. Ahmad and L. Dey, "A k-mean clustering algorithm for mixed numeric and categorical data," *Data Knowl. Eng.*, vol. 63, no. 2, pp. 503–527, Nov. 2007.
- [18] J. Ji, T. Bai, C. Zhou, C. Ma, and Z. Wang, "An improved k-prototypes clustering algorithm for mixed numeric and categorical data," *Neurocomputing*, vol. 120, pp. 590–596, Nov. 2013.
- [19] S. P. Chatzis, "A fuzzy c-means-type algorithm for clustering of data with mixed numeric and categorical attributes employing a probabilistic dissimilarity functional," *Expert Syst. Appl.*, vol. 38, no. 7, pp. 8684–8689, Jul. 2011.
- [20] D. Lam, M. Wei, and D. Wunsch, "Clustering data of mixed categorical and numerical type with unsupervised feature learning," *IEEE Access*, vol. 3, pp. 1605–1613, 2015.
- [21] J.-Y. Chen and H.-H. He, "A fast density-based data stream clustering algorithm with cluster centers self-determined for mixed data," *Inf. Sci.*, vol. 345, pp. 271–293, Jun. 2016.
- [22] X. Yang, *Nature-Inspired Metaheuristic Algorithms*. Frome, U.K.: Luniver Press, 2010, pp. 1–108.
- [23] D. Teodorović, "Bee colony optimization (BCO)," in *Innovations in Swarm Intelligence*, vol. 248, C. Lim, L. Jain, and S. Dehuri, Eds. Heidelberg, Germany: Springer, 2009, pp. 39–60.
- [24] X. Yang and S. Deb, "Cuckoo search via Lévy flights," in *Proc. World Congr. Nature Biol. Inspired Comput.*, 2009, pp. 210–214.
- [25] X. Yang and S. Deb, "Engineering optimisation by cuckoo search," *Int. J. Math. Model. Numer. Optim.*, vol. 1, no. 4, pp. 330–343, 2010.
- [26] X.-S. Yang and S. Deb, "Cuckoo search: Recent advances and applications," *Neural Comput. Appl.*, vol. 24, no. 1, pp. 169–174, Jan. 2014.
- [27] X.-S. Yang and S. Deb, "Multiobjective cuckoo search for design optimization," *Comput. Oper. Res.*, vol. 40, no. 6, pp. 1616–1624, Jun. 2013.
- [28] M. K. Marichelvam, T. Prabaharan, and X. S. Yang, "Improved cuckoo search algorithm for hybrid flow shop scheduling problems to minimize makespan," *Appl. Soft Comput.*, vol. 19, pp. 93–101, Jun. 2014.
- [29] M. Adnan, M. Razzaque, M. Abedin, S. Reza, and M. Hussein, "A novel cuckoo search based clustering algorithm for wireless sensor networks," in *Proc. ICOCOE*, Cham, Switzerland, 2016, pp. 621–634.
- [30] S. Goel, A. Sharma, and P. Bedi, "Cuckoo search clustering algorithm: A novel strategy of biomimicry," in *Proc. World Congr. Inf. Commun. Technol.*, Mumbai, India, 2011, pp. 916–921.
- [31] J. Senthilnath, V. Das, S. Omkar, and V. Mani, "Clustering using Lévy flight cuckoo search," in *Proc. 7th Int. Conf. Bio-Inspired Comput., Theories Appl.*, Gwalior, India, 2012, pp. 65–75.
- [32] K. Lakshmi, N. Visalakshi, S. Shanthi, and S. Parvathavarthini, "Clustering categorical data using k-modes based on cuckoo search optimization algorithm," *ICTACT J. Soft Comput.*, vol. 08, no. 01, pp. 1561–1566, Oct. 2017.
- [33] K. Lakshmi, N. K. Visalakshi, and S. Shanthi, "Cuckoo search based K-prototype clustering algorithm," *Asia. J. Res. Social Sci. Hum.*, vol. 7, no. 2, pp. 300–309, Feb. 2017.
- [34] Y. Yang, "An evaluation of statistical approaches to text categorization," *J. Inf. Retr.*, vol. 1, pp. 67–88, Apr. 1999.
- [35] W. M. Rand, "Objective criteria for the evaluation of clustering methods," *J. Amer. Stat. Assoc.*, vol. 66, no. 336, pp. 846–850, Dec. 1971.
- [36] Z. Huang, "Extensions to the K-means algorithm for clustering large data sets with categorical values," *Data Mining Knowl. Discovery*, vol. 2, no. 3, pp. 283–304, Sep. 1998.
- [37] C. Li and G. Biswas, "Unsupervised learning with mixed numeric and nominal data," *IEEE Trans. Knowl. Data Eng.*, vol. 14, no. 4, pp. 673–690, Jul. 2002.
- [38] Z. Zheng, M. Gong, J. Ma, L. Jiao, and Q. Wu, "Unsupervised evolutionary clustering algorithm for mixed type data," in *Proc. IEEE Congr. Evol. Comput.*, Barcelona, Spain, Jul. 2010, pp. 1–8.
- [39] J. Ji, Y. Chen, G. Feng, X. Zhao, and F. He, "Clustering mixed numeric and categorical data with artificial bee colony strategy," *J. Intell. Fuzzy Syst.*, vol. 36, no. 2, pp. 1521–1530, Mar. 2019.
- [40] X. Lan, M. Ye, R. Shao, B. Zhong, P. C. Yuen, and H. Zhou, "Learning modality-consistency feature templates: A robust RGB-infrared tracking system," *IEEE Trans. Ind. Electron.*, vol. 66, no. 12, pp. 9887–9897, Dec. 2019.
- [41] E. Elhamifar and R. Vidal, "Sparse subspace clustering: Algorithm, theory, and applications," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 35, no. 11, pp. 2765–2781, Nov. 2013.
- [42] R. Wang, S. Lai, G. Wu, L. Xing, L. Wang, and H. Ishibuchi, "Multi-clustering via evolutionary multi-objective optimization," *Inf. Sci.*, vol. 450, pp. 128–140, Jun. 2018.
- [43] S. Bickel and T. Scheffer, "Multi-view clustering," in *Proc. 4th IEEE Int. Conf. Data Mining (ICDM)*, Brighton, U.K., Mar. 2004, pp. 19–26.
- [44] Z. Huang, J. Zhou, X. Peng, C. Zhang, H. Zhu, and J. Lv, "Multi-view spectral clustering network," in *Proc. 28th Int. Joint Conf. Artif. Intell.*, Macao, China, 2019, pp. 2563–2569.
- [45] Z. Huang, H. Zhu, J. T. Zhou, and X. Peng, "Multiple marginal Fisher analysis," *IEEE Trans. Ind. Electron.*, vol. 66, no. 12, pp. 9798–9807, Dec. 2019.



**JINCHAO JI** was born in Xuchang, Henan, China, in 1982. He received the bachelor's degree in computer science and technology from Zhengzhou University, Zhengzhou, China, in 2007, and the Ph.D. degree in computer application technology from Jilin University, Changchun, China, in 2013.

From 2013 to 2015, he was a Postdoctoral Research Fellow with the Key Laboratory of Applied Statistics, MOE, Northeast Normal University, where he is currently a Lecturer. His

research interests include machine learning, cluster analysis, and educational data mining.



**WEI PANG** received the Ph.D. degree in computing science from the University of Aberdeen, in 2009. He is currently an Associate Professor with Heriot-Watt University, Edinburgh, U.K. He has authored over 90 articles, including more than 30 journal articles. His research interests include bio-inspired computing, data mining, machine learning, and qualitative reasoning.

Dr. Pang was a recipient of the Best Paper Award in the 19th Annual UK Workshop on Computational Intelligence (UKCI 2019) and the Best Paper Runner Up Award in the 12th International Conference on Advanced Data Mining and Applications (ADMA 2016).



**GUOZHONG FENG** was born in Kunshan, Jiangsu, China, in 1982. He received the bachelor's degree in mathematics and applied mathematics and the Ph.D. degree in probability theory and mathematical statistics from Northeast Normal University, Changchun, China, in 2004 and 2011, respectively.

From 2012 to 2015, he was a Postdoctoral Research Fellow with the Key Laboratory of Applied Statistics, MOE, Northeast Normal University, where he is currently an Associate Professor. He is also a Postdoctoral Scientist with the Department of Statistics, The George Washington University, Washington, DC, USA. His research interests include text mining and statistical machine learning.



**ZAIRONG LI** was born in Jilin, China, in 1982. He received the bachelor's degree in education technology from Changchun University, Changchun, China, in 2007, and the Ph.D. degree in international media from Hokkaido University, Hokkaido, Japan, in 2014.

He is currently a Lecturer with the School of Media Science, Northeast Normal University. His research interests include educational data mining, animation corpus based on big data, and motivational strategy of Chinese language learning for international students.



**FEI HE** was born in Nanning, Guangxi, China, in 1985. He received the bachelor's degree in computer science and technology and the Ph.D. degree in bioinformatics from Jilin University, Changchun, China, in 2007 and 2015, respectively.

He is currently a Lecturer with the School of Information Science and Technology, Northeast Normal University, China. His research interests include deep learning, bioinformatics, and biometrics.



**XIAOWEI ZHAO** was born in Shulan, Jilin, China, in 1984. She received the bachelor's and master's degrees in computer science and the Ph.D. degree in cell biology from Northeast Normal University, Changchun, China, in 2007, 2010, and 2013, respectively.

She is currently a Lecturer with the School of Information Science and Technology, Northeast Normal University. Her research interests include data mining, machine learning, and recommendation systems.

...