

# IEEE TRANSACTIONS ON POWER ELECTRONICS

A PUBLICATION OF THE IEEE POWER ELECTRONICS SOCIETY



NOVEMBER 2018

VOLUME 33

NUMBER 11

ITPEE8

(ISSN 0885-8993)

---

## LETTERS

Research on a Time-Variant Shoot-Through Modulation Strategy for Quasi-Z-Source Inverter .....	9104
..... Y. Zhou, Q. Wu, Z. Li, and F. Hong	
2.1-Channel Switching Amplifier With DC/High-Frequency-AC Mixed Power Supply for Efficiency Improvement and Bus Voltage Pumping Elimination .....	9110
..... S. Zhong, J. Xu, and X. Zhou	
A Family of High Step-Up Coupled-Inductor Impedance-Source Inverters With Reduced Switching Spikes .....	9116
..... H. Liu, Z. Zhou, K. Liu, P. C. Loh, W. Wang, D. Xu, and F. Blaabjerg	
A Model Predictive Control for Renewable Energy Based AC Microgrids Without Any PID Regulators .....	9122
..... Y. Shan, J. Hu, Z. Li, and J. M. Guerrero	
Some Observations on Loss and Hysteresis of Ferroelectric-Based Ceramic Capacitors .....	9127
..... S. Ben-Yaakov	
Silicon Carbide Power MOSFET Model: An Accurate Parameter Extraction Method Based on the Levenberg–Marquardt Algorithm .....	9130
..... W. Jouha, A. El Oualkadi, P. Dherbécourt, E. Joubert, and M. Masmoudi	
Fast Symmetrical Component Extraction From Unbalanced Three-Phase Signals Using Non-Nominal $dq$ -Transformation .....	9134
..... T. Hao, F. Gao, and T. Xu	

---

## PAPERS

### *Highlighted Papers*

Performance Evaluation of Duty Cycle Balancing in Power Electronics Enhanced Battery Packs Compared to Conventional Energy Redistribution Balancing .....	9142
..... E. Chatzinikolaou and D. J. Rogers	
Inductive Power Transfer Efficiency Limit of a Flat Half-Filled Disc Coil Pair ....	9154
..... M. Leibl, O. Knecht, and J. W. Kolar	

### *Papers with Active Content*

PV System Control to Provide Active Power Reserves Under Partial Shading Conditions .....	9163
..... E. I. Batzelis, S. A. Papathanassiou, and B. C. Pal	

### *High-Power Converters*

Modular Multilevel Converters (MMCs) Controlled by Model Predictive Control With Reduced Calculation Burden ...	9176
..... B. Gutierrez and S.-S. Kwak	

---

(Contents Continued on Page 9101)

---

Simultaneous DC Current Balance and Common-Mode Voltage Control With Multilevel Current Source Inverters . . . . .	<i>L. Ding and Y. W. Li</i>	9188
A New Single-Phase Five-Level Inverter Topology for Single and Multiple Switches Fault Tolerance . . . . .	<i>M. Aly, E. M. Ahmed, and M. Shoyama</i>	9198
A Nearest Level PWM Method for the MMC in DC Distribution Grids . . . . .	<i>Y. Wang, C. Hu, R. Ding, L. Xu, C. Fu, and E. Yang</i>	9209
A Pulsed Power Supply Adopting Active Capacitor Converter for Low-Voltage and Low-Frequency Pulsed Loads . . . . .	<i>X. Huang, X. Ruan, F. Du, F. Liu, and L. Zhang</i>	9219
Integrated Coil Design for EV Wireless Charging Systems Using LCC Compensation Topology . . . . .	<i>T. Kan, F. Lu, T.-D. Nguyen, P. P. Mercier, and C. C. Mi</i>	9231
A Short-Time Transition and Cost Saving Redundancy Scheme for Medium-Voltage Three-Phase Cascaded H-Bridge Electronic Power Transformer . . . . .	<i>J. Tian, C. Mao, D. Wang, S. Nie, and Y. Yang</i>	9242
Novel Discontinuous PWM Method for a Single-Phase Three-Level Neutral Point Clamped Inverter With Efficiency Improvement and Harmonic Reduction . . . . .	<i>J.-S. Lee, R. Kwak, and K.-B. Lee</i>	9253
Fully Soft-Switched Dual-Active-Bridge Series-Resonant Converter With Switched-Impedance-Based Power Control . . . . .	<i>M. Yaqoob, K.-H. Loo, and Y. M. Lai</i>	9267
A Single-Phase Inverter/Rectifier Topology With Suppressed Double-Frequency Ripple . . . . .	<i>K. Mozaffari, M. Amirabadi, and Y. Deshpande</i>	9282
Power Decoupling Control for Modular Multilevel Converter . . . . .	<i>J. Wang and P. Wang</i>	9296
A Simple SR Gate Driving Circuit With Reduced Gate Driving Loss for Phase-Shifted Full-Bridge Converter . . . . .	<i>J.-I. Baek, C.-E. Kim, J.-B. Lee, H.-S. Youn, and G.-W. Moon</i>	9310
<i>Power Quality and Utilities</i>		
Online Detection of Fundamental and Interharmonics in AC Mains for Parallel Operation of Multiple Grid-Connected Power Converters . . . . .	<i>B. Chen, G. Pin, W. M. Ng, P. Li, T. Parisini, and S.-Y. R. Hui</i>	9318
Cylindrical Misalignment Insensitive Wireless Power Transfer Systems . . . . .	<i>D. Liu and S. V. Georgakopoulos</i>	9331
Enhanced Instantaneous Power Theory Decomposition for Power Quality Smart Converter Applications . . . . .	<i>F. Harirchi and M. G. Simões</i>	9344
Control Strategy for Grid-Connected Three-Phase Inverters During Voltage Sags to Meet Grid Codes and to Maximize Power Delivery Capability . . . . .	<i>M. A. G. López, J. L. G. de Vicuña, J. Miret, M. Castilla, and R. Guzmán</i>	9360
Autonomous Control of Current- and Voltage-Controlled DG Interface Inverters for Reactive Power Sharing and Harmonics Compensation in Islanded Microgrids . . . . .	<i>S. Y. M. Mousavi, A. Jalilian, M. Savaghebi, and J. M. Guerrero</i>	9375
Active Cancellation of Equivalent Grid Impedance for Improving Stability and Injected Power Quality of Grid-Connected Inverter Under Variable Grid Condition . . . . .	<i>Y. He, H. S.-H. Chung, C.-T. Lai, X. Zhang, and W. Wu</i>	9387
A Wide-Input-Range High-Efficiency Step-Down Power Factor Correction Converter Using a Variable Frequency Multiplier Technique . . . . .	<i>L. Gu, W. Liang, M. Praglin, S. Chakraborty, and J. Rivas-Davila</i>	9399
Improved Power Quality Switched Inductor Cuk Converter for Battery Charging Applications . . . . .	<i>B. R. Ananthapadmanabha, R. Maurya, and S. R. Arya</i>	9412
Transient Current Interruption Characteristics of a Novel Mechanical DC Circuit Breaker . . . . .	<i>W. Wen, Y. Wang, B. Li, Y. Huang, R. Li, and Q. Wang</i>	9424
Dual-Buck AC–AC Converter With Inverting and Non-Inverting Operations . . . . .	<i>U. Ali Khan, A. A. Khan, H. Cha, H.-G. Kim, J. Kim, and J.-W. Baek</i>	9432
<i>EMI/EMC</i>		
A Sawtooth Carrier-Based PWM for Asymmetrical Six-Phase Inverters With Improved Common-Mode Voltage Performance . . . . .	<i>Z. Liu, Z. Zheng, Z. Peng, Y. Li, and L. Hao</i>	9444
<i>Renewable Energy</i>		
A Switched-Capacitor Bidirectional DC–DC Converter With Wide Voltage Gain Range for Electric Vehicles With Hybrid Energy Sources . . . . .	<i>Y. Zhang, Y. Gao, L. Zhou, and M. Sumner</i>	9459
An Active Voltage-Doubler Rectifier Based Hybrid Resonant DC/DC Converter for Wide-Input-Range Thermoelectric Power Generation . . . . .	<i>S. Kim, B. Kim, B.-H. Kwon, and M. Kim</i>	9470
Features of Power Quality in Single-Phase Distributed Power Generation Using Adaptive Nature Vectorial Filter . . . . .	<i>A. K. Giri, A. Qureshi, S. R. Arya, R. Maurya, and B. C. Babu</i>	9482

---

---

High Step-Up DC–DC Converter With Active Soft-Switching and Voltage-Clamping for Renewable Energy Systems . . . . .	<i>L. He, Z. Zheng, and D. Guo</i>	9496
Comparative Case Study on the Self-Powered Synchronous Switching Harvesting Circuits With BJT or MOSFET Switches . . . . .	<i>W. Liu, A. Badel, F. Formosa, C. Zhao, Q. Zhu, and G. Hu</i>	9506
A Reduced Switch Count Single-Stage Three-Phase Bidirectional Rectifier With High-Frequency Isolation . . . . .	<i>R. Baranwal, K. V. Iyer, K. Basu, G. F. Castelino, and N. Mohan</i>	9520
A New PV Converter for a High-Leg Delta Transformer Using Cooperative Control of Boost Converters and Inverters . . . . .	<i>D. Yamaguchi and H. Fujita</i>	9542
Lithium-ion Battery Instantaneous Available Power Prediction Using Surface Lithium Concentration of Solid Particles in a Simplified Electrochemical Model . . . . .	<i>L. Zheng, J. Zhu, G. Wang, D. D.-C. Lu, and T. He</i>	9551
An Adaptive Active Damper for Improving the Stability of Grid-Connected Inverters Under Weak Grid . . . . .	<i>L. Jia, X. Ruan, W. Zhao, Z. Lin, and X. Wang</i>	9561
Partially Isolated Single-Magnetic Multiport Converter Based on Integration of Series-Resonant Converter and Bidirectional PWM Converter . . . . .	<i>M. Uno, R. Oyama, and K. Sugiyama</i>	9575
Robust Predictive Control of Three-Level NPC Back-to-Back Power Converter PMSG Wind Turbine Systems With Revised Predictions . . . . .	<i>Z. Zhang, Z. Li, M. P. Kazmierkowski, J. Rodríguez, and R. Kennel</i>	9588
Application of Boost Converter to Increase the Speed Range of Dual-Stator Winding Induction Generator in Wind Power Systems . . . . .	<i>A. Kavousi, S. H. Fathi, J. Milimonfared, and M. N. Soltani</i>	9599
Plug-In Hybrid Electric Vehicles: Replacing Internal Combustion Engine With Clean and Renewable Energy Based Auxiliary Power Sources . . . . .	<i>H. Fathabadi</i>	9611
<i>Low-Power Converters</i>		
A 0.016 mV/mA Cross-Regulation 5-Output SIMO DC–DC Buck Converter Using Output-Voltage-Aware Charge Control Scheme . . . . .	<i>N.-S. Pham, T. Yoo, T. T.-H. Kim, C.-G. Lee, and K.-H. Baek</i>	9619
Analysis and Optimization of Star-Structured Switched-Capacitor Equalizers for Series-Connected Battery Strings . . . . .	<i>Y. Shang, N. Cui, B. Duan, and C. Zhang</i>	9631
Improved High Step-Up Z-Source DC–DC Converter With Single Core and ZVT Operation . . . . .	<i>B. Poorali, H. M. Jazi, and E. Adib</i>	9647
A Miniature 300-MHz Resonant DC–DC Converter With GaN and CMOS Integrated in IPD Technology . . . . .	<i>M.-J. Liu and S. S. H. Hsu</i>	9656
A Modularized IPT With Magnetic Shielding for a Wide-Range Ubiquitous Wi-Power Zone . . . . .	<i>E. S. Lee, Y. H. Sohn, B. G. Choi, S. H. Han, and C. T. Rim</i>	9669
A Power Decoupling Control Method for an Isolated Single-Phase AC-to-DC Converter Based on Direct AC-to-AC Converter Topology . . . . .	<i>S. Komeda and H. Fujita</i>	9691
A Dual Inductor High Step-Up DC/DC Converter Based on the Cockcroft–Walton Multiplier . . . . .	<i>A. Rajaei, R. Khazan, M. Mahmoudian, M. Mardaneh, and M. Gitizadeh</i>	9699
Bidirectional, Interleaved, Multiphase, Multidevice, Soft-Switching, FPGA-Controlled, Buck–Boost Converter With PWM Real-Time Reconfiguration . . . . .	<i>F. Sobrino-Manzanares and A. Garrigos</i>	9710
Control and Analysis of a Modular Bridge for Battery Cell Voltage Balancing . . . . .	<i>A. Tavakoli, S. A. Khajehoddin, and J. Salmon</i>	9722
Determining the Maximum Power Transfer Points for MC-WPT Systems With Arbitrary Number of Coils . . . . .	<i>Y. Sun, Z.-J. Liao, Z.-H. Ye, C. Tang, and P.-Y. Wang</i>	9734
<i>Power Electronic Drives</i>		
Direct Calculation of Maximum-Torque-Per-Ampere Angle for Interior PMSM Control Using Measured Speed Harmonic . . . . .	<i>C. Lai, G. Feng, J. Tjong, and N. C. Kar</i>	9744
A Tissue-Channel Transcutaneous Power Transfer Technique for Implantable Devices . . . . .	<i>P. Chen, H. Yang, R. Luo, and B. Zhao</i>	9753
A Novel Platform for Powertrain Modeling of Electric Cars With Experimental Validation Using Real-Time Hardware in the Loop (HIL): A Case Study of GM Second Generation Chevrolet Volt . . . . .	<i>A. S. Abdelrahman, K. S. Algarny, and M. Z. Youssef</i>	9762
Direct RFOC Strategies Aimed to Symmetrical Two-Phase IM Drives: Comparison Between B4- and B6-Inverters in the Stator . . . . .	<i>A. Ouarda, B. El Badsy, and A. Masmoudi</i>	9772

---

---

<i>Passive Components and Materials</i>	
On the Transient Thermal Characteristics of Silicon Carbide Power Electronics Modules . . . . .	9783
..... G. Mandrusiak, X. She, A. M. Waddell, and S. Acharya	
Measuring Coupling Coefficient of Windings With Dissimilar Turns' Number or Tight Coupling Using Resonance . . . . .	9790
..... D. Gilabert-Palmer, E. Sanchis-Kilders, V. Esteve, A. Ferreres, J. B. Ejea, E. Maset, J. Jordn, and E. Dede	
<i>Lighting Applications</i>	
Wide-Range, Open-Loop, CCT and Illuminance Control of an LED Lamp Using Two-Component Color Blending . . . . .	9803
..... R. Malik, K. K. Ray, and S. Mazumdar	
<i>Discrete and Integrated Semiconductors</i>	
A New Characterization Technique for Extracting Parasitic Inductances of SiC Power MOSFETs in Discrete and Module Packages Based on Two-Port S-Parameters Measurement . . . . .	9819
..... T. Liu, T. T. Y. Wong, and Z. J. Shen	
An Improved Compact Model for a Silicon-Carbide MOSFET and Its Application to Accurate Circuit Simulation . . . . .	9834
..... Y. Mukunoki, K. Konno, T. Matsuo, T. Horiguchi, A. Nishizawa, M. Kuzumoto, M. Hagiwara, and H. Akagi	
Prediction and Validation of Wear-Out Reliability Metrics for Power Semiconductor Devices With Mission Profiles in Motor Drive Application . . . . .	9843
..... K. Ma, U.-M. Choi, and F. Blaabjerg	
<i>Diagnostics in Power Electronics</i>	
A New PWM and Commutation Scheme for One Phase Loss Operation of Three-Phase Isolated Buck Matrix-Type Rectifier . . . . .	9854
..... J. Afsharian, D. Xu, B. Wu, B. Gong, and Z. Yang	
A Voltage-Based Open-Circuit Fault Detection and Isolation Approach for Modular Multilevel Converters With Model-Predictive Control . . . . .	9866
..... D. Zhou, S. Yang, and Y. Tang	
<i>Control in Power Electronics</i>	
Dual-Loop Controller for LLC Resonant Converters Using an Average Equivalent Model . . . . .	9875
..... F. Degioanni, I. G. Zurbriggen, and M. Ordonez	
All-Pass-Filter-Based Active Damping for VSCs With LCL Filters Connected to Weak Grids . . . . .	9890
..... J. Roldán-Pérez, E. J. Bueno, R. Peña-Alzola, and A. Rodríguez-Cabero	
Impedance-Based Analysis and Stabilization of Active DC Distribution Systems With Positive Feedback Islanding Detection Schemes . . . . .	9902
..... A. M. I. Mohamad and Y. A.-R. I. Mohamed	
Analysis and Compensation of the System Time Delay in an MMC System . . . . .	9923
..... C. Wang, L. Xiao, H. Jiang, and T. Cai	
Stability Design of Single-Loop Voltage Control With Enhanced Dynamic for Voltage-Source Converters With a Low LC-Resonant-Frequency . . . . .	9937
..... X. Li, P. Lin, Y. Tang, and K. Wang	
Load and Mutual Inductance Identification From the Primary Side of Inductive Power Transfer System With Parallel-Tuned Secondary Power Pickup . . . . .	9952
..... Y.-G. Su, L. Chen, X.-Y. Wu, A. P. Hu, C.-S. Tang, and X. Dai	
A Low-Complexity Trajectory Controller for Reduced Conduction Losses in Series-Resonant Dual Half-Bridge Converters . . . . .	9963
..... F. Bez, W. Han, and L. Corradini	
An Improved Generalized Average Model of DC-DC Dual Active Bridge Converters . . . . .	9975
..... J. A. Mueller and J. W. Kimball	
A Simple Active Power Control for a High-Power Wireless Power Transmission System Considering Coil Misalignment and Its Design Method . . . . .	9989
..... F. P. Wijaya, T. Shimotsu, T. Saito, and K. Kondo	
Integrated Traction/Charge/Air Compression Supply Using Three-Phase Split-Windings Motor for Electric Vehicles . . . . .	10003
..... W. Lhomme, P. Delarue, T. J. D. S. Moraes, N. K. Nguyen, É. Semail, K. Chen, and B. Silvestre	

---