

Ronald Tetzlaff and Vanessa Senger
Technische Universität Dresden, Germany

In the article “The Seizure Prediction Problem in Epilepsy: Cellular Nonlinear Networks” published in the fourth issue of 2012 of this Magazine, the numbering of some references has been mixed up. Specifically, reference [21] has been included as reference [70] and references [22] to [69] are off by one. The following list of references should be used in lieu of those in the published article:

Correct References

- [21] K. Schindler, R. Wiest, M. Kollar, and F. Donati, “EEG analysis with simulated neuronal cell models helps to detect pre-seizure changes,” *Clin. Neurophysiol.*, vol. 113, pp. 604–614, 2002.
- [22] H. Feldwisch-Drentrup, A. Schulze-Bonhage, J. Timmer, and B. Schelter, “Statistical validation of event predictors: A comparative study based on the field of seizure prediction,” *Phys. Rev. E*, vol. 83, p. 066704, 2011.
- [23] C. Niederhöfer, P. Fischer, and R. Tetzlaff, “Pattern detection by CNN in epilepsy—Recent results,” in *Proc. SPIE’s Microtechnologies New Millennium*, 2003.
- [24] G. Fritsch and E. Hitzig, “Über die elektrische Erregbarkeit des Grosshirns, Archiv für Anatomie,” *Physiologie und wissenschaftliche Medicin*, pp. 300–332, 1870.
- [25] M. Geese, R. Tetzlaff, D. Carly, A. Blug, H. Hofler, and F. Abt, “High-speed visual control of laser welding processes by cellular neural networks (CNN),” in *Proc. 11th Int. Workshop Cellular Neural Networks and their Applications (CNNA 2008)*, Santiago de Compostela, Spain, July 2008.
- [26] M. Gilli, T. Roska, L. O. Chua, and P. P. Civalleri, “On the relationship between CNNs and PDEs,” in *Proc. IEEE Cellular Neural Networks and their Applications (CNNA 02)*, Frankfurt a.M., Germany, 2002, pp. 16–24.
- [27] F. Gollas and R. Tetzlaff, “Spatio-temporal analysis of brain electrical activity in epilepsy based on Cellular Nonlinear Networks,” in *Proc. SPIE Europe, Microtechnologies New Millennium, Proc. SPIE*, 2009, vol. 7365, p. 73650E.
- [28] F. Gollas and R. Tetzlaff, “Identification of EEG signals in epilepsy by cell outputs of Reaction-Diffusion Networks,” in *Proc. IEEE World Congr. Computational Intelligence (WCCI 2006)*, 2006, pp. 10641–10644.
- [29] P. Grassberger and I. Procaccia, “Characterization of strange attractors,” *Phys. Rev. Lett.*, vol. 50, pp. 346–349, 1983.
- [30] M. Ihle, H. Feldwisch-Drentrup, C. A. Teixeira, A. Witon, B. Schelter, J. Timmer, and A. Schulze-Bonhage, “EPILEPSIAE—A European epilepsy database,” *Comput. Methods Programs Biomed.*, in press, 2011.
- [31] M. A. Harrison, I. Osorio, M. G. Frei, S. Asuri, and Y. C. Lai, “Correlation dimension and integral do not predict epileptic seizures,” *Chaos*, vol. 15, 2005.
- [32] M. A. Harrison, M. G. Frei, and I. Osorio, “Accumulated energy revisited,” *Clin. Neurophysiol.*, vol. 116, pp. 527–531, 2005.
- [33] W. H. Jones, *Hippocrates. The Sacred Disease*. Cambridge, MA: Harvard Univ. Press, 1984, pp. 1–51.
- [34] L. D. Iasemidis, P. Pardalos, J. C. Sackellares, and D. S. Shiu, “Quadratic binary programming and dynamical system approach to determine the predictability of epileptic seizures,” *J. Comb. Optim.*, vol. 5, pp. 9–26, 2005.
- [35] L. D. Iasemidis, D. S. Hiau, W. Chaivalitwongs, et al., “Adaptive epileptic seizure prediction system,” *IEEE Trans. Biomed. Eng.*, vol. 50, pp. 616–627, 2003.
- [36] L. D. Iasemidis, J. C. Sackellares, H. P. Zaveri, and W. J. Williams, “Phase space topography and the Lyapunov exponent of electrocorticograms in partial seizures,” *Brain Topogr.*, vol. 2, pp. 187–201, 1990.
- [37] L. D. Iasemidis and J. C. Sackellares, “The evolution with time of the spatial distribution of the largest Lyapunov exponent on the human epileptic cortex,” in *Measuring Chaos in the Human Brain*, D. Duke and W. Pritchard, Eds. Singapore: World Scientific, 1991, pp. 49–82.
- [38] L. D. Iasemidis, “Phase space analysis of EEG in temporal lobe epilepsy,” in *Proc. IEEE Engineering Medicine and Biology Society 10th Annu. Int. Conf.*, New Orleans, LA, 1988, pp. 1201–1203.
- [39] J. J. Hughlings, “A study of convulsions,” in *St. Andrews Medical Graduates’ Association, vol. III*, 1870, pp. 162–204.
- [40] C. C. Jouny, P. J. Franaszczuk, and G. K. Berger, “Signal complexity and synchrony of epileptic seizures: Is there an identifiable preictal period,” *Clin. Neurophysiol.*, vol. 116, pp. 552–558, 2005.
- [41] T. Kreutz, R. G. Andrezak, F. Mormann, A. P. D. Kraskov, H. Stögauer, C. Elger, K. Lehnertz, and P. Grassberger, “Measure profile surrogates: A method to validate the performance of epileptic seizure prediction algorithms,” *Phys. Rev. E*, vol. 69, 2004.
- [42] D. Krug, H. Osterhage, C. E. Elger, and K. Lehnertz, “Estimating nonlinear interdependences in dynamical systems using cellular nonlinear networks,” *Phys. Rev. E*, vol. 76, p. 041916, 2007.
- [43] D. Krug, C. E. Elger, and A. Lehnertz, “A CNN-based synchronization analysis for epileptic seizure prediction: Inter- and intraindividual generalization properties,” in *Proc. 2008 11th Int. Workshop Cellular Neural Networks and their Applications*, D. L. Vilarino, D. C. Ferrer, and V. M. B. Sanchez, Eds. Piscataway, NJ: IEEE Press, 2008, pp. 92–95.
- [44] D. Krug, C. E. Elger, and K. Lehnertz, “Detecting preictal synchronization phenomena in the EEG with Cellular Neural Networks: Intra- and interindividual generalization properties,” *Epilepsia*, vol. 49, suppl. 7, p. 17, 2008.
- [45] R. Kunz and R. Tetzlaff, “Spatio-temporal dynamics of brain electrical activity in epilepsy: Analysis with cellular neural networks (CNNs),” *J. Circuits Syst. Comput.*, vol. 12, no. 6, pp. 825–844, Dec. 2003.
- [46] K. Lehnertz, R. G. Andrzek, J. Arnhold, et al., “Nonlinear EEG analysis in epilepsy: Its possible use for interictal focus localization, seizure anticipation, and prevention,” *J. Clin. Neurophysiol.*, vol. 18, pp. 209–211, 2001.
- [47] K. Lehnertz and C. E. Elger, “Neuronal complexity loss in temporal lobe epilepsy,” *Electroencephalogr. Clin. Neurophysiol.*, vol. 103, pp. 376–380, 1997.
- [48] K. Lehnertz and C. E. Elger, “Spatio-temporal dynamics of the primary epileptogenic area in temporal lobe epilepsy characterized by neural complexity loss,” *Electroencephalogr. Clin. Neurophysiol.*, vol. 95, pp. 108–117, 1995.
- [49] K. Lehnertz, M. Le Van Quyen, and B. Litt, “Seizure prediction,” in *Epilepsy. A Comprehensive Textbook*, vol. 1, 2nd ed., J. Engel and T. A. Pedley, Eds. Philadelphia: Lippincott Williams & Wilkins, 2008.
- [50] M. Le Van Quyen, J. Martinerie, M. Baulac, et al., “Anticipating epileptic seizure in real time by a nonlinear analysis of similarity between EEG recordings,” *Neuroreport*, vol. 10, pp. 2149–2155, 1999.

- [51] M. Le Van Quyen, C. Adam, J. Martinerie, M. Baulac, S. Clémenceau, and F. Varela, "Spatio-temporal characterization of non-linear changes in intracranial activities prior to human temporal lobe seizures," *Eur. J. Neurosci.*, vol. 12, pp. 2124–2134, 2000.
- [52] M. Le Van Quyen, J. Martinerie, V. Navarro, et al., "Anticipation of epileptic synchronization changes in long-term intracranial EEG recordings," *Clin. Neurophysiol.*, vol. 116, pp. 559–568, 2005.
- [53] B. Litt and K. Lehnertz, "Seizure prediction and the preseizure period," *Curr. Opin. Neurol.*, vol. 15, pp. 173–177, 2002.
- [54] B. Litt, R. Esteller, J. Echauz, et al., "Epileptic seizures may begin hours in advance of clinical onset: A report of five patients," *Neuron*, vol. 30, pp. 51–64, 2001.
- [55] F. Lopes Da Silva, W. Blanes, S. N. Kalitzin, J. Parra, P. Suffczynski, and D. N. Velis, "Epilepsies as dynamical diseases of brain systems: Basic models of the transition between normal and epileptic activity," *Epilepsia*, vol. 44, pp. 72–83, 2003.
- [56] J. Martinerie, C. Adam, M. Le Van Quyen, et al., "Epileptic seizures can be anticipated by non-linear analysis," *Nat. Med.*, vol. 2, pp. 9–18, 1998.
- [57] F. Mormann, R. G. Andrzejak, T. Kreuz, et al., "Automated detection of a pre-seizure state based on a decrease in synchronization in intracranial EEG recordings from epilepsy patients," *Phys. Rev. E*, vol. 67, p. 021912, 2003.
- [58] F. Mormann, T. Kreuz, C. Rieke, R. G. Andrejzak, A. P. D. Kraskov, C. Elger, and K. Lehnertz, "On the predictability of epileptic seizures," *Clin. Neurophysiol.*, vol. 116, no. 100, pp. 569–587, 2005.
- [59] V. Navarro, J. Martinerie, M. Le Van Quyen, et al., "Seizure anticipation: Do mathematical measures correlate with video-EEG evaluation," *Epilepsia*, vol. 46, pp. 385–396, 2005.
- [60] C. Niederhöfer, F. Gollas, and R. Tetzlaff, "EEG analysis by multi layer cellular nonlinear networks (CNN)," in *Proc. 2006 IEEE Conf. Biomedical Circuits and Systems (BioCAS 2006)*, 2006.
- [61] C. Niederhöfer and R. Tetzlaff, "Recent results on the prediction of EEG signals in epilepsy by discrete-time cellular neural networks (DTCNN)," in *Proc. Int. Symp. Circuits and Syst.*, Kobe, Japan, 2005.
- [62] A. V. Oppenheim, "Signal processing in the context of chaotic signals," in *Proc. IEEE ICASSP*, Mar. 1992.
- [63] I. Osorio, M. G. Frei, and S. B. Wilkinson, "Real-time automated detection and quantitative analysis of seizures and short-term predictions of clinical onset," *Epilepsia*, vol. 39, pp. 615–627, 1998.
- [64] J. Poikonen, M. Laiho, and A. Paasio, "MIPA4k: A 64×64 cell mixed-mode image processor array," in *Proc. IEEE Int. Symp. Circuits and Systems*, May 2009, pp. 1927–1930.
- [65] F. Puffer, R. Tetzlaff, and D. Wolf, "Modeling nonlinear systems with cellular neural networks," in *Proc. IEEE Int. Conf. Acoustics, Speech and Signal Processing*, Atlanta, GA, 1996.
- [66] M. P. Richardson, "New observations may inform seizure models: Very fast and very slow oscillations," *Prog. Biophys. Mol. Biol.*, vol. 105, pp. 5–13, 2011.
- [67] D. Rodriguez-Fernandez, D. L. Vilarino, and X. M. Pardo, "CNN implementation of a moving object segmentation approach for real-time video surveillance," in *Proc. 11th Int. Workshop Cellular Neural Networks and their Applications (CNNA 2008)*, Santiago de Compostela, Spain, July 2008, pp. 129–134.
- [68] A. Rodríguez-Vázquez, G. Liñán-Cembrano, L. Carranza, E. Roca-Moreno, R. Carmona-Galán, F. Jiménez-Garrido, R. Domínguez-Castro, and S. EspejoMeana, "ACE16k: The third generation of mixed-signal SIMD-CNN ACE chips toward VSoCs," *IEEE Trans. Circuits Syst. I, Reg. Papers*, vol. 51, no. 5, pp. 851–863, 2004.
- [69] T. Roska and L. O. Chua, "The CNN universal machine: An analog array computer," *IEEE Trans. Circuits Syst. II, Analog Digit. Signal Process.*, vol. 40, pp. 163–173, 1993.
- [70] C. E. Elger, B. Schelter, and K. Lehnertz, "Identification of preseizure states in epilepsy: A data-driven approach for multichannel EEG recordings," *Front. Comput. Neurosci.*, vol. 5, p. 32, 2011.



Explore the amazing world of engineers—all in one web site...

TryEngineering.org

- **See** the exciting work that engineers do
- **Learn** how engineers make a difference
- **Play** online games and challenges
- **Find** accredited engineering programs, summer camps, lesson plans and more

Visit www.tryengineering.org today!

Brought to you by IEEE, IBM and TryScience

