

2014 Index

Journal of Display Technology

Vol. 10

This index covers all technical items — papers, correspondence, reviews, etc. — that appeared in this periodical during 2014, and items from previous years that were commented upon or corrected in 2014. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Note that the item title is found only under the primary entry in the Author Index.

AUTHOR INDEX

A

- Abe, K.,** see Domen, K., *JDT Nov. 2014* 975-978
Abe, K., see Hanyu, Y., *JDT Nov. 2014* 979-983
Abu-Ageel, N., and Aslam, D., Laser-Driven Visible Solid-State Light Source for Etendue-Limited Applications; *JDT Aug. 2014* 700-703
Acharya, R., see Cao, X. A., *JDT July 2014* 548-552
Ahnoor, A., see Sun, C., *JDT Aug. 2014* 660-665
Akhtar, H., and Kakarala, R., A Methodology for Evaluating Accuracy of Capacitive Touch Sensing Grid Patterns; *JDT Aug. 2014* 672-682
Albani, L., see Choi, M., *JDT May 2014* 420-428
Algorri, J. F., Urruchi del Pozo, V., Sanchez-Pena, J. M., and Oton, J. M., An Autostereoscopic Device for Mobile Applications Based on a Liquid Crystal Microlens Array and an OLED Display; *JDT Sept. 2014* 713-720
Allonas, X., see Ibrahim, A., *JDT June 2014* 456-463
Alshammari, A. S., see Mills, C. A., *JDT Feb. 2014* 125-131
An, S., see Liang, H., *JDT Aug. 2014* 695-699
Aslam, D., see Abu-Ageel, N., *JDT Aug. 2014* 700-703
Avis, C., see Kim, Y. G., *JDT Nov. 2014* 939-944
Awatsuji, Y., see Xia, P., *JDT March 2014* 235-242
Awatsuji, Y., see Fujii, M., *JDT Feb. 2014* 132-137

B

- Badano, A.,** see Choi, M., *JDT May 2014* 420-428
Barquinha, P., see Valletta, A., *JDT Nov. 2014* 956-961
Bawolek, E. J., see Smith, J. T., *JDT June 2014* 514-520
Bernasconi, G., see Guillaumee, M., *JDT June 2014* 444-449
Brugger, J., see Guillaumee, M., *JDT June 2014* 444-449
Burini, N., Mantel, C., Nadernejad, E., Korhonen, J., Forchhammer, S., and Pedersen, J. M., Block-Based Gradient Descent for Local Backlight Dimming and Flicker Reduction; *JDT Jan. 2014* 71-79

C

- Cadarso, V. J.,** see Guillaumee, M., *JDT June 2014* 444-449
Cao, X. A., Acharya, R., and Li, X. M., Inverted Hybrid Inorganic–Organic Light-Emitting Diodes With Balanced Charge Injection; *JDT July 2014* 548-552
Carre, C., see Ibrahim, A., *JDT June 2014* 456-463
Cha, W.-J., Cho, Y.-W., Kwon, J.-M., and Kwon, B.-H., Single Power-Conversion LED Backlight Driving System With High Power Factor Control; *JDT May 2014* 407-413
Chae, H.-Y., see Kim, D.-S., *JDT April 2014* 299-307
Chan, M., see Wang, L., *JDT April 2014* 317-320
Chang, C., Xia, J., and Jiang, Y., Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation; *JDT Feb. 2014* 107-113

- Chang, C.-Y.,** see Hsu, H.-H., *JDT Oct. 2014* 875-881
Chang, H. T., see Deng, Q.-L., *JDT June 2014* 433-437
Chang, L. C., see Chen, P. H., *JDT March 2014* 204-207
Chang, L. M., see Chang, S.-J., *JDT Jan. 2014* 27-32
Chang, M.-M., see Lee, C.-T., *JDT April 2014* 293-298
Chang, S. J., see Chen, P. H., *JDT March 2014* 204-207
Chang, S.-J., Chang, L. M., Kuo, D. S., Ko, T. K., Hon, S. J., and Li, S., GaN-Based LEDs With Rough Surface and Selective KOH Etching; *JDT Jan. 2014* 27-32
Chang, S.-J., and Lin, Y.-Y., GaN-Based Light-Emitting Diodes With Staircase Electron Injector Structure; *JDT Feb. 2014* 162-166
Chang, S.-J., see Lam, K.-T., *JDT Dec. 2014* 1078-1082
Chang, T.-S., see Wang, G.-Z., *JDT Jan. 2014* 13-18
Chang, Y.-C., see Ma, C.-Y., *JDT June 2014* 488-493
Chang, Y.-Y., Ting, Z.-Y., Chen, C.-Y., Yang, T.-H., and Sun, C.-C., Design of Optical Module With High Stability, High Angular Color Uniformity, and Adjustable Light Distribution for Standard Lamps; *JDT March 2014* 223-227
Chang-Jian, S.-K., see Liao, H.-Y., *JDT Dec. 2014* 1083-1087
Chao, P. C.-P., see Lee, K.-Y., *JDT March 2014* 189-197
Chao, W.-C., see Wang, Y.-J., *JDT May 2014* 352-356
Chen, C. P., see Li, X., *JDT June 2014* 438-443
Chen, C.-F., and Kuo, S.-H., A Highly Directional Light Guide Plate Based on V-Groove Microstructure Cell; *JDT Dec. 2014* 1030-1035
Chen, C.-H., see Lee, Y.-H., *JDT Dec. 2014* 1106-1109
Chen, C.-T., see Cheng, C.-J., *JDT April 2014* 272-281
Chen, C.-W., Cho, M., Huang, Y.-P., and Javidi, B., Improved Viewing Zones for Projection Type Integral Imaging 3D Display Using Adaptive Liquid Crystal Prism Array; *JDT March 2014* 198-203
Chen, C.-Y., see Chang, Y.-Y., *JDT March 2014* 223-227
Chen, C.-Y., see Deng, Q.-L., *JDT June 2014* 433-437
Chen, F., see Lu, T., *JDT Feb. 2014* 146-150
Chen, F.-H., see Liou, J.-C., *JDT Aug. 2014* 629-634
Chen, H., see Lu, T., *JDT Feb. 2014* 146-150
Chen, H.-C., see Huang, K.-T., *JDT July 2014* 609-614
Chen, H.-Y., see Kao, W.-C., *JDT Feb. 2014* 138-145
Chen, M., see Zhan, H., *JDT Oct. 2014* 899-904
Chen, M.-S., Collings, N., Lin, H.-C., and Lin, Y.-H., A Holographic Projection System With an Electrically Adjustable Optical Zoom and a Fixed Location of Zeroth-Order Diffraction; *JDT June 2014* 450-455
Chen, M.-Y., see Su, C.-W., *JDT Aug. 2014* 683-687
Chen, P. H., Kuo, C.-H., Lai, W. C., Chen, Y. A., Chang, L. C., and Chang, S. J., GaN-Based Light-Emitting-Diode With a p-InGaN Layer; *JDT March 2014* 204-207
Chen, P.-C., see Hsu, H.-H., *JDT Oct. 2014* 875-881
Chen, S.-L., Enhanced Electrostatic Discharge Reliability in GaN-Based Light-Emitting Diodes by the Electrode Engineering; *JDT Oct. 2014* 807-813
Chen, S.-Y., see Chen, Y.-C., *JDT July 2014* 595-600
Chen, T.-H., see Wang, G.-Z., *JDT Jan. 2014* 13-18
Chen, W., see Yang, Y., *JDT Dec. 2014* 1064-1069
Chen, W.-D., see Lee, K.-Y., *JDT March 2014* 189-197
Chen, X., see Xiao, X., *JDT Aug. 2014* 688-694
Chen, X., see Xu, M., *JDT Feb. 2014* 151-156
Chen, X., see Ding, Q.-A., *JDT Nov. 2014* 909-916
Chen, X. Y., see Zhao, P. F., *JDT Oct. 2014* 847-852
Chen, Y. A., see Chen, P. H., *JDT March 2014* 204-207
Chen, Y.-C., Jiang, C.-J., Huang, J.-S., Chen, S.-Y., and Sun, C.-C., Imaging and Confocal Systems for in vivo Measurements of Human-Iris Spectral Reflectance; *JDT July 2014* 595-600
Chen, Y.-C., see Fan, Y.-C., *JDT Oct. 2014* 887-898
Chen, Z., Shi, J., Huang, X., Yun, L., and Tai, Y., Visual Comfort Modeling for Disparity in 3D Contents Based on Weber–Fechner’s Law; *JDT Dec. 2014* 1001-1009
Cheng, C.-H., Hsu, W.-L., Lin, C.-J., Pai, Y.-H., and Lin, G.-R., Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium; *JDT Oct. 2014* 814-820
Cheng, C.-H., see Hsu, H.-H., *JDT Oct. 2014* 875-881

- Cheng, C.-J.**, Hwang, W.-J., Zeng, H.-Y., and Lin, Y.-C., A Fragile Watermarking Algorithm for Hologram Authentication; *JDT April 2014* 263-271
Cheng, C.-J., Hwang, W.-J., Chen, C.-T., and Lai, X.-J., Efficient FPGA-Based Fresnel Transform Architecture for Digital Holography; *JDT April 2014* 272-281
Cheng, C.-P., *see* Hsu, H.-H., *JDT Oct. 2014* 875-881
Cheng, H.-H., *see* Lee, Y.-M., *JDT Jan. 2014* 57-70
Cheng, I.-C., *see* Ma, E.-H., *JDT Jan. 2014* 19-27
Cheng, I.-C., *see* Wei, W.-E., *JDT Dec. 2014* 1055-1063
Cheng, W.-C., *see* Choi, M., *JDT May 2014* 420-428
Cheng, Y.-W., *see* Luo, Z., *JDT March 2014* 208-214
Chi, C.-Y., *see* Lee, P.-J., *JDT July 2014* 560-567
Chigrinov, V. G., *see* Wu, D., *JDT Jan. 2014* 43-48
Chiou, P., *see* Hsu, H.-H., *JDT Oct. 2014* 875-881
Chiu, Y.-C., *see* Hsu, H.-H., *JDT Oct. 2014* 875-881
Cho, J., *see* Park, D., *JDT Dec. 2014* 1047-1054
Cho, M., *see* Chen, C.-W., *JDT March 2014* 198-203
Cho, Y.-W., *see* Cha, W.-J., *JDT May 2014* 407-413
Choi, M., Wang, J., Cheng, W.-C., Ramponi, G., Albani, L., and Badano, A., Effect of Veiling Glare on Detectability in High-Dynamic-Range Medical Images; *JDT May 2014* 420-428
Choi, S. H., Kim, H., Shin, K.-C., Kim, H., and Song, J.-K., Perceived Color Impression for Spatially Mixed Colors; *JDT April 2014* 282-287
Choi, T.-H., Kim, J.-W., and Yoon, T.-H., Sub-Millisecond Switching of Hybrid-Aligned Nematic Liquid Crystals; *JDT Dec. 2014* 1088-1092
Choi, W.-K., *see* Hou, S.-L., *JDT March 2014* 228-234
Chou, C., *see* Yu, C.-J., *JDT Sept. 2014* 758-765
Chou, J.-C., Liu, C.-Y., Yang, C.-J., and Liao, Y.-H., Fabrication and Characteristic Analysis of Arrayed Electrochromic Display Based on Tertiary Colors; *JDT Oct. 2014* 853-861
Chou, J.-C., Ho, P.-A., Yang, C.-J., and Liao, Y.-H., Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film; *JDT Oct. 2014* 821-826
Chou, S.-Y., *see* Fan, Y.-C., *JDT Oct. 2014* 887-898
Christen, J. B., *see* Smith, J. T., *JDT June 2014* 514-520
Chu, P., *see* Li, Y., *JDT April 2014* 321-328
Cole, M. T., *see* Lee, J., *JDT May 2014* 362-366
Collings, N., *see* Chen, M.-S., *JDT June 2014* 450-455
Cui, Q., Gu, C., Liu, J., Feng, L., Wang, S.-D., and Guo, X., Threshold Voltage Extraction in the Saturation Regime Insensitive to the Contact Properties for Organic Thin-Film Transistors; *JDT July 2014* 615-618
Cui, Q., *see* Liu, W., *JDT Dec. 2014* 991-994
Cui, Z., *see* Li, R., *JDT Dec. 2014* 1010-1023

D

- Dang, S.**, *see* Sun, P., *JDT Dec. 2014* 1101-1105
Date, M., *see* Ozawa, S., *JDT Feb. 2014* 87-93
de Bougrenet de la Roquene, J.-L., *see* Silva, V. N. H., *JDT July 2014* 540-547
de la Riviere, J.-B., *see* Silva, V. N. H., *JDT July 2014* 540-547
Deng, H., *see* Li, S.-L., *JDT Aug. 2014* 704-709
Deng, Q.-L., Lin, B.-S., Chang, H. T., Huang, G.-S., and Chen, C.-Y., MGSA-Type Computer-Generated Holography for Vision Training With Head-Mounted Display; *JDT June 2014* 433-437
Dey, R., *see* Pandey, A., *JDT June 2014* 494-499
Ding, Q., *see* Yue, Q., *JDT Dec. 2014* 1070-1077
Ding, Q.-A., Li, K., Kong, F., Chen, X., and Zhao, J., Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals; *JDT Nov. 2014* 909-916
Ding, W.-X., *see* Wang, Y.-J., *JDT May 2014* 352-356
Domen, K., Miyase, T., Abe, K., Hosono, H., and Kamiya, T., Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence; *JDT Nov. 2014* 975-978
Domen, K., *see* Hanyu, Y., *JDT Nov. 2014* 979-983
Du, C., *see* Lu, T., *JDT Feb. 2014* 146-150
Du, S., *see* Li, Y., *JDT April 2014* 321-328
du Plessis, M., *see* Venter, P. J., *JDT Sept. 2014* 721-728

E

- EI Saddik, A.**, *see* Zhang, L., *JDT Aug. 2014* 647-659
Emerson, N. G., *see* Mills, C. A., *JDT Feb. 2014* 125-131

+ Check author entry for coauthors

- Emoto, M.**, Kusakabe, Y., and Sugawara, M., High-Frame-Rate Motion Picture Quality and Its Independence of Viewing Distance; *JDT Aug. 2014* 635-641
Esna Ashari, Z., Kavehvash, Z., and Mehrany, K., Diffraction Influence on the Field of View and Resolution of Three-Dimensional Integral Imaging; *JDT July 2014* 553-559
Ezhov, V. A., Distant Binocular Filters for Full-Resolution Autostereoscopic Viewing and for Single-Aperture Stereo Glasses; *JDT Feb. 2014* 114-119

F

- Fan, H.**, *see* Liang, H., *JDT Aug. 2014* 695-699
Fan, K., *see* Lei, J., *JDT May 2014* 373-379
Fan, Y.-C., Chen, Y.-C., and Chou, S.-Y., Vivid-DIBR Based 2D-3D Image Conversion System for 3D Display; *JDT Oct. 2014* 887-898
Fang, X., *see* Lu, Q., *JDT Sept. 2014* 775-784
Fang, Y., *see* Lu, T., *JDT Feb. 2014* 146-150
Fang, Y. T., *see* Hwu, K. I., *JDT March 2014* 171-181
Fang, Y.-C., Tzeng, Y.-F., and Wu, K.-Y., A Study of Integrated Optical Design and Optimization for LED Backlight Module With Prism Patterns; *JDT Oct. 2014* 840-846
Feng, L., *see* Cui, Q., *JDT July 2014* 615-618
Feng, L., Zhao, J., Tang, W., Xu, X., and Guo, X., Solution Processed Organic Thin-Film Transistors With Hybrid Low/High Voltage Operation; *JDT Nov. 2014* 971-974
Feng, S., *see* Qiang, W., *JDT Sept. 2014* 785-791
Forchhammer, S., *see* Burini, N., *JDT Jan. 2014* 71-79
Fortunato, E., *see* Valletta, A., *JDT Nov. 2014* 956-961
Fortunato, G., *see* Valletta, A., *JDT Nov. 2014* 956-961
Fujii, M., Tahara, T., Xia, P., Kakue, T., Awatsuji, Y., Nishio, K., Ura, S., Kubota, T., and Matoba, O., A4-Sized Parallel Phase-Shifting Digital Holography System; *JDT Feb. 2014* 132-137
Fujikake, H., *see* Tsuji, H., *JDT Feb. 2014* 101-106
Fujisaki, Y., *see* Tsuji, H., *JDT Feb. 2014* 101-106
Fujita, Y., *see* Morisaki, S., *JDT Nov. 2014* 950-955
Furuta, M., Kawaharamura, T., Uchida, T., Wang, D., and Sanada, M., High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition; *JDT Nov. 2014* 934-938
Furuyama, S., Tahara, K., Iwasaki, T., Matsutani, A., and Hatano, M., Fluorinated Graphene FETs Controlled by Ionic Liquid Gate; *JDT Nov. 2014* 962-965

G

- Gan, Z.**, *see* Li, R., *JDT Dec. 2014* 1010-1023
Gao, H., *see* Li, X., *JDT June 2014* 438-443
Gao, W., *see* Xu, M., *JDT Feb. 2014* 151-156
Gao, W. H., *see* Zhao, P. F., *JDT Oct. 2014* 847-852
Gao, X., *see* Guo, K., *JDT Aug. 2014* 642-646
Gao, Y., *see* Luo, Z., *JDT Dec. 2014* 987-990
Ghosh, S., *see* Karar, V., *JDT July 2014* 582-589
Gordan, M., *see* Navarro, H., *JDT July 2014* 601-608
Grossenbacher, J., *see* Guillaumee, M., *JDT June 2014* 444-449
Gu, C., *see* Cui, Q., *JDT July 2014* 615-618
Gui, K., *see* Zheng, J., *JDT March 2014* 215-222
Guillaumee, M., Vahdati, S. P., Tremblay, E., Mader, A., Bernasconi, G., Cadarso, V. J., Grossenbacher, J., Brugger, J., Sprague, R., and Moser, C., Curved Holographic Combiner for Color Head Worn Display; *JDT June 2014* 444-449
Guo, C., *see* Zheng, J., *JDT March 2014* 215-222
Guo, K., Zhang, J., Xu, T., Gao, X., and Wei, B., High-Efficiency Near Ultraviolet and Blue Organic Light-Emitting Diodes Using Star-Shaped Material as Emissive and Hosting Molecules; *JDT Aug. 2014* 642-646
Guo, X., *see* Cui, Q., *JDT July 2014* 615-618
Guo, X., *see* Feng, L., *JDT Nov. 2014* 971-974
Guo, X., *see* Xu, X., *JDT Nov. 2014* 928-933
Guo, X., *see* Liu, W., *JDT Dec. 2014* 991-994

H

- Hammer, M.**, and Hinnen, K. J. G., Local Luminance Boosting of an RGBW LCD; *JDT Jan. 2014* 33-42

- Han, C.-Y.,** see Wei, W.-E., *JDT Dec. 2014 1055-1063*
- Han, D.,** see Wang, L., *JDT April 2014 317-320*
- Han, X.,** see Yang, Y., *JDT Dec. 2014 1064-1069*
- Hanyu, Y.,** Abe, K., Domen, K., Nomura, K., Hiramatsu, H., Kumomi, H., Hosono, H., and Kamiya, T., Effects of High-Temperature Annealing on Operation Characteristics of a-In-Ga-Zn-O TFTs; *JDT Nov. 2014 979-983*
- Hatano, M.,** see Furuyama, S., *JDT Nov. 2014 962-965*
- Hayashi, S.,** see Morisaki, S., *JDT Nov. 2014 950-955*
- He, G.,** see Li, X., *JDT June 2014 438-443*
- He, G.-F.,** see Wang, Y.-J., *JDT May 2014 352-356*
- He, Q.-H.,** see Wang, Q., *JDT Sept. 2014 766-774*
- He, Z.,** see Li, X., *JDT June 2014 438-443*
- Heynderickx, I.,** see Yang, H., *JDT June 2014 470-477*
- Higashi, S.,** see Morisaki, S., *JDT Nov. 2014 950-955*
- Hinnen, K. J. G.,** see Hammer, M., *JDT Jan. 2014 33-42*
- Hiramatsu, H.,** see Hanyu, Y., *JDT Nov. 2014 979-983*
- Ho, C.-H.,** Lu, C., and Roy, K., An Enhanced Voltage Programming Pixel Circuit for Compensating GB-Induced Variations in Poly-Si TFTs for AMOLED Displays; *JDT May 2014 345-351*
- Ho, J.-R.,** see Liao, H.-Y., *JDT Dec. 2014 1083-1087*
- Ho, P.-A.,** see Chou, J.-C., *JDT Oct. 2014 821-826*
- Hon, S. J.,** see Chang, S.-J., *JDT Jan. 2014 27-32*
- Hong, M. J.,** see Hwu, K. I., *JDT May 2014 388-395*
- Hong, Q.,** see Liu, Y., *JDT Jan. 2014 3-6*
- Hong, T.,** see Zhou, M., *JDT June 2014 500-507*
- Hosono, H.,** see Domen, K., *JDT Nov. 2014 975-978*
- Hosono, H.,** see Hanyu, Y., *JDT Nov. 2014 979-983*
- Hou, C.,** see Lei, J., *JDT May 2014 373-379*
- Hou, S.-L.,** Choi, W.-K., and Su, G.-D. J., Ultra-Bright Heads-Up Displays Using a Method of Projected Color Images by Combination of LEDs and Polymer-Dispersed Liquid Crystals; *JDT March 2014 228-234*
- Hsieh, C.-T.,** Li, G.-Y., Wu, T.-T., Huang, C.-Y., Tien, C.-J., Lo, K.-Y., and Lin, C.-H., Twisted Nematic Dual-View Liquid Crystal Display Based on Patterned Electrodes; *JDT June 2014 464-469*
- Hsieh, K.-S.,** see Wang, Y.-C., *JDT Sept. 2014 729-736*
- Hsu, H.-H.,** Chang, C.-Y., Cheng, C.-H., Chen, P.-C., Chiu, Y.-C., Chiou, P., and Cheng, C.-P., High Mobility Field-Effect Thin Film Transistor Using Room-Temperature High- κ Gate Dielectrics; *JDT Oct. 2014 875-881*
- Hsu, K.-C.,** see Yu, C.-J., *JDT Sept. 2014 758-765*
- Hsu, W.-L.,** see Cheng, C.-H., *JDT Oct. 2014 814-820*
- Hsu, Y.-P.,** see Lee, K.-Y., *JDT March 2014 189-197*
- Hu, G.,** see Yang, Y., *JDT Dec. 2014 1064-1069*
- Hu, G.,** see Yang, Y., *JDT Dec. 2014 1064-1069*
- Hu, W.,** see Li, X., *JDT June 2014 438-443*
- Hu, X.,** and Hua, H., Design and Assessment of a Depth-Fused Multi-Focal-Plane Display Prototype; *JDT April 2014 308-316*
- Hua, H.,** see Hu, X., *JDT April 2014 308-316*
- Huang, B.-S.,** see Wang, Y.-C., *JDT Sept. 2014 729-736*
- Huang, C.-Y.,** see Hsieh, C.-T., *JDT June 2014 464-469*
- Huang, G.-S.,** see Deng, Q.-L., *JDT June 2014 433-437*
- Huang, J.-J.,** see Wei, W.-E., *JDT Dec. 2014 1055-1063*
- Huang, J.-S.,** see Chen, Y.-C., *JDT July 2014 595-600*
- Huang, K.-C.,** see Lee, Y.-H., *JDT Dec. 2014 1106-1109*
- Huang, K.-T.,** and Chen, H.-C., Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry; *JDT July 2014 609-614*
- Huang, T.-Y.,** see Lee, K.-H., *JDT Nov. 2014 966-970*
- Huang, X.,** see Chen, Z., *JDT Dec. 2014 1001-1009*
- Huang, Y.-P.,** see Wang, G.-Z., *JDT Jan. 2014 13-18*
- Huang, Y.-P.,** see Chen, C.-W., *JDT March 2014 198-203*
- Huang, Y.-P.,** see Ma, C.-Y., *JDT June 2014 488-493*
- Hung, C.-H.,** see Yu, C.-J., *JDT Sept. 2014 758-765*
- Hwang, H. R.,** see Kim, Y. G., *JDT Nov. 2014 939-944*
- Hwang, W.-J.,** see Cheng, C.-J., *JDT April 2014 263-271*
- Hwang, W.-J.,** see Cheng, C.-J., *JDT April 2014 272-281*
- Hwu, K. I.,** Tu, W. C., and Fang, Y. T., Dimmable AC LED Driver With Efficiency Improved Based on Switched LED Module; *JDT March 2014 171-181*
- Hwu, K. I.,** Tu, W. C., and Hong, M. J., A Dimmable LED Driver Based on Current Balancing Transformer With Magnetizing Energy Recycling Considered; *JDT May 2014 388-395*

I

Ibrahim, A., Ley, C., Allonas, X., Carre, C., and Pillin, I., Tailoring 3-Component Photoinitiating Systems for Use as Efficient Photopolymerizable Holographic Material; *JDT June 2014 456-463*

Ishihara, R., see Zhang, J., *JDT Nov. 2014 945-949*

Ishikawa, Y., Uehira, K., and Yanaka, K., Tolerance Evaluation for Defocused Images to Optical Watermarking Technique; *JDT Feb. 2014 94-100*

Ishinabe, T., see Ozawa, S., *JDT Feb. 2014 87-93*

Ito, Y., see Xia, P., *JDT March 2014 235-242*

Iwasaki, T., see Furuyama, S., *JDT Nov. 2014 962-965*

J

Jang, J., see Kim, Y. G., *JDT Nov. 2014 939-944*

Javidi, B., see Xiao, X., *JDT Aug. 2014 688-694*

Javidi, B., see Chen, C.-W., *JDT March 2014 198-203*

Javidi, B., see Navarro Fructuoso, H., *JDT April 2014 255-262*

Jeon, G., see Wang, J., *JDT May 2014 414-419*

Jeon, G., see Wu, J., *JDT Sept. 2014 746-753*

Jeon, S., see Nathan, A., *JDT Nov. 2014 917-927*

Jeong, J., see Wang, J., *JDT May 2014 414-419*

Ji, C.-C., see Li, S.-L., *JDT Aug. 2014 704-709*

Jia, H., see Lu, T., *JDT Feb. 2014 146-150*

Jiang, C., see Liu, W., *JDT Dec. 2014 991-994*

Jiang, C.-J., see Chen, Y.-C., *JDT July 2014 595-600*

Jiang, Y., see Chang, C., *JDT Feb. 2014 107-113*

Jiang, Y., see Lu, T., *JDT Feb. 2014 146-150*

Jiao, S., see Zhou, M., *JDT June 2014 500-507*

Jin, X.-L., see Zhu, Z.-M., *JDT Jan. 2014 7-12*

Jo, S.-H., see Kim, D.-S., *JDT April 2014 299-307*

Joo, B.-Y., and Ko, J.-H., Development of a Ray-Tracing Optical Simulation Model of Plasma Display Panel; *JDT Jan. 2014 49-56*

K

Kakarala, R., see Akhtar, H., *JDT Aug. 2014 672-682*

Kakue, T., see Xia, P., *JDT March 2014 235-242*

Kakue, T., see Fujii, M., *JDT Feb. 2014 132-137*

Kamiya, T., see Domen, K., *JDT Nov. 2014 975-978*

Kamiya, T., see Hanyu, Y., *JDT Nov. 2014 979-983*

Kang, S.-J., HSI-Based Color Error-Aware Subpixel Rendering Technique; *JDT April 2014 251-254*

Kang, S.-J., SSIM Preservation-Based Backlight Dimming; *JDT April 2014 247-250*

Kang, S.-J., and Kim, Y. H., Segmentation-Based Clipped Error Control Algorithm for Global Backlight Dimming; *JDT July 2014 568-573*

Kang, S.-J., see Yoo, D.-G., *JDT Oct. 2014 867-874*

Kanicki, J., see Kim, Y., *JDT May 2014 402-406*

Kano, M., see Ozawa, S., *JDT Feb. 2014 87-93*

Kao, W.-C., Chen, H.-Y., Liu, Y.-H., and Liou, S.-C., Hardware Engine for Supporting Gray-Tone Paintbrush Function on Electrophoretic Papers; *JDT Feb. 2014 138-145*

Karar, V., and Ghosh, S., Attention Tunneling: Effects of Limiting Field of View Due to Beam Combiner Frame of Head-Up Display; *JDT July 2014 582-589*

Kavehavash, Z., see Esna Ashari, Z., *JDT July 2014 553-559*

Kawaharamura, T., see Furuta, M., *JDT Nov. 2014 934-938*

Kawakami, T., see Ozawa, S., *JDT Feb. 2014 87-93*

Kim, D.-S., Chae, H.-Y., Jo, S.-H., and Kwon, O.-K., A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder; *JDT April 2014 299-307*

Kim, D.-S., Lee, S.-E., Nam, S.-J., and Kwon, O.-K., A Power-Efficient Driving Method for In-Plane Switching-Mode TFT-LCD Using a Negative Liquid Crystal; *JDT Dec. 2014 1093-1100*

Kim, H., see Choi, S. H., *JDT April 2014 282-287*

Kim, H., see Choi, S. H., *JDT April 2014 282-287*

Kim, H.-S., see Yoo, D.-G., *JDT Oct. 2014 867-874*

Kim, J., see Xiao, X., *JDT Aug. 2014 688-694*

Kim, J.-W., see Choi, T.-H., *JDT Dec. 2014 1088-1092*

Kim, J.-Y., see Zhou, M., *JDT June 2014 500-507*

- Kim, S. Y.**, and Roy, K. R., A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology; *JDT Dec. 2014 1110-1114*
- Kim, T. G.**, *see* Park, D., *JDT Dec. 2014 1047-1054*
- Kim, T. W.**, *see* Kim, Y. G., *JDT Nov. 2014 939-944*
- Kim, W.**, *see* Zhan, H., *JDT Oct. 2014 899-904*
- Kim, Y.**, and Lee, H., A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio; *JDT Jan. 2014 80-83*
- Kim, Y.**, *see* Kim, Y., *JDT Jan. 2014 80-83*
- Kim, Y.**, Kanicki, J., and Lee, H., An a-InGaZnO TFT Pixel Circuit Compensating Threshold Voltage and Mobility Variations in AMOLEDs; *JDT May 2014 402-406*
- Kim, Y.**, and Lee, H., A Novel p-Type LTPS TFT Pixel Circuit Compensating for Threshold Voltage and Mobility Variations; *JDT Dec. 2014 995-1000*
- Kim, Y.**, *see* Kim, Y., *JDT Dec. 2014 995-1000*
- Kim, Y. G.**, Avis, C., Hwang, H. R., Kim, T. W., Seol, Y. G., and Jang, J., Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process; *JDT Nov. 2014 939-944*
- Kim, Y. H.**, *see* Kang, S.-J., *JDT July 2014 568-573*
- Kim, Y. H.**, *see* Yoo, D.-G., *JDT Oct. 2014 867-874*
- Ko, J.-H.**, *see* Joo, B.-Y., *JDT Jan. 2014 49-56*
- Ko, T. K.**, *see* Chang, S.-J., *JDT Jan. 2014 27-32*
- Kong, F.**, *see* Ding, Q.-A., *JDT Nov. 2014 909-916*
- Kong, F.**, *see* Yue, Q., *JDT Dec. 2014 1070-1077*
- Korhonen, J.**, *see* Burini, N., *JDT Jan. 2014 71-79*
- Krebs, P.**, *see* Liang, H., *JDT Aug. 2014 695-699*
- Kubota, T.**, *see* Xia, P., *JDT March 2014 235-242*
- Kubota, T.**, *see* Fujii, M., *JDT Feb. 2014 132-137*
- Kumar, M. J.**, *see* Nadda, K., *JDT July 2014 590-594*
- Kumomi, H.**, *see* Hanyu, Y., *JDT Nov. 2014 979-983*
- Kuo, C.-H.**, *see* Chen, P. H., *JDT March 2014 204-207*
- Kuo, D. S.**, *see* Chang, S.-J., *JDT Jan. 2014 27-32*
- Kuo, K.-T.**, *see* Lee, P.-J., *JDT July 2014 560-567*
- Kuo, S.-H.**, *see* Chen, C.-F., *JDT Dec. 2014 1030-1035*
- Kusakabe, Y.**, *see* Emoto, M., *JDT Aug. 2014 635-641*
- Kwon, B.-H.**, *see* Cha, W.-J., *JDT May 2014 407-413*
- Kwon, J.-M.**, *see* Cha, W.-J., *JDT May 2014 407-413*
- Kwon, O.-K.**, *see* Kim, D.-S., *JDT April 2014 299-307*
- Kwon, O.-K.**, *see* Kim, D.-S., *JDT Dec. 2014 1093-1100*

L

- Lai, J. C. S.**, *see* Lee, J., *JDT May 2014 362-366*
- Lai, W. C.**, *see* Chen, P. H., *JDT March 2014 204-207*
- Lai, X.-J.**, *see* Cheng, C.-J., *JDT April 2014 272-281*
- Lam, K.-T.**, and Chang, S.-J., GaN-Based LEDs With Hot/Cold Factor Improved by the Electron Blocking Layer; *JDT Dec. 2014 1078-1082*
- Lan, Y.**, *see* Liu, Y., *JDT Jan. 2014 3-6*
- Lee, C.-H.**, *see* Papadopoulos, N. P., *JDT July 2014 574-581*
- Lee, C.-H.**, *see* Ma, S.-H., *JDT Dec. 2014 1036-1041*
- Lee, C.-T.**, Lin, Y.-H., Chang, M.-M., and Lee, H.-Y., Investigation of Amorphous Indium Zinc Oxide Thin Film Transistors Grown by Triple-Targets Magnetron Co-Sputtering; *JDT April 2014 293-298*
- Lee, C.-T.**, *see* Lee, H.-Y., *JDT Sept. 2014 792-796*
- Lee, H.**, *see* Kim, Y., *JDT Jan. 2014 80-83*
- Lee, H.**, *see* Kim, Y., *JDT May 2014 402-406*
- Lee, H.**, *see* Kim, Y., *JDT Dec. 2014 995-1000*
- Lee, H.-N.**, Song, B.-J., and Park, J. C., Fabrication of p-Channel Amorphous Tin Oxide Thin-Film Transistors Using a Thermal Evaporation Process; *JDT April 2014 288-292*
- Lee, H.-Y.**, *see* Lee, C.-T., *JDT April 2014 293-298*
- Lee, H.-Y.**, Ye, W.-Y., Lin, Y.-H., and Lee, C.-T., Performance Investigation of Amorphous InGaZnO Flexible Thin-Film Transistors Deposited on PET Substrates; *JDT Sept. 2014 792-796*
- Lee, J.**, Cole, M. T., Lai, J. C. S., and Nathan, A., An Analysis of Electrode Patterns in Capacitive Touch Screen Panels; *JDT May 2014 362-366*
- Lee, K.-H.**, Lin, H.-C., and Huang, T.-Y., Fabrication of High-Performance Poly-Si Thin-Film Transistors With Sub-Lithographic Channel Dimensions; *JDT Nov. 2014 966-970*
- Lee, K.-Y.**, Hsu, Y.-P., Chao, P. C.-P., and Chen, W.-D., A New Compensation Method for Emission Degradation in an AMOLED Display Via an External Algorithm, New Pixel Circuit, and Models of Prior Measurements; *JDT March 2014 189-197*

- Lee, P.-J.**, Kuo, K.-T., and Chi, C.-Y., An Adaptive Error Concealment Method Based on Fuzzy Reasoning for Multi-View Video Coding; *JDT July 2014 560-567*
- Lee, S.**, *see* Sun, C., *JDT Aug. 2014 660-665*
- Lee, S.**, *see* Nathan, A., *JDT Nov. 2014 917-927*
- Lee, S.**, *see* Zhan, H., *JDT Oct. 2014 899-904*
- Lee, S.-E.**, *see* Kim, D.-S., *JDT Dec. 2014 1093-1100*
- Lee, W.**, *see* Lee, Y.-H., *JDT Dec. 2014 1106-1109*
- Lee, Y.-H.**, *see* Luo, Z., *JDT Dec. 2014 987-990*
- Lee, Y.-H.**, Huang, K.-C., Lee, W., and Chen, C.-H., Low-Power Displays With Dye-Doped Bistable Chiral-Tilted Homeotropic Nematic Liquid Crystals; *JDT Dec. 2014 1106-1109*
- Lee, Y.-K.**, *see* Smith, J. T., *JDT June 2014 514-520*
- Lee, Y.-M.**, Cheng, H.-H., Li, J.-H., Tsai, K.-Y., and Sheng, Y.-T., Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties; *JDT Jan. 2014 57-70*
- Lei, J.**, Li, S., Wang, B., Fan, K., and Hou, C., Stereoscopic Visual Attention Guided Disparity Control for Multiview Images; *JDT May 2014 373-379*
- Lei, Q.**, Rao, H., Wang, X., Zhou, D., Li, C., Zhang, Q., Zhou, C., and Zhang, W., Self-Adaptive Structure of Remote Phosphor for Phosphor-Converted White LEDs; *JDT Dec. 2014 1042-1046*
- Lei, W.**, *see* Zhang, Y., *JDT Aug. 2014 623-628*
- Ley, C.**, *see* Ibrahim, A., *JDT June 2014 456-463*
- Li, C.**, *see* Lei, Q., *JDT Dec. 2014 1042-1046*
- Li, C.**, *see* Sun, P., *JDT Dec. 2014 1101-1105*
- Li, D.-H.**, *see* Lv, G.-J., *JDT Feb. 2014 120-124*
- Li, G.-M.**, *see* Wu, W.-J., *JDT July 2014 523-525*
- Li, G.-Y.**, *see* Hsieh, C.-T., *JDT June 2014 464-469*
- Li, H.**, *see* Li, X., *JDT June 2014 438-443*
- Li, H.-Y.**, *see* Ma, E.-H., *JDT Jan. 2014 19-27*
- Li, H.-Y.**, *see* Wei, W.-E., *JDT Dec. 2014 1055-1063*
- Li, J. C.-M.**, *see* Ma, E.-H., *JDT Jan. 2014 19-27*
- Li, J. C.-M.**, *see* Wei, W.-E., *JDT Dec. 2014 1055-1063*
- Li, J.-H.**, *see* Lee, Y.-M., *JDT Jan. 2014 57-70*
- Li, K.**, *see* Ding, Q.-A., *JDT Nov. 2014 909-916*
- Li, K.**, *see* Yue, Q., *JDT Dec. 2014 1070-1077*
- Li, P.**, *see* Sun, Y., *JDT Sept. 2014 797-801*
- Li, P.**, *see* Li, Y., *JDT Oct. 2014 827-831*
- Li, P.**, *see* Sun, Y., *JDT June 2014 484-487*
- Li, R.**, Gan, Z., Cui, Z., Tang, G., and Zhu, X., Multi-Channel Mixed-Pattern Based Frame Rate Up-Conversion Using Spatio-Temporal Motion Vector Refinement and Dual-Weighted Overlapped Block Motion Compensation; *JDT Dec. 2014 1010-1023*
- Li, S.**, *see* Chang, S.-J., *JDT Jan. 2014 27-32*
- Li, S.**, *see* Lei, J., *JDT May 2014 373-379*
- Li, S.-L.**, Wang, Q.-H., Xiong, Z.-L., Deng, H., and Ji, C.-C., Multiple Orthographic Frustum Combining for Real-Time Computer-Generated Integral Imaging System; *JDT Aug. 2014 704-709*
- Li, T.**, *see* Wang, Q., *JDT Sept. 2014 766-774*
- Li, T.**, *see* Sun, P., *JDT Dec. 2014 1101-1105*
- Li, W.**, *see* Zhou, M., *JDT June 2014 500-507*
- Li, X.**, *see* Zhang, Y., *JDT Aug. 2014 623-628*
- Li, X.**, Chen, C. P., Gao, H., He, Z., Xiong, Y., Li, H., Hu, W., Ye, Z., He, G., Lu, J., and Su, Y., Video-Rate Holographic Display Using Azo-Dye-Doped Liquid Crystal; *JDT June 2014 438-443*
- Li, X. M.**, *see* Cao, X. A., *JDT July 2014 548-552*
- Li, Y.**, Chu, P., Liu, J., and Du, S., A Novel Partitioned Light Guide Backlight LCD for Mobile Devices and Local Dimming Method With Nonuniform Backlight Compensation; *JDT April 2014 321-328*
- Li, Y.**, *see* Sun, Y., *JDT Sept. 2014 797-801*
- Li, Y.**, Sun, Y., Zhao, Y., Li, P., and Ma, H., A Continuous Viewing Angle Controllable Blue Phase Liquid Crystal Display; *JDT Oct. 2014 827-831*
- Li, Y.**, *see* Sun, Y., *JDT June 2014 484-487*
- Liang, H.**, An, S., Wang, J., Zhou, Y., Fan, H., Krebs, P., and Zhou, J., Optimizing Time-Multiplexing Auto-Stereoscopic Displays With a Genetic Algorithm; *JDT Aug. 2014 695-699*
- Liang, J.-L.**, *see* Zang, S.-F., *JDT Oct. 2014 882-886*
- Liao, C.-C.**, *see* Lo, Y.-L., *JDT June 2014 478-483*
- Liao, H.-Y.**, Ho, J.-R., and Chang-Jian, S.-K., Fabrication of Carbon Nanotube Field-Emission Cathodes by Laser-Induced Transfer of Carbon Nanotubes and Silver Paste; *JDT Dec. 2014 1083-1087*
- Liao, Y.-H.**, *see* Chou, J.-C., *JDT Oct. 2014 853-861*
- Liao, Y.-H.**, *see* Chou, J.-C., *JDT Oct. 2014 821-826*

- Lin, B.-S.**, *see* Deng, Q.-L., *JDT June 2014* 433-437
- Lin, C.-H.**, *see* Hsieh, C.-T., *JDT June 2014* 464-469
- Lin, C.-J.**, *see* Cheng, C.-H., *JDT Oct. 2014* 814-820
- Lin, C.-Y.**, *see* Wang, S.-Y., *JDT Dec. 2014* 1024-1029
- Lin, G.-R.**, *see* Cheng, C.-H., *JDT Oct. 2014* 814-820
- Lin, H.-C.**, *see* Lee, K.-H., *JDT Nov. 2014* 966-970
- Lin, H.-C.**, *see* Chen, M.-S., *JDT June 2014* 450-455
- Lin, L.**, *see* Zhan, H., *JDT Oct. 2014* 899-904
- Lin, X.**, *see* Yang, Y., *JDT Dec. 2014* 1064-1069
- Lin, Y.**, *see* Yang, Y., *JDT Dec. 2014* 1064-1069
- Lin, Y.-C.**, *see* Cheng, C.-J., *JDT April 2014* 263-271
- Lin, Y.-H.**, *see* Lee, C.-T., *JDT April 2014* 293-298
- Lin, Y.-H.**, *see* Lee, H.-Y., *JDT Sept. 2014* 792-796
- Lin, Y.-H.**, *see* Chen, M.-S., *JDT June 2014* 450-455
- Lin, Y.-Y.**, *see* Chang, S.-J., *JDT Feb. 2014* 162-166
- Liou, J.-C.**, Yang, C.-F., and Chen, F.-H., Dynamic LED Backlight 2D/3D Switchable Autostereoscopic Multi-View Display; *JDT Aug. 2014* 629-634
- Liou, S.-C.**, *see* Kao, W.-C., *JDT Feb. 2014* 138-145
- Liu, C.-N.**, *see* Wei, W.-E., *JDT Dec. 2014* 1055-1063
- Liu, C.-Y.**, *see* Chou, J.-C., *JDT Oct. 2014* 853-861
- Liu, J.**, *see* Wang, Y.-J., *JDT May 2014* 352-356
- Liu, J.**, *see* Li, Y., *JDT April 2014* 321-328
- Liu, J.**, *see* Cui, Q., *JDT July 2014* 615-618
- Liu, L.**, *see* Yang, H., *JDT June 2014* 470-477
- Liu, M.**, *see* Yang, Y., *JDT Dec. 2014* 1064-1069
- Liu, S.-Y.**, *see* Zhong, E.-W., *JDT May 2014* 357-361
- Liu, W.**, Yao, G., Jiang, C., Cui, Q., and Guo, X., A New Voltage Driving Scheme to Suppress Non-Idealities of Polycrystalline Thin-Film Transistors for AMOLED Displays; *JDT Dec. 2014* 991-994
- Liu, Y.**, Lan, Y., Hong, Q., and Wu, S.-T., Compensation Film Designs for High Contrast Wide-View Blue Phase Liquid Crystal Displays; *JDT Jan. 2014* 3-6
- Liu, Y.**, *see* Yang, Y., *JDT Dec. 2014* 1064-1069
- Liu, Y.**, *see* Luo, Z., *JDT Dec. 2014* 987-990
- Liu, Y.-H.**, *see* Kao, W.-C., *JDT Feb. 2014* 138-145
- Lo, K.-Y.**, *see* Hsieh, C.-T., *JDT June 2014* 464-469
- Lo, Y.-L.**, Yang, T.-T., and Liao, C.-C., Extracting the Physical Optical Parameters of TNLC Cell Using Effective Parameters and Stokes Polarimetry Method; *JDT June 2014* 478-483
- Lu, C.**, *see* Ho, C.-H., *JDT May 2014* 345-351
- Lu, H.**, Zhang, J., Song, Z., Zhang, G., Wang, X., Qiu, L., and Lv, G., Sub-millisecond-Response Light Shutter for Solid-State Volumetric 3D Display Based on Polymer-Stabilized Cholesteric Texture; *JDT May 2014* 396-401
- Lu, J.**, *see* Li, X., *JDT June 2014* 438-443
- Lu, J.-G.**, *see* Tan, J., *JDT Feb. 2014* 157-161
- Lu, J.-G.**, *see* Wang, Y.-J., *JDT May 2014* 352-356
- Lu, J.-G.**, *see* Zhong, E.-W., *JDT May 2014* 357-361
- Lu, Q.**, Wang, Y., and Fang, X., An Artifact Information Based Motion Vector Processing Method for Motion Compensated Frame Interpolation; *JDT Sept. 2014* 773-784
- Lu, T.**, Ma, Z., Du, C., Fang, Y., Chen, F., Jiang, Y., Wang, L., Jia, H., and Chen, H., Effect of Stair-Case Electron Blocking Layer on the Performance of Blue InGaN Based LEDs; *JDT Feb. 2014* 146-150
- Luo, Z.**, Cheng, Y.-W., and Wu, S.-T., Polarization-Preserving Light Guide Plate for a Linearly Polarized Backlight; *JDT March 2014* 208-214
- Luo, Z.**, and Wu, S.-T., A Spatiotemporal Four-Primary Color LCD With Quantum Dots; *JDT May 2014* 367-372
- Luo, Z.**, Xu, D., and Wu, S.-T., Emerging Quantum-Dots-Enhanced LCDs; *JDT July 2014* 526-539
- Luo, Z.**, Xu, S., Gao, Y., Lee, Y.-H., Liu, Y., and Wu, S.-T., Quantum Dots Enhanced Liquid Displays; *JDT Dec. 2014* 987-990
- Lv, G.**, *see* Lu, H., *JDT May 2014* 396-401
- Lv, G.-J.**, Zhao, W.-X., Li, D.-H., and Wang, Q.-H., Polarizer Parallax Barrier 3D Display With High Brightness, Resolution and Low Crosstalk; *JDT Feb. 2014* 120-124
- Ma, C.-Y.**, Chang, Y.-C., and Huang, Y.-P., Multi-Zone Digital Crosstalk Reduction by Image Processing in 3D Display; *JDT June 2014* 488-493
- Ma, E.-H.**, Wei, W.-E., Li, H.-Y., Li, J. C.-M., Cheng, I.-C., and Yeh, Y.-H., Flexible TFT Circuit Analyzer Considering Process Variation, Aging, and Bending Effects; *JDT Jan. 2014* 19-27
- Ma, H.**, *see* Sun, Y., *JDT Sept. 2014* 797-801
- Ma, H.**, *see* Li, Y., *JDT Oct. 2014* 827-831
- Ma, H.**, *see* Sun, Y., *JDT June 2014* 484-487
- Ma, S.-H.**, Lee, C.-H., and Tai, A.-C., LED Collimation Module for Time Sequential Back Light System; *JDT Dec. 2014* 1036-1041
- Ma, Z.**, *see* Lu, T., *JDT Feb. 2014* 146-150
- Madamopoulos, N.**, and Papageorgiou, F., Laser Based Projection System for Displays, Signage and Illumination; *JDT Oct. 2014* 832-839
- Mader, A.**, *see* Guillaumee, M., *JDT June 2014* 444-449
- Mantel, C.**, *see* Burini, N., *JDT Jan. 2014* 71-79
- Mariucci, L.**, *see* Valletta, A., *JDT Nov. 2014* 956-961
- Martinez-Corral, M.**, *see* Navarro, H., *JDT March 2014* 182-188
- Martinez-Corral, M.**, *see* Navarro Fructuoso, H., *JDT April 2014* 255-262
- Martinez-Corral, M.**, *see* Navarro, H., *JDT July 2014* 601-608
- Martins, R.**, *see* Valletta, A., *JDT Nov. 2014* 956-961
- Mathews, N.**, *see* Sun, C., *JDT Aug. 2014* 660-665
- Matoba, O.**, *see* Xia, P., *JDT March 2014* 235-242
- Matoba, O.**, *see* Fujii, M., *JDT Feb. 2014* 132-137
- Matsutani, A.**, *see* Furuyama, S., *JDT Nov. 2014* 962-965
- Mehrany, K.**, *see* Esna Ashari, Z., *JDT July 2014* 553-559
- Mehta, D. S.**, *see* Singh, G., *JDT Aug. 2014* 666-671
- Mhaisalkar, S.**, *see* Sun, C., *JDT Aug. 2014* 660-665
- Mieda, S.**, *see* Ozawa, S., *JDT Feb. 2014* 87-93
- Mills, C. A.**, Sam, F. L. M., Alshammari, A. S., Rozanski, L. J., Emerson, N. G., and Silva, S. R. P., Storage Lifetime of Polymer-Carbon Nanotube Inks for Use as Charge Transport Layers in Organic Light Emitting Diodes; *JDT Feb. 2014* 125-131
- Miyase, T.**, *see* Domen, K., *JDT Nov. 2014* 975-978
- Morisaki, S.**, Hayashi, S., Fujita, Y., and Higashi, S., Improvement in Characteristic Variability of TFTs Using Grain Growth Control by Micro Thermal Plasma Jet Irradiation on a-Si Strips; *JDT Nov. 2014* 950-955
- Moser, C.**, *see* Guillaumee, M., *JDT June 2014* 444-449

N

- Nadda, K.**, and Kumar, M. J., Thin-Film Bipolar Transistors on Recrystallized Polycrystalline Silicon Without Impurity Doped Junctions: Proposal and Investigation; *JDT July 2014* 590-594
- Nadernejad, E.**, *see* Burini, N., *JDT Jan. 2014* 71-79
- Nakajima, Y.**, *see* Tsuji, H., *JDT Feb. 2014* 101-106
- Nakata, M.**, *see* Tsuji, H., *JDT Feb. 2014* 101-106
- Nam, D.**, *see* Zhou, M., *JDT June 2014* 500-507
- Nam, H.**, *see* Song, E., *JDT Oct. 2014* 862-866
- Nam, J.**, *see* Xiao, X., *JDT Aug. 2014* 688-694
- Nam, S.-J.**, *see* Kim, D.-S., *JDT Dec. 2014* 1093-1100
- Nassour, T. C.**, *see* Silva, V. N. H., *JDT July 2014* 540-547
- Nasu, S.**, *see* Ozawa, S., *JDT Feb. 2014* 87-93
- Nathan, A.**, *see* Sun, C., *JDT Aug. 2014* 660-665
- Nathan, A.**, *see* Lee, J., *JDT May 2014* 362-366
- Nathan, A.**, Lee, S., Jeon, S., and Robertson, J., Amorphous Oxide Semiconductor TFTs for Displays and Imaging; *JDT Nov. 2014* 917-927
- Navarro, H.**, Saavedra, G., Martinez-Corral, M., Sjostrom, M., and Olsson, R., Depth-of-Field Enhancement in Integral Imaging by Selective Depth-Deconvolution; *JDT March 2014* 182-188
- Navarro, H.**, Orghidan, R., Gordan, M., Saavedra, G., and Martinez-Corral, M., Fuzzy Integral Imaging Camera Calibration for Real Scale 3D Reconstructions; *JDT July 2014* 601-608
- Navarro Fructuoso, H.**, Martinez-Corral, M., Saavedra Tortosa, G., Pons Marti, A., and Javidi, B., Photoelastic Analysis of Partially Occluded Objects With an Integral-Imaging Polaroscope; *JDT April 2014* 255-262
- Ni, S.-B.**, *see* Tan, J., *JDT Feb. 2014* 157-161
- Ni, S.-B.**, *see* Zhong, E.-W., *JDT May 2014* 357-361
- Nishio, K.**, *see* Xia, P., *JDT March 2014* 235-242
- Nishio, K.**, *see* Fujii, M., *JDT Feb. 2014* 132-137
- Nomura, K.**, *see* Hanyu, Y., *JDT Nov. 2014* 979-983

O

- O'Brien, B.**, *see* Smith, J. T., *JDT June 2014* 514-520
- Oliver, J.**, *see* Radkowski, R., *JDT May 2014* 333-344
- Olsson, R.**, *see* Navarro, H., *JDT March 2014* 182-188
- Orghidan, R.**, *see* Navarro, H., *JDT July 2014* 601-608
- Oton, J. M.**, *see* Algorri, J. F., *JDT Sept. 2014* 713-720

Ozawa, S., Mieda, S., Yao, Y., Date, M., Takada, H., Kawakami, T., Nasu, S., Ishinabe, T., Kano, M., Sasai, M., and Uchida, T., MulDiRoH: A Multi-View Human Representation System Using a QDA Screen With Multiple Cameras; *JDT Feb. 2014* 87-93

P

Pai, Y.-H., *see* Cheng, C.-H., *JDT Oct. 2014* 814-820

Pandey, A., Dey, R., Pandey, S., and Rai, V. K., Visible Light-Emitting Er^{3+} - Tm^{3+} - Yb^{3+} Codoped ZrO_2 Phosphor for Sensing and Photonics Applications; *JDT June 2014* 494-499

Pandey, S., *see* Pandey, A., *JDT June 2014* 494-499

Papadopoulos, N. P., Lee, C.-H., and Wong, W. S., Hybrid Sensor and Display Pixel Circuits for Mobile Near-to-Eye Applications; *JDT July 2014* 574-581

Papageorgiou, F., *see* Madamopoulos, N., *JDT Oct. 2014* 832-839

Park, D., Kim, T. G., and Cho, J., A Low-Power Time-Synchronization Processor With Symmetric Even/Odd Timer for Charge-Shared LCD Driving of 3DTV Active Shutter Glasses; *JDT Dec. 2014* 1047-1054

Park, J. C., *see* Lee, H.-N., *JDT April 2014* 288-292

Pedersen, J. M., *see* Burini, N., *JDT Jan. 2014* 71-79

Peng, J.-B., *see* Wu, W.-J., *JDT July 2014* 523-525

Pillin, I., *see* Ibrahim, A., *JDT June 2014* 456-463

Pons Martí, A., *see* Navarro Fructuoso, H., *JDT April 2014* 255-262

Q

Qiang, W., Zhang, Q., Wang, H., and Feng, S., A Low-Power Contrast Enhancement Algorithm Using Histogram Segmentation and Circuit Implementation for AMOLED Applications; *JDT Sept. 2014* 785-791

Qin, S., *see* Yang, H., *JDT June 2014* 470-477

Qiu, L., *see* Lu, H., *JDT May 2014* 396-401

R

Radkowski, R., and Oliver, J., Enhanced Natural Visual Perception for Augmented Reality-Workstations by Simulation of Perspective; *JDT May 2014* 333-344

Raghuraman, M., and Sambandan, S., AIM-Spice Integration of a Recursive Model for Threshold Voltage Shift in Thin Film Transistors; *JDT June 2014* 508-513

Rai, V. K., *see* Pandey, A., *JDT June 2014* 494-499

Ramponi, G., *see* Choi, M., *JDT May 2014* 420-428

Rao, H., *see* Lei, Q., *JDT Dec. 2014* 1042-1046

Robertson, J., *see* Nathan, A., *JDT Nov. 2014* 917-927

Roy, K., *see* Ho, C.-H., *JDT May 2014* 345-351

Roy, K. R., *see* Kim, S. Y., *JDT Dec. 2014* 1110-1114

Rozanski, L. J., *see* Mills, C. A., *JDT Feb. 2014* 125-131

S

Saavedra, G., *see* Navarro, H., *JDT March 2014* 182-188

Saavedra, G., *see* Navarro, H., *JDT July 2014* 601-608

Saavedra Tortosa, G., *see* Navarro Fructuoso, H., *JDT April 2014* 255-262

Saboune, J., *see* Zhang, L., *JDT Aug. 2014* 647-659

Sam, F. L. M., *see* Mills, C. A., *JDT Feb. 2014* 125-131

Sambandan, S., *see* Raghuraman, M., *JDT June 2014* 508-513

Sanada, M., *see* Furuta, M., *JDT Nov. 2014* 934-938

Sanchez-Pena, J. M., *see* Algorri, J. F., *JDT Sept. 2014* 713-720

Sasai, M., *see* Ozawa, S., *JDT Feb. 2014* 87-93

Sato, H., *see* Tsuji, H., *JDT Feb. 2014* 101-106

Seol, Y. G., *see* Kim, Y. G., *JDT Nov. 2014* 939-944

Shao, X., *see* Zhan, H., *JDT Oct. 2014* 899-904

Shen, X., *see* Xiao, X., *JDT Aug. 2014* 688-694

Sheng, Y.-T., *see* Lee, Y.-M., *JDT Jan. 2014* 57-70

Sheu, C.-R., *see* Wang, Y.-C., *JDT Sept. 2014* 729-736

Shi, J., *see* Chen, Z., *JDT Dec. 2014* 1001-1009

Shieh, H.-P. D., *see* Tan, J., *JDT Feb. 2014* 157-161

Shieh, H.-P. D., *see* Wang, Y.-J., *JDT May 2014* 352-356

Shimidzu, N., *see* Tsuji, H., *JDT Feb. 2014* 101-106

+ Check author entry for coauthors

Shimozato, Y., *see* Xia, P., *JDT March 2014* 235-242

Shin, K.-C., *see* Choi, S. H., *JDT April 2014* 282-287

Silva, S. R. P., *see* Mills, C. A., *JDT Feb. 2014* 125-131

Silva, V. N. H., Stoenescu, D., Nassour, T. C., de la Riviere, J.-B., and de Bougrenet de la Tocnaye, J.-L., Ghosting Impingements in 3D Dual-View Projection Systems; *JDT July 2014* 540-547

Singh, G., and Mehta, D. S., Effect of Bending on the Spectrum of Backlight Transmitted Through Flexible ITO/PET Substrate; *JDT Aug. 2014* 666-671

Sjostrom, M., *see* Navarro, H., *JDT March 2014* 182-188

Smith, J. T., O'Brien, B., Lee, Y.-K., Bawolek, E. J., and Christen, J. B., Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity; *JDT June 2014* 514-520

Song, B.-J., *see* Lee, H.-N., *JDT April 2014* 288-292

Song, E., and Nam, H., Low Power Programmable Shift Register With Depletion Mode Oxide TFTs for High Resolution and High Frame Rate AMFPDs; *JDT Oct. 2014* 862-866

Song, J.-K., *see* Choi, S. H., *JDT April 2014* 282-287

Song, Y., *see* Tan, J., *JDT Feb. 2014* 157-161

Song, Y., *see* Zhong, E.-W., *JDT May 2014* 357-361

Song, Z., *see* Lu, H., *JDT May 2014* 396-401

Song, Z., *see* Wu, J., *JDT Sept. 2014* 746-753

Sporea, R. A., *see* Xu, X., *JDT Nov. 2014* 928-933

Sprague, R., *see* Guillaumee, M., *JDT June 2014* 444-449

Stoenescu, D., *see* Silva, V. N. H., *JDT July 2014* 540-547

Su, C.-W., and Chen, M.-Y., Polymer-Dispersed Liquid Crystal Applied in Active-Matrix Transparent Display; *JDT Aug. 2014* 683-687

Su, G.-D. J., *see* Hou, S.-L., *JDT March 2014* 228-234

Su, Y., *see* Li, X., *JDT June 2014* 438-443

Sugawara, M., *see* Emoto, M., *JDT Aug. 2014* 635-641

Sun, C., Ahnood, A., Lee, S., Mathews, N., Mhaisalkar, S., and Nathan, A., Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics; *JDT Aug. 2014* 660-665

Sun, C., *see* Sun, P., *JDT Dec. 2014* 1101-1105

Sun, C.-C., *see* Chang, Y.-Y., *JDT March 2014* 223-227

Sun, C.-C., *see* Chen, Y.-C., *JDT July 2014* 595-600

Sun, L., *see* Wang, L., *JDT April 2014* 317-320

Sun, P., Dang, S., Li, T., Li, C., Zhang, H., Sun, C., and Xu, B., Carrier Transport Improvement in Blue InGaN Light-Emitting Diodes Via Reduced Polarization Using a Band-Engineered Electron Blocking Layer; *JDT Dec. 2014* 1101-1105

Sun, X., *see* Zhou, M., *JDT June 2014* 500-507

Sun, X.-Y., *see* Tan, J., *JDT Feb. 2014* 157-161

Sun, Y., Zhao, Y., Li, Y., Li, P., and Ma, H., A Low Operating Electric Field Blue-Phase Liquid Crystal Display With Wedge Protrusion; *JDT Sept. 2014* 797-801

Sun, Y., *see* Li, Y., *JDT Oct. 2014* 827-831

Sun, Y., Li, Y., Zhao, Y., Li, P., and Ma, H., A Low Voltage and Continuous Viewing Angle Controllable Blue Phase Liquid Crystal Display; *JDT June 2014* 484-487

T

Tahara, K., *see* Furuyama, S., *JDT Nov. 2014* 962-965

Tahara, T., *see* Xia, P., *JDT March 2014* 235-242

Tahara, T., *see* Fujii, M., *JDT Feb. 2014* 132-137

Tai, A.-C., *see* Ma, S.-H., *JDT Dec. 2014* 1036-1041

Tai, Y., *see* Chen, Z., *JDT Dec. 2014* 1001-1009

Takada, H., *see* Ozawa, S., *JDT Feb. 2014* 87-93

Takei, T., *see* Tsuji, H., *JDT Feb. 2014* 101-106

Tan, J., Song, Y., Zhu, J.-L., Ni, S.-B., Wang, Y.-J., Sun, X.-Y., Lu, J.-G., Yang, B.-R., and Shieh, H.-P. D., Blue Phase LC/Polymer Fresnel Lens Fabricated by Holography; *JDT Feb. 2014* 157-161

Tan, J., *see* Wang, Y.-J., *JDT May 2014* 352-356

Tan, J., *see* Zhong, E.-W., *JDT May 2014* 357-361

Tang, G., *see* Li, R., *JDT Dec. 2014* 1010-1023

Tang, H., *see* Yang, H., *JDT June 2014* 470-477

Tang, W., *see* Feng, L., *JDT Nov. 2014* 971-974

Tien, C.-J., *see* Hsieh, C.-T., *JDT June 2014* 464-469

Ting, Z.-Y., *see* Chang, Y.-Y., *JDT March 2014* 223-227

Tremblay, E., *see* Guillaumee, M., *JDT June 2014* 444-449

Tsai, C.-M., Suppression of Petzval Aberration in a Projector Lens by Using Genetic Algorithm; *JDT May 2014* 380-387

Tsai, K.-Y., *see* Lee, Y.-M., *JDT Jan. 2014* 57-70

- Tsuji, H.**, Nakata, M., Sato, H., Nakajima, Y., Fujisaki, Y., Takei, T., Fujikake, H., Yamamoto, T., and Shimidzu, N., Efficient Simulation Model for Amorphous In-Ga-Zn-O Thin-Film Transistors; *JDT Feb. 2014 101-106*
- Tu, W. C.**, *see* Hwu, K. I., *JDT March 2014 171-181*
- Tu, W. C.**, *see* Hwu, K. I., *JDT May 2014 388-395*
- Tu, Y.**, *see* Yang, H., *JDT June 2014 470-477*
- Tzeng, Y.-F.**, *see* Fang, Y.-C., *JDT Oct. 2014 840-846*

U

- Uchida, T.**, *see* Ozawa, S., *JDT Feb. 2014 87-93*
- Uchida, T.**, *see* Furuta, M., *JDT Nov. 2014 934-938*
- Uehira, K.**, *see* Ishikawa, Y., *JDT Feb. 2014 94-100*
- Ura, S.**, *see* Xia, P., *JDT March 2014 235-242*
- Ura, S.**, *see* Fujii, M., *JDT Feb. 2014 132-137*
- Urruchi del Pozo, V.**, *see* Algorri, J. F., *JDT Sept. 2014 713-720*

V

- Vahdati, S. P.**, *see* Guillaumee, M., *JDT June 2014 444-449*
- Valletta, A.**, Fortunato, G., Mariucci, L., Barquinha, P., Martins, R., and Fortunato, E., Contact Effects in Amorphous InGaZnO Thin Film Transistors; *JDT Nov. 2014 956-961*
- van der Zwan, M.**, *see* Zhang, J., *JDT Nov. 2014 945-949*
- Venter, P. J.**, and du Plessis, M., A 128×96 Pixel CMOS Microdisplay Utilizing Hot Carrier Electroluminescence From Junctions in Reach Through; *JDT Sept. 2014 721-728*

W

- Wakunami, K.**, *see* Xiao, X., *JDT Aug. 2014 688-694*
- Wang, B.**, *see* Lei, J., *JDT May 2014 373-379*
- Wang, D.**, *see* Furuta, M., *JDT Nov. 2014 934-938*
- Wang, D.**, *see* Zhan, H., *JDT Oct. 2014 899-904*
- Wang, G.-Z.**, Huang, Y.-P., Chang, T.-S., and Chen, T.-H., Bare Finger 3D Air-Touch System Using an Embedded Optical Sensor Array for Mobile Displays; *JDT Jan. 2014 13-18*
- Wang, H.**, *see* Qiang, W., *JDT Sept. 2014 785-791*
- Wang, H.**, *see* Zhou, M., *JDT June 2014 500-507*
- Wang, J.**, *see* Zhang, Y., *JDT Aug. 2014 623-628*
- Wang, J.**, *see* Liang, H., *JDT Aug. 2014 695-699*
- Wang, J.**, *see* Choi, M., *JDT May 2014 420-428*
- Wang, J.**, Jeon, G., and Jeong, J., A Block-Wise Autoregression-Based Deinterlacing Algorithm; *JDT May 2014 414-419*
- Wang, K.**, *see* Wu, D., *JDT Jan. 2014 43-48*
- Wang, K.**, *see* Zheng, J., *JDT March 2014 215-222*
- Wang, L.**, *see* Lu, T., *JDT Feb. 2014 146-150*
- Wang, L.**, Sun, L., Han, D., Wang, Y., Chan, M., and Zhang, S., A Hybrid a-Si and Poly-Si TFTs Technology for AMOLED Pixel Circuits; *JDT April 2014 317-320*
- Wang, L.**, *see* Wu, W.-J., *JDT July 2014 523-525*
- Wang, Q.**, Li, T., and He, Q.-H., Dimmable and Cost-Effective DC Driving Technique for Flicker Mitigation in LED Lighting; *JDT Sept. 2014 766-774*
- Wang, Q.-H.**, *see* Li, S.-L., *JDT Aug. 2014 704-709*
- Wang, Q.-H.**, *see* Lv, G.-J., *JDT Feb. 2014 120-124*
- Wang, Q.-H.**, *see* Zang, S.-F., *JDT Oct. 2014 882-886*
- Wang, S.**, *see* Zhou, M., *JDT June 2014 500-507*
- Wang, S.-D.**, *see* Cui, Q., *JDT July 2014 615-618*
- Wang, S.-Y.**, Lin, C.-Y., and Yang, K.-H., A Simple Method to Measure Pretilt Angles of Inverse Twisted Nematic Liquid Crystal Cells; *JDT Dec. 2014 1024-1029*
- Wang, X.**, *see* Lu, H., *JDT May 2014 396-401*
- Wang, X.**, *see* Zhou, M., *JDT June 2014 500-507*
- Wang, X.**, *see* Lei, Q., *JDT Dec. 2014 1042-1046*
- Wang, Y.**, *see* Wang, L., *JDT April 2014 317-320*
- Wang, Y.**, *see* Xue, Y., *JDT Sept. 2014 737-745*
- Wang, Y.**, *see* Lu, Q., *JDT Sept. 2014 775-784*
- Wang, Y.**, *see* Zhan, H., *JDT Oct. 2014 899-904*
- Wang, Y.-C.**, Huang, B.-S., Hsieh, K.-S., and Sheu, C.-R., Comparative Evaluation of the Imaging Performance of Multi-Primary Color LCDs With RGBCW and RGBCY Pixel Units by Simulation; *JDT Sept. 2014 729-736*
- Wang, Y.-J.**, *see* Tan, J., *JDT Feb. 2014 157-161*

+ Check author entry for coauthors

- Wang, Y.-J.**, Liu, J., Tan, J., Yang, B.-R., Ding, W.-X., He, G.-F., Chao, W.-C., Lu, J.-G., and Shieh, H.-P. D., A Novel Architecture for Autostereoscopic 2D/3D Switchable Display Using Dual Layer Strip Patterned OLED Backlight Module; *JDT May 2014 352-356*

- Wang, Y.-J.**, *see* Zhong, E.-W., *JDT May 2014 357-361*

- Wei, B.**, *see* Guo, K., *JDT Aug. 2014 642-646*

- Wei, W.-E.**, *see* Ma, E.-H., *JDT Jan. 2014 19-27*

- Wei, W.-E.**, Li, H.-Y., Han, C.-Y., Li, J. C.-M., Huang, J.-J., Cheng, I.-C., Liu, C.-N., and Yeh, Y.-H., A Flexible TFT Circuit Yield Optimizer Considering Process Variation, Aging, and Bending Effects; *JDT Dec. 2014 1055-1063*

- Wong, W. S.**, *see* Papadopoulos, N. P., *JDT July 2014 574-581*

- Wu, D.**, Wang, K., and Chigrinov, V. G., Feedback Reversing Design Method for Uniform Illumination in LED Backlighting With Extended Source; *JDT Jan. 2014 43-48*

- Wu, J.**, Song, Z., and Jeon, G., GPU-Parallel Implementation of the Edge-Directed Adaptive Intra-Field Deinterlacing Method; *JDT Sept. 2014 746-753*

- Wu, K.-Y.**, *see* Fang, Y.-C., *JDT Oct. 2014 840-846*

- Wu, S.-T.**, *see* Liu, Y., *JDT Jan. 2014 3-6*

- Wu, S.-T.**, *see* Luo, Z., *JDT March 2014 208-214*

- Wu, S.-T.**, *see* Luo, Z., *JDT May 2014 367-372*

- Wu, S.-T.**, *see* Luo, Z., *JDT July 2014 526-539*

- Wu, S.-T.**, *see* Luo, Z., *JDT Dec. 2014 987-990*

- Wu, T.-T.**, *see* Hsieh, C.-T., *JDT June 2014 464-469*

- Wu, W.-J.**, Li, G.-M., Xia, X.-H., Zhang, L.-R., Zhou, L., Xu, M., Wang, L., and Peng, J.-B., Low-Power Bi-Side Scan Driver Integrated by IZO TFTs Including a Clock-Controlled Inverter; *JDT July 2014 523-525*

- Wu, X.**, *see* Zhai, G., *JDT Sept. 2014 754-757*

- Wu, Z.**, *see* Yang, Y., *JDT Dec. 2014 1064-1069*

X

- Xia, J.**, *see* Chang, C., *JDT Feb. 2014 107-113*

- Xia, P.**, Ito, Y., Shimozato, Y., Tahara, T., Kakue, T., Awatsuji, Y., Nishio, K., Ura, S., Kubota, T., and Matoba, O., Digital Holography Using Spectral Estimation Technique; *JDT March 2014 235-242*

- Xia, P.**, *see* Fujii, M., *JDT Feb. 2014 132-137*

- Xia, X.-H.**, *see* Wu, W.-J., *JDT July 2014 523-525*

- Xiang, P.**, *see* Yang, Y., *JDT Dec. 2014 1064-1069*

- Xiao, X.**, Wakunami, K., Chen, X., Shen, X., Javidi, B., Kim, J., and Nam, J., Three-Dimensional Holographic Display Using Dense Ray Sampling and Integral Imaging Capture; *JDT Aug. 2014 688-694*

- Xiong, Y.**, *see* Li, X., *JDT June 2014 438-443*

- Xiong, Z.-L.**, *see* Li, S.-L., *JDT Aug. 2014 704-709*

- Xu, B.**, *see* Sun, P., *JDT Dec. 2014 1101-1105*

- Xu, D.**, *see* Luo, Z., *JDT July 2014 526-539*

- Xu, M.**, Gao, W., and Chen, X., Laser Speckle Reduction Using a Motionless Despeckle Element Based on Random Mie Scattering; *JDT Feb. 2014 151-156*

- Xu, M.**, *see* Wu, W.-J., *JDT July 2014 523-525*

- Xu, S.**, *see* Luo, Z., *JDT Dec. 2014 987-990*

- Xu, T.**, *see* Guo, K., *JDT Aug. 2014 642-646*

- Xu, X.**, *see* Feng, L., *JDT Nov. 2014 971-974*

- Xu, X.**, Sporea, R. A., and Guo, X., Source-Gated Transistors for Power- and Area-Efficient AMOLED Pixel Circuits; *JDT Nov. 2014 928-933*

- Xu, Z.**, *see* Zhan, H., *JDT Oct. 2014 899-904*

- Xue, Y.**, and Wang, Y., Multi-User Autostereoscopic 2D/3D Switchable Flat-Panel Display; *JDT Sept. 2014 737-745*

Y

- Yamamoto, T.**, *see* Tsuji, H., *JDT Feb. 2014 101-106*

- Yanaka, K.**, *see* Ishikawa, Y., *JDT Feb. 2014 94-100*

- Yang, B.-R.**, *see* Tan, J., *JDT Feb. 2014 157-161*

- Yang, B.-R.**, *see* Wang, Y.-J., *JDT May 2014 352-356*

- Yang, C.-F.**, *see* Liou, J.-C., *JDT Aug. 2014 629-634*

- Yang, C.-J.**, *see* Chou, J.-C., *JDT Oct. 2014 853-861*

- Yang, C.-J.**, *see* Chou, J.-C., *JDT Oct. 2014 821-826*

- Yang, H.**, *see* Zhu, Z.-M., *JDT Jan. 2014 7-12*

- Yang, H.**, Liu, L., Tang, H., Qin, S., Yin, H., Tu, Y., and Heynderickx, I., Relationship of Just Noticeable Difference (JND) in Black Level and White Level With Image Content; *JDT June 2014 470-477*

- Yang, K.-H.**, *see* Wang, S.-Y., *JDT Dec. 2014 1024-1029*

- Yang, T.-H.**, *see* Chang, Y.-Y., *JDT March 2014 223-227*

- Yang, T.-T.**, see Lo, Y.-L., *JDT June 2014* 478-483
- Yang, Y.**, Hu, G., Xiang, P., Liu, M., Chen, W., Han, X., Hu, G., Lin, Y., Lin, X., Zang, W., Wu, Z., Liu, Y., and Zhang, B., Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With TiO₂/SiO₂-Al Omnidirectional Reflector; *JDT Dec. 2014* 1064-1069
- Yao, G.**, see Liu, W., *JDT Dec. 2014* 991-994
- Yao, Y.**, see Ozawa, S., *JDT Feb. 2014* 87-93
- Ye, W.-Y.**, see Lee, H.-Y., *JDT Sept. 2014* 792-796
- Ye, Z.**, see Li, X., *JDT June 2014* 438-443
- Yeh, Y.-H.**, see Ma, E.-H., *JDT Jan. 2014* 19-27
- Yeh, Y.-H.**, see Wei, W.-E., *JDT Dec. 2014* 1055-1063
- Yin, H.**, see Yang, H., *JDT June 2014* 470-477
- Yoo, D.-G.**, Kang, S.-J., Kim, H.-S., and Kim, Y. H., Viewing Distance-Aware Backlight Dimming of Liquid Crystal Displays; *JDT Oct. 2014* 867-874
- Yoon, T.-H.**, see Choi, T.-H., *JDT Dec. 2014* 1088-1092
- Yu, C.-J.**, Hung, C.-H., Hsu, K.-C., and Chou, C., Phase-Shift Imaging Polarimetry for Measuring the Physical Parameters of a Twisted Nematic Liquid Crystal Device Without Periodic Ambiguity; *JDT Sept. 2014* 758-765
- Yue, Q.**, Li, K., Kong, F., Zhao, J., and Ding, Q., Analysis on the Light-Extraction Efficiency of GaN-Based Light-Emitting Diodes With Deep-Hole Amorphous Photonic Crystals Structures; *JDT Dec. 2014* 1070-1077
- Yun, L.**, see Chen, Z., *JDT Dec. 2014* 1001-1009

Z

- Zang, S.-F.**, Wang, Q.-H., Zhao, W.-X., Zhang, J., and Liang, J.-L., A Frontal Multi-Projection Autostereoscopic 3D Display Based on a 3D-Image-Guided Screen; *JDT Oct. 2014* 882-886
- Zang, W.**, see Yang, Y., *JDT Dec. 2014* 1064-1069
- Zeng, H.-Y.**, see Cheng, C.-J., *JDT April 2014* 263-271
- Zhai, G.**, and Wu, X., Defeating Camcorder Piracy by Temporal Psychovisual Modulation; *JDT Sept. 2014* 754-757
- Zhan, H.**, Xu, Z., Lin, L., Wang, Y., Chen, M., Kim, W., Wang, D., Shao, X., and Lee, S., Novel Estimation Method of Three-Dimensional Vertical View Angle for Polarized Stereoscopic Display; *JDT Oct. 2014* 899-904
- Zhang, B.**, see Yang, Y., *JDT Dec. 2014* 1064-1069
- Zhang, G.**, see Lu, H., *JDT May 2014* 396-401
- Zhang, H.**, see Sun, P., *JDT Dec. 2014* 1101-1105
- Zhang, J.**, see Guo, K., *JDT Aug. 2014* 642-646
- Zhang, J.**, see Lu, H., *JDT May 2014* 396-401
- Zhang, J.**, van der Zwan, M., and Ishihara, R., Single-Grain Si TFTs Fabricated From Sputtered Si on a Polyimide Substrate; *JDT Nov. 2014* 945-949
- Zhang, J.**, see Zang, S.-F., *JDT Oct. 2014* 882-886
- Zhang, L.**, Saboune, J., and El Saddik, A., Transforming a Regular Screen Into a Touch Screen Using a Single Webcam; *JDT Aug. 2014* 647-659
- Zhang, L.-R.**, see Wu, W.-J., *JDT July 2014* 523-525
- Zhang, M.**, see Zheng, J., *JDT March 2014* 215-222
- Zhang, Q.**, see Qiang, W., *JDT Sept. 2014* 785-791
- Zhang, Q.**, see Lei, Q., *JDT Dec. 2014* 1042-1046
- Zhang, S.**, see Wang, L., *JDT April 2014* 317-320
- Zhang, W.**, see Lei, Q., *JDT Dec. 2014* 1042-1046
- Zhang, Y.**, Wang, J., Li, X., and Lei, W., Color Correction in Color Sequential LCDs; *JDT Aug. 2014* 623-628

- Zhao, J.**, see Feng, L., *JDT Nov. 2014* 971-974
- Zhao, J.**, see Ding, Q.-A., *JDT Nov. 2014* 909-916

- Zhao, J.**, see Yue, Q., *JDT Dec. 2014* 1070-1077

- Zhao, P. F.**, Gao, W. H., and Chen, X. Y., Influence of a Light Pipe on a Linearly Polarized Light Beam and Its Effect on a Laser Projector System; *JDT Oct. 2014* 847-852

- Zhao, W.-X.**, see Lv, G.-J., *JDT Feb. 2014* 120-124

- Zhao, W.-X.**, see Zang, S.-F., *JDT Oct. 2014* 882-886

- Zhao, Y.**, see Sun, Y., *JDT Sept. 2014* 797-801

- Zhao, Y.**, see Li, Y., *JDT Oct. 2014* 827-831

- Zhao, Y.**, see Sun, Y., *JDT June 2014* 484-487

- Zheng, J.**, Gui, K., Zhang, M., Wang, K., Guo, C., and Zhuang, S., The Frequency Modulation Electro-Optical Response of Holographic Polymer Dispersed Liquid Crystal Display Doped With Nano Ag; *JDT March 2014* 215-222

- Zhong, E.-W.**, Ni, S.-B., Tan, J., Song, Y., Liu, S.-Y., Wang, Y.-J., Zhu, J.-L., and Lu, J.-G., A Transflective Display Using Blue Phase Liquid Crystal; *JDT May 2014* 357-361

+ Check author entry for coauthors

Zhong, L.-S., see Zhu, Z.-M., *JDT Jan. 2014* 7-12

Zhou, C., see Lei, Q., *JDT Dec. 2014* 1042-1046

Zhou, D., see Lei, Q., *JDT Dec. 2014* 1042-1046

Zhou, J., see Liang, H., *JDT Aug. 2014* 695-699

Zhou, L., see Wu, W.-J., *JDT July 2014* 523-525

Zhou, M., Wang, H., Li, W., Jiao, S., Hong, T., Wang, S., Sun, X., Wang, X., Kim, J.-Y., and Nam, D., A Unified Method for Crosstalk Reduction in Multiview Displays; *JDT June 2014* 500-507

Zhou, Y., see Liang, H., *JDT Aug. 2014* 695-699

Zhu, J.-L., see Tan, J., *JDT Feb. 2014* 157-161

Zhu, J.-L., see Zhong, E.-W., *JDT May 2014* 357-361

Zhu, X., see Li, R., *JDT Dec. 2014* 1010-1023

Zhu, Z.-M., Jin, X.-L., Yang, H., and Zhong, L.-S., Design of Diffuse Reflection Freeform Surface for Uniform Illumination; *JDT Jan. 2014* 7-12

Zhuang, S., see Zheng, J., *JDT March 2014* 215-222

SUBJECT INDEX**Numeric****II-VI semiconductors**

A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio. *Kim, Y.*, +, *JDT Jan. 2014* 80-83
Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H.*, +, *JDT Oct. 2014* 814-820

III-V semiconductors

Analysis on the Light-Extraction Efficiency of GaN-Based Light-Emitting Diodes With Deep-Hole Amorphous Photonic Crystals Structures. *Yue, Q.*, +, *JDT Dec. 2014* 1070-1077

Effect of Stair-Case Electron Blocking Layer on the Performance of Blue InGaN Based LEDs. *Lu, T.*, +, *JDT Feb. 2014* 146-150

Effects of High-Temperature Annealing on Operation Characteristics of a-In-Ga-Zn-O TFTs. *Hanyu, Y.*, +, *JDT Nov. 2014* 979-983

Enhanced Electrostatic Discharge Reliability in GaN-Based Light-Emitting Diodes by the Electrode Engineering. *Chen, S.-L.*, *JDT Oct. 2014* 807-813
Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With TiO₂/SiO₂-Al Omnidirectional Reflector. *Yang, Y.*, +, *JDT Dec. 2014* 1064-1069

GaN-Based LEDs With Hot/Cold Factor Improved by the Electron Blocking Layer. *Lam, K.-T.*, +, *JDT Dec. 2014* 1078-1082

GaN-Based LEDs With Rough Surface and Selective KOH Etching. *Chang, S.-J.*, +, *JDT Jan. 2014* 27-32

GaN-Based Light-Emitting Diodes With Staircase Electron Injector Structure. *Chang, S.-J.*, +, *JDT Feb. 2014* 162-166

GaN-Based Light-Emitting-Diode With a p-InGaN Layer. *Chen, P. H.*, +, *JDT March 2014* 204-207

High-Performance Solution-Processed InGaNZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. *Furuta, M.*, +, *JDT Nov. 2014* 934-938

Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals. *Ding, Q.-A.*, +, *JDT Nov. 2014* 909-916

A**Aberrations**

Suppression of Petzval Aberration in a Projector Lens by Using Genetic Algorithm. *Tsai, C.-M.*, *JDT May 2014* 380-387

Absorption

Amorphous Oxide Semiconductor TFTs for Displays and Imaging. *Nathan, A.*, +, *JDT Nov. 2014* 917-927

Adhesion

High Mobility Field-Effect Thin Film Transistor Using Room-Temperature High- κ Gate Dielectrics. *Hsu, H.-H.*, +, *JDT Oct. 2014* 875-881

Adjacent channel interference

Optimizing Time-Multiplexing Auto-Stereoscopic Displays With a Genetic Algorithm. *Liang, H.*, +, *JDT Aug. 2014* 695-699

Aggregates (materials)

Storage Lifetime of Polymer-Carbon Nanotube Inks for Use as Charge Transport Layers in Organic Light Emitting Diodes. *Mills, C. A.*, +, *JDT Feb. 2014* 125-131

Aging

- A Flexible TFT Circuit Yield Optimizer Considering Process Variation, Aging, and Bending Effects. *Wei, W.-E., +, JDT Dec. 2014 1055-1063*
 Flexible TFT Circuit Analyzer Considering Process Variation, Aging, and Bending Effects. *Ma, E.-H., +, JDT Jan. 2014 19-27*

Aircraft displays

- Attention Tunneling: Effects of Limiting Field of View Due to Beam Combiner Frame of Head-Up Display. *Karar, V., +, JDT July 2014 582-589*

Algebra

- Design of Diffuse Reflection Freeform Surface for Uniform Illumination. *Zhu, Z.-M., +, JDT Jan. 2014 7-12*

Aluminum

- Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With TiO₂/SiO₂-Al Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*
 Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*

Aluminum compounds

- Carrier Transport Improvement in Blue InGaN Light-Emitting Diodes Via Reduced Polarization Using a Band-Engineered Electron Blocking Layer. *Sun, P., +, JDT Dec. 2014 1101-1105*

- Effect of Stair-Case Electron Blocking Layer on the Performance of Blue InGaN Based LEDs. *Lu, T., +, JDT Feb. 2014 146-150*

- Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process. *Kim, Y. G., +, JDT Nov. 2014 939-944*

- High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. *Furuta, M., +, JDT Nov. 2014 934-938*

Amorphous semiconductors

- A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*

- A Hybrid a-Si and Poly-Si TFTs Technology for AMOLED Pixel Circuits. *Wang, L., +, JDT April 2014 317-320*

- A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio. *Kim, Y., +, JDT Jan. 2014 80-83*

- Amorphous Oxide Semiconductor TFTs for Displays and Imaging. *Nathan, A., +, JDT Nov. 2014 917-927*

- An a-InGaZnO TFT Pixel Circuit Compensating Threshold Voltage and Mobility Variations in AMOLEDs. *Kim, Y., +, JDT May 2014 402-406*

- Contact Effects in Amorphous InGaZnO Thin Film Transistors. *Valletta, A., +, JDT Nov. 2014 956-961*

- Efficient Simulation Model for Amorphous In-Ga-Zn-O Thin-Film Transistors. *Tsuji, H., +, JDT Feb. 2014 101-106*

- Fabrication of p-Channel Amorphous Tin Oxide Thin-Film Transistors Using a Thermal Evaporation Process. *Lee, H.-N., +, JDT April 2014 288-292*

- Hybrid Sensor and Display Pixel Circuits for Mobile Near-to-Eye Applications. *Papadopoulos, N. P., +, JDT July 2014 574-581*

- Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence. *Domen, K., +, JDT Nov. 2014 975-978*

Amorphous state

- Analysis on the Light-Extraction Efficiency of GaN-Based Light-Emitting Diodes With Deep-Hole Amorphous Photonic Crystals Structures. *Yue, Q., +, JDT Dec. 2014 1070-1077*

Amplitude modulation

- Three-Dimensional Holographic Display Using Dense Ray Sampling and Integral Imaging Capture. *Xiao, X., +, JDT Aug. 2014 688-694*

Annealing

- Effects of High-Temperature Annealing on Operation Characteristics of a-In-Ga-Zn-O TFTs. *Hanyu, Y., +, JDT Nov. 2014 979-983*

- Investigation of Amorphous Indium Gallium Zinc Oxide Thin Film Transistors Grown by Triple-Targets Magnetron Co-Sputtering. *Lee, C.-T., +, JDT April 2014 293-298*

- Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*

- Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence. *Domen, K., +, JDT Nov. 2014 975-978*

Atmospheric pressure

- High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. *Furuta, M., +, JDT Nov. 2014 934-938*

Augmented reality

- Enhanced Natural Visual Perception for Augmented Reality-Workstations by Simulation of Perspective. *Radkowski, R., +, JDT May 2014 333-344*

Autoregressive processes

- A Block-Wise Autoregression-Based Deinterlacing Algorithm. *Wang, J., +, JDT May 2014 414-419*

Avalanche breakdown

- A 128×96 Pixel CMOS Microdisplay Utilizing Hot Carrier Electroluminescence From Junctions in Reach Through. *Venter, P. J., +, JDT Sept. 2014 721-728*

B**Barium compounds**

- Imaging and Confocal Systems for in vivo Measurements of Human-Iris Spectral Reflectance. *Chen, Y.-C., +, JDT July 2014 595-600*

Bending

- A Flexible TFT Circuit Yield Optimizer Considering Process Variation, Aging, and Bending Effects. *Wei, W.-E., +, JDT Dec. 2014 1055-1063*

Bio-optics

- Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Bioelectric potentials

- Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Biological tissues

- Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Biomedical electronics

- Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Biomedical equipment

- Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

- Effect of Veiling Glare on Detectability in High-Dynamic-Range Medical Images. *Choi, M., +, JDT May 2014 420-428*

- Imaging and Confocal Systems for in vivo Measurements of Human-Iris Spectral Reflectance. *Chen, Y.-C., +, JDT July 2014 595-600*

Biomedical measurement

- Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Biomedical MRI

- Effect of Veiling Glare on Detectability in High-Dynamic-Range Medical Images. *Choi, M., +, JDT May 2014 420-428*

Biomedical optical imaging

- Imaging and Confocal Systems for in vivo Measurements of Human-Iris Spectral Reflectance. *Chen, Y.-C., +, JDT July 2014 595-600*

Birefringence

- An Autostereoscopic Device for Mobile Applications Based on a Liquid Crystal Microlens Array and an OLED Display. *Algorri, J. F., +, JDT Sept. 2014 713-720*

- Phase-Shift Imaging Polarimetry for Measuring the Physical Parameters of a Twisted Nematic Liquid Crystal Device Without Periodic Ambiguity. *Yu, C.-J., +, JDT Sept. 2014 758-765*

Brightness

- A Frontal Multi-Projection Autostereoscopic 3D Display Based on a 3D-Image-Guided Screen. *Zang, S.-F., +, JDT Oct. 2014 882-886*

- A Highly Directional Light Guide Plate Based on V-Groove Microstructure Cell. *Chen, C.-F., +, JDT Dec. 2014 1030-1035*

- A New Compensation Method for Emission Degradation in an AMOLED Display Via an External Algorithm, New Pixel Circuit, and Models of Prior Measurements. *Lee, K.-Y., +, JDT March 2014 189-197*

- A Unified Method for Crosstalk Reduction in Multiview Displays. Zhou, M., +, *JDT June 2014* 500-507
- Color Correction in Color Sequential LCDs. Zhang, Y., +, *JDT Aug. 2014* 623-628
- Development of a Ray-Tracing Optical Simulation Model of Plasma Display Panel. Joo, B.-Y., +, *JDT Jan. 2014* 49-56
- Local Luminance Boosting of an RGBW LCD. Hammer, M., +, *JDT Jan. 2014* 33-42
- Polarization-Preserving Light Guide Plate for a Linearly Polarized Back-light. Luo, Z., +, *JDT March 2014* 208-214
- Polarizer Parallax Barrier 3D Display With High Brightness, Resolution and Low Crosstalk. Lv, G.-J., +, *JDT Feb. 2014* 120-124
- Relationship of Just Noticeable Difference (JND) in Black Level and White Level With Image Content. Yang, H., +, *JDT June 2014* 470-477
- Brownian motion**
- Laser Speckle Reduction Using a Motionless Despeckle Element Based on Random Mie Scattering. Xu, M., +, *JDT Feb. 2014* 151-156

C**Calibration**

- Fuzzy Integral Imaging Camera Calibration for Real Scale 3D Reconstructions. Navarro, H., +, *JDT July 2014* 601-608
- Imaging and Confocal Systems for *in vivo* Measurements of Human-Iris Spectral Reflectance. Chen, Y.-C., +, *JDT July 2014* 595-600

Cameras

- Fuzzy Integral Imaging Camera Calibration for Real Scale 3D Reconstructions. Navarro, H., +, *JDT July 2014* 601-608
- Tolerance Evaluation for Defocused Images to Optical Watermarking Technique. Ishikawa, Y., +, *JDT Feb. 2014* 94-100
- Transforming a Regular Screen Into a Touch Screen Using a Single Webcam. Zhang, L., +, *JDT Aug. 2014* 647-659

Capacitive sensors

- A Methodology for Evaluating Accuracy of Capacitive Touch Sensing Grid Patterns. Akhtar, H., +, *JDT Aug. 2014* 672-682

Capacitors

- A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio. Kim, Y., +, *JDT Jan. 2014* 80-83

Carbon nanotubes

- Fabrication of Carbon Nanotube Field-Emission Cathodes by Laser-Induced Transfer of Carbon Nanotubes and Silver Paste. Liao, H.-Y., +, *JDT Dec. 2014* 1083-1087
- Storage Lifetime of Polymer-Carbon Nanotube Inks for Use as Charge Transport Layers in Organic Light Emitting Diodes. Mills, C. A., +, *JDT Feb. 2014* 125-131

Carrier mobility

- A Hybrid a-Si and Poly-Si TFTs Technology for AMOLED Pixel Circuits. Wang, L., +, *JDT April 2014* 317-320
- Investigation of Amorphous Indium Gallium Zinc Oxide Thin Film Transistors Grown by Triple-Targets Magnetron Co-Sputtering. Lee, C.-T., +, *JDT April 2014* 293-298
- Single-Grain Si TFTs Fabricated From Sputtered Si on a Polyimide Substrate. Zhang, J., +, *JDT Nov. 2014* 945-949
- Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. Sun, C., +, *JDT Aug. 2014* 660-665

CCD image sensors

- Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. Huang, K.-T., +, *JDT July 2014* 609-614

Cellular biophysics

- Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. Smith, J. T., +, *JDT June 2014* 514-520

Charge injection

- GaN-Based Light-Emitting Diodes With Staircase Electron Injector Structure. Chang, S.-J., +, *JDT Feb. 2014* 162-166

Charge pump circuits

- A Low-Power Time-Synchronization Processor With Symmetric Even/Odd Timer for Charge-Shared LCD Driving of 3DTV Active Shutter Glasses. Park, D., +, *JDT Dec. 2014* 1047-1054

Chemical vapor deposition

- High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. Furuta, M., +, *JDT Nov. 2014* 934-938

Chirality

- Low-Power Displays With Dye-Doped Bistable Chiral-Tilted Homeotropic Nematic Liquid Crystals. Lee, Y.-H., +, *JDT Dec. 2014* 1106-1109

Cholesteric liquid crystals

- Submillisecond-Response Light Shutter for Solid-State Volumetric 3D Display Based on Polymer-Stabilized Cholesteric Texture. Lu, H., +, *JDT May 2014* 396-401

Circuit optimization

- A Flexible TFT Circuit Yield Optimizer Considering Process Variation, Aging, and Bending Effects. Wei, W.-E., +, *JDT Dec. 2014* 1055-1063

Circuit reliability

- A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio. Kim, Y., +, *JDT Jan. 2014* 80-83

Circuit simulation

- AIM-Spice Integration of a Recursive Model for Threshold Voltage Shift in Thin Film Transistors. Raghuraman, M., +, *JDT June 2014* 508-513

CMOS analog integrated circuits

- A 128×96 Pixel CMOS Microdisplay Utilizing Hot Carrier Electroluminescence From Junctions in Reach Through. Venter, P. J., +, *JDT Sept. 2014* 721-728

CMOS digital integrated circuits

- A 128×96 Pixel CMOS Microdisplay Utilizing Hot Carrier Electroluminescence From Junctions in Reach Through. Venter, P. J., +, *JDT Sept. 2014* 721-728

CMOS image sensors

- A 128×96 Pixel CMOS Microdisplay Utilizing Hot Carrier Electroluminescence From Junctions in Reach Through. Venter, P. J., +, *JDT Sept. 2014* 721-728

CMOS integrated circuits

- A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology. Kim, S. Y., +, *JDT Dec. 2014* 1110-1114

Coatings

- Inverted Hybrid Inorganic–Organic Light-Emitting Diodes With Balanced Charge Injection. Cao, X. A., +, *JDT July 2014* 548-552

Color displays

- A Holographic Projection System With an Electrically Adjustable Optical Zoom and a Fixed Location of Zeroth-Order Diffraction. Chen, M.-S., +, *JDT June 2014* 450-455

- A Low Operating Electric Field Blue-Phase Liquid Crystal Display With Wedge Protrusion. Sun, Y., +, *JDT Sept. 2014* 797-801

- A Novel Partitioned Light Guide Backlight LCD for Mobile Devices and Local Dimming Method With Nonuniform Backlight Compensation. Li, Y., +, *JDT April 2014* 321-328

- A Spatiotemporal Four-Primary Color LCD With Quantum Dots. Luo, Z., +, *JDT May 2014* 367-372

- Color Correction in Color Sequential LCDs. Zhang, Y., +, *JDT Aug. 2014* 623-628

- Comparative Evaluation of the Imaging Performance of Multi-Primary Color LCDs With RGBCW and RGBCY Pixel Units by Simulation. Wang, Y.-C., +, *JDT Sept. 2014* 729-736

- Compensation Film Designs for High Contrast Wide-View Blue Phase Liquid Crystal Displays. Liu, Y., +, *JDT Jan. 2014* 3-6

- Curved Holographic Combiner for Color Head Worn Display. Guillaumee, M., +, *JDT June 2014* 444-449

- Effect of Bending on the Spectrum of Backlight Transmitted Through Flexible ITO/PET Substrate. Singh, G., +, *JDT Aug. 2014* 666-671

- Fabrication and Characteristic Analysis of Arrayed Electrochromic Display Based on Tertiary Colors. Chou, J.-C., +, *JDT Oct. 2014* 853-861

- High-Efficiency Near Ultraviolet and Blue Organic Light-Emitting Diodes Using Star-Shaped Material as Emissive and Hosting Molecules. Guo, K., +, *JDT Aug. 2014* 642-646

- Laser Based Projection System for Displays, Signage and Illumination. Madamopoulos, N., +, *JDT Oct. 2014* 832-839

- LED Collimation Module for Time Sequential Back Light System. Ma, S.-H., +, *JDT Dec. 2014* 1036-1041

- Quantum Dots Enhanced Liquid Displays. Luo, Z., +, *JDT Dec. 2014* 987-990

Color vision

- Perceived Color Impression for Spatially Mixed Colors. Choi, S. H., +, *JDT April 2014* 282-287

Colorimeters

Comparative Evaluation of the Imaging Performance of Multi-Primary Color LCDs With RGBCW and RGBCY Pixel Units by Simulation. *Wang, Y.-C., +, JDT Sept. 2014 729-736*

Comparators (circuits)

A Low-Power Time-Synchronization Processor With Symmetric Even/Odd Timer for Charge-Shared LCD Driving of 3DTV Active Shutter Glasses. *Park, D., +, JDT Dec. 2014 1047-1054*

Compensation

A New Compensation Method for Emission Degradation in an AMOLED Display Via an External Algorithm, New Pixel Circuit, and Models of Prior Measurements. *Lee, K.-Y., +, JDT March 2014 189-197*

A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio. *Kim, Y., +, JDT Jan. 2014 80-83*

A Novel Partitioned Light Guide Backlight LCD for Mobile Devices and Local Dimming Method With Nonuniform Backlight Compensation. *Li, Y., +, JDT April 2014 321-328*

An Enhanced Voltage Programming Pixel Circuit for Compensating GB-Induced Variations in Poly-Si TFTs for AMOLED Displays. *Ho, C.-H., +, JDT May 2014 345-351*

Color Correction in Color Sequential LCDs. *Zhang, Y., +, JDT Aug. 2014 623-628*

Compensation Film Designs for High Contrast Wide-View Blue Phase Liquid Crystal Displays. *Liu, Y., +, JDT Jan. 2014 3-6*

Composite materials

Compensation Film Designs for High Contrast Wide-View Blue Phase Liquid Crystal Displays. *Liu, Y., +, JDT Jan. 2014 3-6*

Computational complexity

An Adaptive Error Concealment Method Based on Fuzzy Reasoning for Multi-View Video Coding. *Lee, P.-J., +, JDT July 2014 560-567*

Segmentation-Based Clipped Error Control Algorithm for Global Backlight Dimming. *Kang, S.-J., +, JDT July 2014 568-573*

Computational geometry

GPU-Parallel Implementation of the Edge-Directed Adaptive Intra-Field Deinterlacing Method. *Wu, J., +, JDT Sept. 2014 746-753*

Computer crime

Defeating Camcorder Piracy by Temporal Psychovisual Modulation. *Zhai, G., +, JDT Sept. 2014 754-757*

Computer displays

Hardware Engine for Supporting Gray-Tone Paintbrush Function on Electrophoretic Papers. *Kao, W.-C., +, JDT Feb. 2014 138-145*

Computer vision

MGSAs-Type Computer-Generated Holography for Vision Training With Head-Mounted Display. *Deng, Q.-L., +, JDT June 2014 433-437*

Computer-generated holography

Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation. *Chang, C., +, JDT Feb. 2014 107-113*

MGSAs-Type Computer-Generated Holography for Vision Training With Head-Mounted Display. *Deng, Q.-L., +, JDT June 2014 433-437*

Multiple Orthographic Frustum Combing for Real-Time Computer-Generated Integral Imaging System. *Li, S.-L., +, JDT Aug. 2014 704-709*

Computerized instrumentation

Flexible TFT Circuit Analyzer Considering Process Variation, Aging, and Bending Effects. *Ma, E.-H., +, JDT Jan. 2014 19-27*

Consumer electronics

A Methodology for Evaluating Accuracy of Capacitive Touch Sensing Grid Patterns. *Akhtar, H., +, JDT Aug. 2014 672-682*

Contact resistance

Contact Effects in Amorphous InGaZnO Thin Film Transistors. *Valletta, A., +, JDT Nov. 2014 956-961*

Convolution

Tolerance Evaluation for Defocused Images to Optical Watermarking Technique. *Ishikawa, Y., +, JDT Feb. 2014 94-100*

Cooling

GaN-Based Light-Emitting Diodes With Staircase Electron Injector Structure. *Chang, S.-J., +, JDT Feb. 2014 162-166*

Copper

Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With TiO₂/SiO₂-Al Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*

Copy protection

Defeating Camcorder Piracy by Temporal Psychovisual Modulation. *Zhai, G., +, JDT Sept. 2014 754-757*

Copyright

Defeating Camcorder Piracy by Temporal Psychovisual Modulation. *Zhai, G., +, JDT Sept. 2014 754-757*

Covariance matrices

GPU-Parallel Implementation of the Edge-Directed Adaptive Intra-Field Deinterlacing Method. *Wu, J., +, JDT Sept. 2014 746-753*

Crystal growth from melt

Single-Grain Si TFTs Fabricated From Sputtered Si on a Polyimide Substrate. *Zhang, J., +, JDT Nov. 2014 945-949*

Crystallization

A Hybrid a-Si and Poly-Si TFTs Technology for AMOLED Pixel Circuits. *Wang, L., +, JDT April 2014 317-320*

Single-Grain Si TFTs Fabricated From Sputtered Si on a Polyimide Substrate. *Zhang, J., +, JDT Nov. 2014 945-949*

Current density

Contact Effects in Amorphous InGaZnO Thin Film Transistors. *Valletta, A., +, JDT Nov. 2014 956-961*

Current transformers

A Dimmable LED Driver Based on Current Balancing Transformer With Magnetizing Energy Recycling Considered. *Hwu, K. I., +, JDT May 2014 388-395*

D**Deconvolution**

Depth-of-Field Enhancement in Integral Imaging by Selective Depth-Deconvolution. *Navarro, H., +, JDT March 2014 182-188*

Deformation

A Simple Method to Measure Pretilt Angles of Inverse Twisted Nematic Liquid Crystal Cells. *Wang, S.-Y., +, JDT Dec. 2014 1024-1029*

Sub-Millisecond Switching of Hybrid-Aligned Nematic Liquid Crystals. *Choi, T.-H., +, JDT Dec. 2014 1088-1092*

Demultiplexing

A Frontal Multi-Projection Autostereoscopic 3D Display Based on a 3D-Image-Guided Screen. *Zang, S.-F., +, JDT Oct. 2014 882-886*

Design

Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Imaging and Confocal Systems for *in vivo* Measurements of Human-Iris Spectral Reflectance. *Chen, Y.-C., +, JDT July 2014 595-600*

Dichroism

Low-Power Displays With Dye-Doped Bistable Chiral-Tilted Homeotropic Nematic Liquid Crystals. *Lee, Y.-H., +, JDT Dec. 2014 1106-1109*

Dielectric relaxation

The Frequency Modulation Electro-Optical Response of Holographic Polymer Dispersed Liquid Crystal Display Doped With Nano Ag. *Zheng, J., +, JDT March 2014 215-222*

Diffraction gratings

The Frequency Modulation Electro-Optical Response of Holographic Polymer Dispersed Liquid Crystal Display Doped With Nano Ag. *Zheng, J., +, JDT March 2014 215-222*

Discrete cosine transforms

A Fragile Watermarking Algorithm for Hologram Authentication. *Cheng, C.-J., +, JDT April 2014 263-271*

Display devices

MulDiRoH: A Multi-View Human Representation System Using a QDA Screen With Multiple Cameras. *Ozawa, S., +, JDT Feb. 2014 87-93*

Display instrumentation

Low-Power Bi-Side Scan Driver Integrated by IZO TFTs Including a Clock-Controlled Inverter. *Wu, W.-J., +, JDT July 2014 523-525*

SSIM Preservation-Based Backlight Dimming. *Kang, S.-J., JDT April 2014 247-250*

Distortion

A Novel Partitioned Light Guide Backlight LCD for Mobile Devices and Local Dimming Method With Nonuniform Backlight Compensation. *Li, Y., +, JDT April 2014 321-328*

Document image processing

Hardware Engine for Supporting Gray-Tone Paintbrush Function on Electrophoretic Papers. *Kao, W.-C., +, JDT Feb. 2014 138-145*

Doping

Visible Light-Emitting Er^{3+} - Tm^{3+} - Yb^{3+} Codoped ZrO_2 Phosphor for Sensing and Photonics Applications. *Pandey, A., +, JDT June 2014 494-499*

Doping profiles

Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process. *Kim, Y. G., +, JDT Nov. 2014 939-944*

Driver circuits

A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*

A Dimmable LED Driver Based on Current Balancing Transformer With Magnetizing Energy Recycling Considered. *Hwu, K. I., +, JDT May 2014 388-395*

A Hybrid a-Si and Poly-Si TFTs Technology for AMOLED Pixel Circuits. *Wang, L., +, JDT April 2014 317-320*

A Low-Power Time-Synchronization Processor With Symmetric Even/Odd Timer for Charge-Shared LCD Driving of 3DTV Active Shutter Glasses. *Park, D., +, JDT Dec. 2014 1047-1054*

An Enhanced Voltage Programming Pixel Circuit for Compensating GB-Induced Variations in Poly-Si TFTs for AMOLED Displays. *Ho, C.-H., +, JDT May 2014 345-351*

Dimmable AC LED Driver With Efficiency Improved Based on Switched LED Module. *Hwu, K. I., +, JDT March 2014 171-181*

Dimmable and Cost-Effective DC Driving Technique for Flicker Mitigation in LED Lighting. *Wang, Q., +, JDT Sept. 2014 766-774*

Flexible TFT Circuit Analyzer Considering Process Variation, Aging, and Bending Effects. *Ma, E.-H., +, JDT Jan. 2014 19-27*

Low-Power Bi-Side Scan Driver Integrated by IZO TFTs Including a Clock-Controlled Inverter. *Wu, W.-J., +, JDT July 2014 523-525*

Thin-Film Bipolar Transistors on Recrystallized Polycrystalline Silicon Without Impurity Doped Junctions: Proposal and Investigation. *Nadda, K., +, JDT July 2014 590-594*

Dyes

Low-Power Displays With Dye-Doped Bistable Chiral-Tilted Homeotropic Nematic Liquid Crystals. *Lee, Y.-H., +, JDT Dec. 2014 1106-1109*

Video-Rate Holographic Display Using Azo-Dye-Doped Liquid Crystal. *Li, X., +, JDT June 2014 438-443*

E**Electric breakdown**

High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. *Furuta, M., +, JDT Nov. 2014 934-938*

Electric field effects

A Low Operating Electric Field Blue-Phase Liquid Crystal Display With Wedge Protrusion. *Sun, Y., +, JDT Sept. 2014 797-801*

Fluorinated Graphene FETs Controlled by Ionic Liquid Gate. *Furuyama, S., +, JDT Nov. 2014 962-965*

Electric fields

High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. *Furuta, M., +, JDT Nov. 2014 934-938*

Electrical resistivity

Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*

Electro-optical devices

An Autostereoscopic Device for Mobile Applications Based on a Liquid Crystal Microlens Array and an OLED Display. *Algorri, J. F., +, JDT Sept. 2014 713-720*

Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Submillisecond-Response Light Shutter for Solid-State Volumetric 3D Display Based on Polymer-Stabilized Cholesteric Texture. *Lu, H., +, JDT May 2014 396-401*

Electro-optical effects

Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

The Frequency Modulation Electro-Optical Response of Holographic Polymer Dispersed Liquid Crystal Display Doped With Nano Ag. *Zheng, J., +, JDT March 2014 215-222*

Electro-optical modulation

Effect of Bending on the Spectrum of Backlight Transmitted Through Flexible ITO/PET Substrate. *Singh, G., +, JDT Aug. 2014 666-671*

Electrochemical electrodes

Inverted Hybrid Inorganic–Organic Light-Emitting Diodes With Balanced Charge Injection. *Cao, X. A., +, JDT July 2014 548-552*

Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*

Electrochemical impedance spectroscopy

Fabrication and Characteristic Analysis of Arrayed Electrochromic Display Based on Tertiary Colors. *Chou, J.-C., +, JDT Oct. 2014 853-861*

Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

Electrochromic displays

Fabrication and Characteristic Analysis of Arrayed Electrochromic Display Based on Tertiary Colors. *Chou, J.-C., +, JDT Oct. 2014 853-861*

Electrochromism

Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

Electrodeposition

Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

Electrodes

A Continuous Viewing Angle Controllable Blue Phase Liquid Crystal Display. *Li, Y., +, JDT Oct. 2014 827-831*

A Low Operating Electric Field Blue-Phase Liquid Crystal Display With Wedge Protrusion. *Sun, Y., +, JDT Sept. 2014 797-801*

A Low Voltage and Continuous Viewing Angle Controllable Blue Phase Liquid Crystal Display. *Sun, Y., +, JDT June 2014 484-487*

An Analysis of Electrode Patterns in Capacitive Touch Screen Panels. *Lee, J., +, JDT May 2014 362-366*

Development of a Ray-Tracing Optical Simulation Model of Plasma Display Panel. *Joo, B.-Y., +, JDT Jan. 2014 49-56*

Enhanced Electrostatic Discharge Reliability in GaN-Based Light-Emitting Diodes by the Electrode Engineering. *Chen, S.-L., JDT Oct. 2014 807-813*

Twisted Nematic Dual-View Liquid Crystal Display Based on Patterned Electrodes. *Hsieh, C.-T., +, JDT June 2014 464-469*

Electroluminescence

A 128×96 Pixel CMOS Microdisplay Utilizing Hot Carrier Electroluminescence From Junctions in Reach Through. *Venter, P. J., +, JDT Sept. 2014 721-728*

Electrolytes

Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

Electromagnetic wave polarization

Phase-Shift Imaging Polarimetry for Measuring the Physical Parameters of a Twisted Nematic Liquid Crystal Device Without Periodic Ambiguity. *Yu, C.-J., +, JDT Sept. 2014 758-765*

Electron field emission

Fabrication of Carbon Nanotube Field-Emission Cathodes by Laser-Induced Transfer of Carbon Nanotubes and Silver Paste. *Liao, H.-Y., +, JDT Dec. 2014 1083-1087*

Electronic paper

Hardware Engine for Supporting Gray-Tone Paintbrush Function on Electrophoretic Papers. *Kao, W.-C., +, JDT Feb. 2014 138-145*

Electronic speckle pattern interferometry

Video-Rate Holographic Display Using Azo-Dye-Doped Liquid Crystal. *Li, X., +, JDT June 2014 438-443*

Electrophoresis

Quantum Dots Enhanced Liquid Displays. *Luo, Z., +, JDT Dec. 2014 987-990*

Electrophoretic displays

Hardware Engine for Supporting Gray-Tone Paintbrush Function on Electrophoretic Papers. *Kao, W.-C., +, JDT Feb. 2014 138-145*

Electroplating

Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With $\text{TiO}_2/\text{SiO}_2-\text{Al}$ Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*

Electrostatic discharge

Enhanced Electrostatic Discharge Reliability in GaN-Based Light-Emitting Diodes by the Electrode Engineering. *Chen, S.-L., JDT Oct. 2014 807-813*

Elemental semiconductors

A 128×96 Pixel CMOS Microdisplay Utilizing Hot Carrier Electroluminescence From Junctions in Reach Through. *Venter, P. J., +, JDT Sept. 2014 721-728*

A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*

A Hybrid a-Si and Poly-Si TFTs Technology for AMOLED Pixel Circuits. *Wang, L., +, JDT April 2014 317-320*

A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology. *Kim, S. Y., +, JDT Dec. 2014 1110-1114*

A New Voltage Driving Scheme to Suppress Non-Idealities of Polycrystalline Thin-Film Transistors for AMOLED Displays. *Liu, W., +, JDT Dec. 2014 991-994*

A Novel p-Type LTPS TFT Pixel Circuit Compensating for Threshold Voltage and Mobility Variations. *Kim, Y., +, JDT Dec. 2014 995-1000*

Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With $\text{TiO}_2/\text{SiO}_2-\text{Al}$ Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*

Fabrication of High-Performance Poly-Si Thin-Film Transistors With Sub-Lithographic Channel Dimensions. *Lee, K.-H., +, JDT Nov. 2014 966-970*

Flexible TFT Circuit Analyzer Considering Process Variation, Aging, and Bending Effects. *Ma, E.-H., +, JDT Jan. 2014 19-27*

Hybrid Sensor and Display Pixel Circuits for Mobile Near-to-Eye Applications. *Papadopoulos, N. P., +, JDT July 2014 574-581*

Improvement in Characteristic Variability of TFTs Using Grain Growth Control by Micro Thermal Plasma Jet Irradiation on a-Si Strips. *Morisaki, S., +, JDT Nov. 2014 950-955*

Single-Grain Si TFTs Fabricated From Sputtered Si on a Polyimide Substrate. *Zhang, J., +, JDT Nov. 2014 945-949*

Source-Gated Transistors for Power- and Area-Efficient AMOLED Pixel Circuits. *Xu, X., +, JDT Nov. 2014 928-933*

Thin-Film Bipolar Transistors on Recrystallized Polycrystalline Silicon Without Impurity Doped Junctions: Proposal and Investigation. *Nadda, K., +, JDT July 2014 590-594*

Ellipsometry

Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

Energy conservation

Segmentation-Based Clipped Error Control Algorithm for Global Backlight Dimming. *Kang, S.-J., +, JDT July 2014 568-573*

Energy gap

Efficient Simulation Model for Amorphous In-Ga-Zn-O Thin-Film Transistors. *Tsuji, H., +, JDT Feb. 2014 101-106*

Equalizers

A Low-Power Time-Synchronization Processor With Symmetric Even/Odd Timer for Charge-Shared LCD Driving of 3DTV Active Shutter Glasses. *Park, D., +, JDT Dec. 2014 1047-1054*

Equivalent circuits

Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

The Frequency Modulation Electro-Optical Response of Holographic Polymer Dispersed Liquid Crystal Display Doped With Nano Ag. *Zheng, J., +, JDT March 2014 215-222*

Erbium

Visible Light-Emitting $\text{Er}^{3+}-\text{Tm}^{3+}-\text{Yb}^{3+}$ Codoped ZrO_2 Phosphor for Sensing and Photonics Applications. *Pandey, A., +, JDT June 2014 494-499*

Estimation theory

Novel Estimation Method of Three-Dimensional Vertical View Angle for Polarized Stereoscopic Display. *Zhan, H., +, JDT Oct. 2014 899-904*

Etching

GaN-Based LEDs With Rough Surface and Selective KOH Etching. *Chang, S.-J., +, JDT Jan. 2014 27-32*

Eye

Effect of Veiling Glare on Detectability in High-Dynamic-Range Medical Images. *Choi, M., +, JDT May 2014 420-428*

Imaging and Confocal Systems for *in vivo* Measurements of Human-Iris Spectral Reflectance. *Chen, Y.-C., +, JDT July 2014 595-600*

F**Fault tolerance**

Laser Based Projection System for Displays, Signage and Illumination. *Madamopoulos, N., +, JDT Oct. 2014 832-839*

Feedback

Feedback Reversing Design Method for Uniform Illumination in LED Backlighting With Extended Source. *Wu, D., +, JDT Jan. 2014 43-48*

Field effect transistor switches

Dimmable AC LED Driver With Efficiency Improved Based on Switched LED Module. *Hwu, K. I., +, JDT March 2014 171-181*

Field effect transistors

Fluorinated Graphene FETs Controlled by Ionic Liquid Gate. *Furuyama, S., +, JDT Nov. 2014 962-965*

Performance Investigation of Amorphous InGaZnO Flexible Thin-Film Transistors Deposited on PET Substrates. *Lee, H.-Y., +, JDT Sept. 2014 792-796*

Thin-Film Bipolar Transistors on Recrystallized Polycrystalline Silicon Without Impurity Doped Junctions: Proposal and Investigation. *Nadda, K., +, JDT July 2014 590-594*

Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. *Sun, C., +, JDT Aug. 2014 660-665*

Field emission displays

Fabrication of Carbon Nanotube Field-Emission Cathodes by Laser-Induced Transfer of Carbon Nanotubes and Silver Paste. *Liao, H.-Y., +, JDT Dec. 2014 1083-1087*

Field programmable gate arrays

A Low-Power Contrast Enhancement Algorithm Using Histogram Segmentation and Circuit Implementation for AMOLED Applications. *Qiang, W., +, JDT Sept. 2014 785-791*

Dimmable AC LED Driver With Efficiency Improved Based on Switched LED Module. *Hwu, K. I., +, JDT March 2014 171-181*

Efficient FPGA-Based Fresnel Transform Architecture for Digital Holography. *Cheng, C.-J., +, JDT April 2014 272-281*

Finite difference time-domain analysis

Analysis on the Light-Extraction Efficiency of GaN-Based Light-Emitting Diodes With Deep-Hole Amorphous Photonic Crystals Structures. *Yue, Q., +, JDT Dec. 2014 1070-1077*

Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals. *Ding, Q.-A., +, JDT Nov. 2014 909-916*

Flat panel displays

Low Power Programmable Shift Register With Depletion Mode Oxide TFTs for High Resolution and High Frame Rate AMFPDs. *Song, E., +, JDT Oct. 2014 862-866*

Multi-User Autostereoscopic 2D/3D Switchable Flat-Panel Display. *Xue, Y., +, JDT Sept. 2014 737-745*

Flexible displays

A Transflective Display Using Blue Phase Liquid Crystal. *Zhong, E.-W., +, JDT May 2014 357-361*

Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. *Huang, K.-T., +, JDT July 2014 609-614*

Effect of Bending on the Spectrum of Backlight Transmitted Through Flexible ITO/PET Substrate. *Singh, G., +, JDT Aug. 2014 666-671*

Flexible electronics

A Flexible TFT Circuit Yield Optimizer Considering Process Variation, Aging, and Bending Effects. *Wei, W.-E., +, JDT Dec. 2014 1055-1063*

Performance Investigation of Amorphous InGaZnO Flexible Thin-Film Transistors Deposited on PET Substrates. *Lee, H.-Y., +, JDT Sept. 2014 792-796*

Flip-chip devices

Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals. *Ding, Q.-A., +, JDT Nov. 2014 909-916*

Fluorescence

Visible Light-Emitting Er^{3+} - Tm^{3+} - Yb^{3+} Codoped ZrO_2 Phosphor for Sensing and Photonics Applications. *Pandey, A., +, JDT June 2014 494-499*

Focal planes

Design and Assessment of a Depth-Fused Multi-Focal-Plane Display Prototype. *Hu, X., +, JDT April 2014 308-316*

Vivid-DIBR Based 2D-3D Image Conversion System for 3D Display. *Fan, Y.-C., +, JDT Oct. 2014 887-898*

Fourier transform optics

Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation. *Chang, C., +, JDT Feb. 2014 107-113*

Frequency modulation

The Frequency Modulation Electro-Optical Response of Holographic Polymer Dispersed Liquid Crystal Display Doped With Nano Ag. *Zheng, J., +, JDT March 2014 215-222*

Fresnel diffraction

A Holographic Projection System With an Electrically Adjustable Optical Zoom and a Fixed Location of Zeroth-Order Diffraction. *Chen, M.-S., +, JDT June 2014 450-455*

Efficient FPGA-Based Fresnel Transform Architecture for Digital Holography. *Cheng, C.-J., +, JDT April 2014 272-281*

Function approximation

Tolerance Evaluation for Defocused Images to Optical Watermarking Technique. *Ishikawa, Y., +, JDT Feb. 2014 94-100*

Fuzzy reasoning

An Adaptive Error Concealment Method Based on Fuzzy Reasoning for Multi-View Video Coding. *Lee, P.-J., +, JDT July 2014 560-567*

Fuzzy set theory

Fuzzy Integral Imaging Camera Calibration for Real Scale 3D Reconstructions. *Navarro, H., +, JDT July 2014 601-608*

Fuzzy systems

Fuzzy Integral Imaging Camera Calibration for Real Scale 3D Reconstructions. *Navarro, H., +, JDT July 2014 601-608*

G**Gallium compounds**

A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio. *Kim, Y., +, JDT Jan. 2014 80-83*

An a-InGaZnO TFT Pixel Circuit Compensating Threshold Voltage and Mobility Variations in AMOLEDs. *Kim, Y., +, JDT May 2014 402-406*

Analysis on the Light-Extraction Efficiency of GaN-Based Light-Emitting Diodes With Deep-Hole Amorphous Photonic Crystals Structures. *Yue, Q., +, JDT Dec. 2014 1070-1077*

Contact Effects in Amorphous InGaZnO Thin Film Transistors. *Valletta, A., +, JDT Nov. 2014 956-961*

Effect of Stair-Case Electron Blocking Layer on the Performance of Blue InGaN Based LEDs. *Lu, T., +, JDT Feb. 2014 146-150*

Effects of High-Temperature Annealing on Operation Characteristics of a-In-Ga-Zn-O TFTs. *Hanyu, Y., +, JDT Nov. 2014 979-983*

Efficient Simulation Model for Amorphous In-Ga-Zn-O Thin-Film Transistors. *Tsugi, H., +, JDT Feb. 2014 101-106*

Enhanced Electrostatic Discharge Reliability in GaN-Based Light-Emitting Diodes by the Electrode Engineering. *Chen, S.-L., JDT Oct. 2014 807-813*

Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With $\text{TiO}_2/\text{SiO}_2\text{-Al}$ Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*

GaN-Based LEDs With Hot/Cold Factor Improved by the Electron Blocking Layer. *Lam, K.-T., +, JDT Dec. 2014 1078-1082*

GaN-Based Light-Emitting Diodes With Staircase Electron Injector Structure. *Chang, S.-J., +, JDT Feb. 2014 162-166*

GaN-Based Light-Emitting-Diode With a p-InGaN Layer. *Chen, P. H., +, JDT March 2014 204-207*

High Mobility Field-Effect Thin Film Transistor Using Room-Temperature High- κ Gate Dielectrics. *Hsu, H.-H., +, JDT Oct. 2014 875-881*

High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. *Furuta, M., +, JDT Nov. 2014 934-938*

Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals. *Ding, Q.-A., +, JDT Nov. 2014 909-916*

Investigation of Amorphous Indium Gallium Zinc Oxide Thin Film Transistors Grown by Triple-Targets Magnetron Co-Sputtering. *Lee, C.-T., +, JDT April 2014 293-298*

Performance Investigation of Amorphous InGaZnO Flexible Thin-Film Transistors Deposited on PET Substrates. *Lee, H.-Y., +, JDT Sept. 2014 792-796*

Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence. *Domen, K., +, JDT Nov. 2014 975-978*

Source-Gated Transistors for Power- and Area-Efficient AMOLED Pixel Circuits. *Xu, X., +, JDT Nov. 2014 928-933*

Gaussian processes

Tolerance Evaluation for Defocused Images to Optical Watermarking Technique. *Ishikawa, Y., +, JDT Feb. 2014 94-100*

Gaze tracking

Multi-User Autostereoscopic 2D/3D Switchable Flat-Panel Display. *Xue, Y., +, JDT Sept. 2014 737-745*

Genetic algorithms

Optimizing Time-Multiplexing Auto-Stereoscopic Displays With a Genetic Algorithm. *Liang, H., +, JDT Aug. 2014 695-699*

Suppression of Petzval Aberration in a Projector Lens by Using Genetic Algorithm. *Tsai, C.-M., JDT May 2014 380-387*

Genetic engineering

Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Gradient methods

Block-Based Gradient Descent for Local Backlight Dimming and Flicker Reduction. *Burini, N., +, JDT Jan. 2014 71-79*

Grain boundaries

A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology. *Kim, S. Y., +, JDT Dec. 2014 1110-1114*

An Enhanced Voltage Programming Pixel Circuit for Compensating GB-Induced Variations in Poly-Si TFTs for AMOLED Displays. *Ho, C.-H., +, JDT May 2014 345-351*

Improvement in Characteristic Variability of TFTs Using Grain Growth Control by Micro Thermal Plasma Jet Irradiation on a-Si Strips. *Morisaki, S., +, JDT Nov. 2014 950-955*

Thin-Film Bipolar Transistors on Recrystallized Polycrystalline Silicon Without Impurity Doped Junctions: Proposal and Investigation. *Nadda, K., +, JDT July 2014 590-594*

Grain growth

Improvement in Characteristic Variability of TFTs Using Grain Growth Control by Micro Thermal Plasma Jet Irradiation on a-Si Strips. *Morisaki, S., +, JDT Nov. 2014 950-955*

Graphene

Fluorinated Graphene FETs Controlled by Ionic Liquid Gate. *Furuyama, S., +, JDT Nov. 2014 962-965*

Graphics processing units

GPU-Parallel Implementation of the Edge-Directed Adaptive Intra-Field Deinterlacing Method. *Wu, J., +, JDT Sept. 2014 746-753*

Multiple Orthographic Frustum Combing for Real-Time Computer-Generated Integral Imaging System. *Li, S.-L., +, JDT Aug. 2014 704-709*

H**Hafnium compounds**

High Mobility Field-Effect Thin Film Transistor Using Room-Temperature High- κ Gate Dielectrics. *Hsu, H.-H., +, JDT Oct. 2014 875-881*

Harmonic distortion

Dimmable AC LED Driver With Efficiency Improved Based on Switched LED Module. *Hwu, K. I., +, JDT March 2014 171-181*

Head-up displays

Attention Tunneling: Effects of Limiting Field of View Due to Beam Combiner Frame of Head-Up Display. *Karar, V., +, JDT July 2014 582-589*

Ultra-Bright Heads-Up Displays Using a Method of Projected Color Images by Combination of LEDs and Polymer-Dispersed Liquid Crystals. *Hou, S.-L., +, JDT March 2014 228-234*

Helmet mounted displays

A Methodology for Evaluating Accuracy of Capacitive Touch Sensing Grid Patterns. *Akhtar, H., +, JDT Aug. 2014 672-682*

Curved Holographic Combiner for Color Head Worn Display. *Guillaumee, M., +, JDT June 2014 444-449*

MGSAs-Type Computer-Generated Holography for Vision Training With Head-Mounted Display. *Deng, Q.-L., +, JDT June 2014 433-437*

High definition television

High-Frame-Rate Motion Picture Quality and Its Independence of Viewing Distance. *Emoto, M., +, JDT Aug. 2014 635-641*

Suppression of Petzval Aberration in a Projector Lens by Using Genetic Algorithm. *Tsai, C.-M., JDT May 2014 380-387*

High-k dielectric thin films

Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process. *Kim, Y. G., +, JDT Nov. 2014 939-944*

High Mobility Field-Effect Thin Film Transistor Using Room-Temperature High- κ Gate Dielectrics. *Hsu, H.-H., +, JDT Oct. 2014 875-881*

Holographic displays

A Holographic Projection System With an Electrically Adjustable Optical Zoom and a Fixed Location of Zeroth-Order Diffraction. *Chen, M.-S., +, JDT June 2014 450-455*

Curved Holographic Combiner for Color Head Worn Display. *Guillaumee, M., +, JDT June 2014 444-449*

Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation. *Chang, C., +, JDT Feb. 2014 107-113*

Tailoring 3-Component Photoinitiating Systems for Use as Efficient Photopolymerizable Holographic Material. *Ibrahim, A., +, JDT June 2014 456-463*

The Frequency Modulation Electro-Optical Response of Holographic Polymer Dispersed Liquid Crystal Display Doped With Nano Ag. *Zheng, J., +, JDT March 2014 215-222*

Three-Dimensional Holographic Display Using Dense Ray Sampling and Integral Imaging Capture. *Xiao, X., +, JDT Aug. 2014 688-694*

Video-Rate Holographic Display Using Azo-Dye-Doped Liquid Crystal. *Li, X., +, JDT June 2014 438-443*

Holographic optical elements

A Holographic Projection System With an Electrically Adjustable Optical Zoom and a Fixed Location of Zeroth-Order Diffraction. *Chen, M.-S., +, JDT June 2014 450-455*

Holography

A Fragile Watermarking Algorithm for Hologram Authentication. *Cheng, C.-J., +, JDT April 2014 263-271*

A4-Sized Parallel Phase-Shifting Digital Holography System. *Fujii, M., +, JDT Feb. 2014 132-137*

Blue Phase LC/Polymer Fresnel Lens Fabricated by Holographics. *Tan, J., +, JDT Feb. 2014 157-161*

Digital Holography Using Spectral Estimation Technique. *Xia, P., +, JDT March 2014 235-242*

Efficient FPGA-Based Fresnel Transform Architecture for Digital Holography. *Cheng, C.-J., +, JDT April 2014 272-281*

Hot carriers

GaN-Based Light-Emitting Diodes With Staircase Electron Injector Structure. *Chang, S.-J., +, JDT Feb. 2014 162-166*

Human computer interaction

Enhanced Natural Visual Perception for Augmented Reality-Workstations by Simulation of Perspective. *Radkowski, R., +, JDT May 2014 333-344*

Hydrogen

A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*

I

IEEE publishing

List of Reviewers. *JDT Dec. 2014 1115*

+ Check author entry for coauthors

Image capture

Attention Tunneling: Effects of Limiting Field of View Due to Beam Combiner Frame of Head-Up Display. *Karar, V., +, JDT July 2014 582-589*

Fuzzy Integral Imaging Camera Calibration for Real Scale 3D Reconstructions. *Navarro, H., +, JDT July 2014 601-608*

Image classification

An Artifact Information Based Motion Vector Processing Method for Motion Compensated Frame Interpolation. *Lu, Q., +, JDT Sept. 2014 775-784*

Image coding

Ghosting Impingements in 3D Dual-View Projection Systems. *Silva, V. N. H., +, JDT July 2014 540-547*

MGSAs-Type Computer-Generated Holography for Vision Training With Head-Mounted Display. *Deng, Q.-L., +, JDT June 2014 433-437*

Image color analysis

Comparative Evaluation of the Imaging Performance of Multi-Primary Color LCDs With RGBCW and RGBCY Pixel Units by Simulation. *Wang, Y.-C., +, JDT Sept. 2014 729-736*

Curved Holographic Combiner for Color Head Worn Display. *Guillaumee, M., +, JDT June 2014 444-449*

Fuzzy Integral Imaging Camera Calibration for Real Scale 3D Reconstructions. *Navarro, H., +, JDT July 2014 601-608*

HSI-Based Color Error-Aware Subpixel Rendering Technique. *Kang, S.-J., JDT April 2014 251-254*

Local Luminance Boosting of an RGBW LCD. *Hammer, M., +, JDT Jan. 2014 33-42*

Ultra-Bright Heads-Up Displays Using a Method of Projected Color Images by Combination of LEDs and Polymer-Dispersed Liquid Crystals. *Hou, S.-L., +, JDT March 2014 228-234*

Vivid-DIBR Based 2D–3D Image Conversion System for 3D Display. *Fan, Y.-C., +, JDT Oct. 2014 887-898*

Image converters

Vivid-DIBR Based 2D–3D Image Conversion System for 3D Display. *Fan, Y.-C., +, JDT Oct. 2014 887-898*

Image enhancement

A Fragile Watermarking Algorithm for Hologram Authentication. *Cheng, C.-J., +, JDT April 2014 263-271*

A Low-Power Contrast Enhancement Algorithm Using Histogram Segmentation and Circuit Implementation for AMOLED Applications. *Qiang, W., +, JDT Sept. 2014 785-791*

An Artifact Information Based Motion Vector Processing Method for Motion Compensated Frame Interpolation. *Lu, Q., +, JDT Sept. 2014 775-784*

Hardware Engine for Supporting Gray-Tone Paintbrush Function on Electrophoretic Papers. *Kao, W.-C., +, JDT Feb. 2014 138-145*

Image fusion

Design and Assessment of a Depth-Fused Multi-Focal-Plane Display Prototype. *Hu, X., +, JDT April 2014 308-316*

Image matching

A Holographic Projection System With an Electrically Adjustable Optical Zoom and a Fixed Location of Zeroth-Order Diffraction. *Chen, M.-S., +, JDT June 2014 450-455*

Image motion analysis

A4-Sized Parallel Phase-Shifting Digital Holography System. *Fujii, M., +, JDT Feb. 2014 132-137*

An Adaptive Error Concealment Method Based on Fuzzy Reasoning for Multi-View Video Coding. *Lee, P.-J., +, JDT July 2014 560-567*

Image processing

Improved Viewing Zones for Projection Type Integral Imaging 3D Display Using Adaptive Liquid Crystal Prism Array. *Chen, C.-W., +, JDT March 2014 198-203*

Relationship of Just Noticeable Difference (JND) in Black Level and White Level With Image Content. *Yang, H., +, JDT June 2014 470-477*

Image reconstruction

A Frontal Multi-Projection Autostereoscopic 3D Display Based on a 3D-Image-Guided Screen. *Zang, S.-F., +, JDT Oct. 2014 882-886*

A4-Sized Parallel Phase-Shifting Digital Holography System. *Fujii, M., +, JDT Feb. 2014 132-137*

An Adaptive Error Concealment Method Based on Fuzzy Reasoning for Multi-View Video Coding. *Lee, P.-J., +, JDT July 2014 560-567*

Depth-of-Field Enhancement in Integral Imaging by Selective Depth-Deconvolution. *Navarro, H., +, JDT March 2014 182-188*

Diffraction Influence on the Field of View and Resolution of Three-Dimensional Integral Imaging. *Esna Ashari, Z., +, JDT July 2014 553-559*

Digital Holography Using Spectral Estimation Technique. *Xia, P., +, JDT March 2014 235-242*

- Fuzzy Integral Imaging Camera Calibration for Real Scale 3D Reconstructions. *Navarro, H., +, JDT July 2014 601-608*
- Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation. *Chang, C., +, JDT Feb. 2014 107-113*
- MGSAs-Type Computer-Generated Holography for Vision Training With Head-Mounted Display. *Deng, Q.-L., +, JDT June 2014 433-437*
- Three-Dimensional Holographic Display Using Dense Ray Sampling and Integral Imaging Capture. *Xiao, X., +, JDT Aug. 2014 688-694*
- Image resolution**
- A Block-Wise Autoregression-Based Deinterlacing Algorithm. *Wang, J., +, JDT May 2014 414-419*
- Curved Holographic Combiner for Color Head Worn Display. *Guillaumee, M., +, JDT June 2014 444-449*
- Diffraction Influence on the Field of View and Resolution of Three-Dimensional Integral Imaging. *Esna Ashari, Z., +, JDT July 2014 553-559*
- Distant Binocular Filters for Full-Resolution Autostereoscopic Viewing and for Single-Aperture Stereo Glasses. *Ezhov, V. A., JDT Feb. 2014 114-119*
- GPU-Parallel Implementation of the Edge-Directed Adaptive Intra-Field Deinterlacing Method. *Wu, J., +, JDT Sept. 2014 746-753*
- Polarizer Parallax Barrier 3D Display With High Brightness, Resolution and Low Crosstalk. *Lv, G.-J., +, JDT Feb. 2014 120-124*
- Three-Dimensional Holographic Display Using Dense Ray Sampling and Integral Imaging Capture. *Xiao, X., +, JDT Aug. 2014 688-694*
- Image sampling**
- Three-Dimensional Holographic Display Using Dense Ray Sampling and Integral Imaging Capture. *Xiao, X., +, JDT Aug. 2014 688-694*
- Image scanners**
- Bare Finger 3D Air-Touch System Using an Embedded Optical Sensor Array for Mobile Displays. *Wang, G.-Z., +, JDT Jan. 2014 13-18*
- Image segmentation**
- A Low-Power Contrast Enhancement Algorithm Using Histogram Segmentation and Circuit Implementation for AMOLED Applications. *Qiang, W., +, JDT Sept. 2014 785-791*
- Segmentation-Based Clipped Error Control Algorithm for Global Backlight Dimming. *Kang, S.-J., +, JDT July 2014 568-573*
- Vivid-DIBR Based 2D-3D Image Conversion System for 3D Display. *Fan, Y.-C., +, JDT Oct. 2014 887-898*
- Image sensors**
- A Fragile Watermarking Algorithm for Hologram Authentication. *Cheng, C.-J., +, JDT April 2014 263-271*
- Diffraction Influence on the Field of View and Resolution of Three-Dimensional Integral Imaging. *Esna Ashari, Z., +, JDT July 2014 553-559*
- Fuzzy Integral Imaging Camera Calibration for Real Scale 3D Reconstructions. *Navarro, H., +, JDT July 2014 601-608*
- Image sequences**
- Block-Based Gradient Descent for Local Backlight Dimming and Flicker Reduction. *Burini, N., +, JDT Jan. 2014 71-79*
- Multi-Channel Mixed-Pattern Based Frame Rate Up-Conversion Using Spatio-Temporal Motion Vector Refinement and Dual-Weighted Overlapped Block Motion Compensation. *Li, R., +, JDT Dec. 2014 1010-1023*
- SSIM Preservation-Based Backlight Dimming. *Kang, S.-J., JDT April 2014 247-250*
- Stereoscopic Visual Attention Guided Disparity Control for Multiview Images. *Lei, J., +, JDT May 2014 373-379*
- Image texture**
- An Adaptive Error Concealment Method Based on Fuzzy Reasoning for Multi-View Video Coding. *Lee, P.-J., +, JDT July 2014 560-567*
- Image watermarking**
- A Fragile Watermarking Algorithm for Hologram Authentication. *Cheng, C.-J., +, JDT April 2014 263-271*
- Tolerance Evaluation for Defocused Images to Optical Watermarking Technique. *Ishikawa, Y., +, JDT Feb. 2014 94-100*
- Impurity states**
- Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*
- Indium compounds**
- A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio. *Kim, Y., +, JDT Jan. 2014 80-83*
- An a-InGaZnO TFT Pixel Circuit Compensating Threshold Voltage and Mobility Variations in AMOLEDs. *Kim, Y., +, JDT May 2014 402-406*

- Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. *Huang, K.-T., +, JDT July 2014 609-614*
- Carrier Transport Improvement in Blue InGaN Light-Emitting Diodes Via Reduced Polarization Using a Band-Engineered Electron Blocking Layer. *Sun, P., +, JDT Dec. 2014 1101-1105*
- Contact Effects in Amorphous InGaZnO Thin Film Transistors. *Valletta, A., +, JDT Nov. 2014 956-961*
- Effect of Stair-Case Electron Blocking Layer on the Performance of Blue InGaN Based LEDs. *Lu, T., +, JDT Feb. 2014 146-150*
- Effects of High-Temperature Annealing on Operation Characteristics of a-In-Ga-Zn-O TFTs. *Hanyu, Y., +, JDT Nov. 2014 979-983*
- Efficient Simulation Model for Amorphous In-Ga-Zn-O Thin-Film Transistors. *Tsuji, H., +, JDT Feb. 2014 101-106*
- GaN-Based Light-Emitting-Diode With a p-InGaN Layer. *Chen, P. H., +, JDT March 2014 204-207*
- High Mobility Field-Effect Thin Film Transistor Using Room-Temperature High- κ Gate Dielectrics. *Hsu, H.-H., +, JDT Oct. 2014 875-881*
- High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. *Furuta, M., +, JDT Nov. 2014 934-938*
- Investigation of Amorphous Indium Gallium Zinc Oxide Thin Film Transistors Grown by Triple-Targets Magnetron Co-Sputtering. *Lee, C.-T., +, JDT April 2014 293-298*
- Low-Power Bi-Side Scan Driver Integrated by IZO TFTs Including a Clock-Controlled Inverter. *Wu, W.-J., +, JDT July 2014 523-525*
- Performance Investigation of Amorphous InGaZnO Flexible Thin-Film Transistors Deposited on PET Substrates. *Lee, H.-Y., +, JDT Sept. 2014 792-796*
- Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence. *Domen, K., +, JDT Nov. 2014 975-978*
- Source-Gated Transistors for Power- and Area-Efficient AMOLED Pixel Circuits. *Xu, X., +, JDT Nov. 2014 928-933*
- Inductors**
- A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology. *Kim, S. Y., +, JDT Dec. 2014 1110-1114*
- Dimmable and Cost-Effective DC Driving Technique for Flicker Mitigation in LED Lighting. *Wang, Q., +, JDT Sept. 2014 766-774*
- Infrared spectra**
- Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*
- Ink**
- Storage Lifetime of Polymer-Carbon Nanotube Inks for Use as Charge Transport Layers in Organic Light Emitting Diodes. *Mills, C. A., +, JDT Feb. 2014 125-131*
- Ink jet printing**
- Storage Lifetime of Polymer-Carbon Nanotube Inks for Use as Charge Transport Layers in Organic Light Emitting Diodes. *Mills, C. A., +, JDT Feb. 2014 125-131*
- Insulating materials**
- A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology. *Kim, S. Y., +, JDT Dec. 2014 1110-1114*
- Integrated circuit reliability**
- An Enhanced Voltage Programming Pixel Circuit for Compensating GB-Induced Variations in Poly-Si TFTs for AMOLED Displays. *Ho, C.-H., +, JDT May 2014 345-351*
- Integrated optoelectronics**
- Analysis on the Light-Extraction Efficiency of GaN-Based Light-Emitting Diodes With Deep-Hole Amorphous Photonic Crystals Structures. *Yue, Q., +, JDT Dec. 2014 1070-1077*
- Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With TiO₂/SiO₂-Al Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*
- Intelligent sensors**
- Bare Finger 3D Air-Touch System Using an Embedded Optical Sensor Array for Mobile Displays. *Wang, G.-Z., +, JDT Jan. 2014 13-18*
- Interactive devices**
- Bare Finger 3D Air-Touch System Using an Embedded Optical Sensor Array for Mobile Displays. *Wang, G.-Z., +, JDT Jan. 2014 13-18*
- Transforming a Regular Screen Into a Touch Screen Using a Single Webcam. *Zhang, L., +, JDT Aug. 2014 647-659*

Interactive systems

Bare Finger 3D Air-Touch System Using an Embedded Optical Sensor Array for Mobile Displays. *Wang, G.-Z., +, JDT Jan. 2014 13-18*

Interference suppression

A Unified Method for Crosstalk Reduction in Multiview Displays. *Zhou, M., +, JDT June 2014 500-507*

Multi-Zone Digital Crosstalk Reduction by Image Processing in 3D Display. *Ma, C.-Y., +, JDT June 2014 488-493*

Internal stresses

Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. *Huang, K.-T., +, JDT July 2014 609-614*

Effect of Bending on the Spectrum of Backlight Transmitted Through Flexible ITO/PET Substrate. *Singh, G., +, JDT Aug. 2014 666-671*

Interpolation

A Block-Wise Autoregression-Based Deinterlacing Algorithm. *Wang, J., +, JDT May 2014 414-419*

A Methodology for Evaluating Accuracy of Capacitive Touch Sensing Grid Patterns. *Akhtar, H., +, JDT Aug. 2014 672-682*

An Artifact Information Based Motion Vector Processing Method for Motion Compensated Frame Interpolation. *Lu, Q., +, JDT Sept. 2014 775-784*

GPU-Parallel Implementation of the Edge-Directed Adaptive Intra-Field Deinterlacing Method. *Wu, J., +, JDT Sept. 2014 746-753*

Hardware Engine for Supporting Gray-Tone Paintbrush Function on Electrophoretic Papers. *Kao, W.-C., +, JDT Feb. 2014 138-145*

Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation. *Chang, C., +, JDT Feb. 2014 107-113*

Multi-Channel Mixed-Pattern Based Frame Rate Up-Conversion Using Spatio-Temporal Motion Vector Refinement and Dual-Weighted Overlapped Block Motion Compensation. *Li, R., +, JDT Dec. 2014 1010-1023*

Inverse problems

Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation. *Chang, C., +, JDT Feb. 2014 107-113*

Inverters

Low Power Programmable Shift Register With Depletion Mode Oxide TFTs for High Resolution and High Frame Rate AMFPDs. *Song, E., +, JDT Oct. 2014 862-866*

Iterative methods

An Artifact Information Based Motion Vector Processing Method for Motion Compensated Frame Interpolation. *Lu, Q., +, JDT Sept. 2014 775-784*

Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation. *Chang, C., +, JDT Feb. 2014 107-113*

J**Jamming**

Defeating Camcorder Piracy by Temporal Psychovisual Modulation. *Zhai, G., +, JDT Sept. 2014 754-757*

L**Large scale integration**

A 128×96 Pixel CMOS Microdisplay Utilizing Hot Carrier Electroluminescence From Junctions in Reach Through. *Venter, P. J., +, JDT Sept. 2014 721-728*

Laser beams

Influence of a Light Pipe on a Linearly Polarized Light Beam and Its Effect on a Laser Projector System. *Zhao, P. F., +, JDT Oct. 2014 847-852*

Laser Based Projection System for Displays, Signage and Illumination. *Madamopoulos, N., +, JDT Oct. 2014 832-839*

Laser Speckle Reduction Using a Motionless Despeckle Element Based on Random Mie Scattering. *Xu, M., +, JDT Feb. 2014 151-156*

Laser-Driven Visible Solid-State Light Source for Etendue-Limited Applications. *Abu-Ageel, N., +, JDT Aug. 2014 700-703*

Laser cavity resonators

Laser-Driven Visible Solid-State Light Source for Etendue-Limited Applications. *Abu-Ageel, N., +, JDT Aug. 2014 700-703*

Laser materials processing

Blue Phase LC/Polymer Fresnel Lens Fabricated by Holography. *Tan, J., +, JDT Feb. 2014 157-161*

Fabrication of Carbon Nanotube Field-Emission Cathodes by Laser-Induced Transfer of Carbon Nanotubes and Silver Paste. *Liao, H.-Y., +, JDT Dec. 2014 1083-1087*

Lattice constants

Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals. *Ding, Q.-A., +, JDT Nov. 2014 909-916*

Leakage currents

Effect of Stair-Case Electron Blocking Layer on the Performance of Blue InGaN Based LEDs. *Lu, T., +, JDT Feb. 2014 146-150*

LED displays

A Hybrid a-Si and Poly-Si TFTs Technology for AMOLED Pixel Circuits. *Wang, L., +, JDT April 2014 317-320*

A New Compensation Method for Emission Degradation in an AMOLED Display Via an External Algorithm, New Pixel Circuit, and Models of Prior Measurements. *Lee, K.-Y., +, JDT March 2014 189-197*

A New Voltage Driving Scheme to Suppress Non-Idealities of Polycrystalline Thin-Film Transistors for AMOLED Displays. *Liu, W., +, JDT Dec. 2014 991-994*

A Novel p-Type LTPS TFT Pixel Circuit Compensating for Threshold Voltage and Mobility Variations. *Kim, Y., +, JDT Dec. 2014 995-1000*

A Novel Partitioned Light Guide Backlight LCD for Mobile Devices and Local Dimming Method With Nonuniform Backlight Compensation. *Li, Y., +, JDT April 2014 321-328*

A Study of Integrated Optical Design and Optimization for LED Backlight Module With Prism Patterns. *Fang, Y.-C., +, JDT Oct. 2014 840-846*

An a-InGaZnO TFT Pixel Circuit Compensating Threshold Voltage and Mobility Variations in AMOLEDs. *Kim, Y., +, JDT May 2014 402-406*

An Enhanced Voltage Programming Pixel Circuit for Compensating GB-Induced Variations in Poly-Si TFTs for AMOLED Displays. *Ho, C.-H., +, JDT May 2014 345-351*

Dynamic LED Backlight 2D/3D Switchable Autostereoscopic Multi-View Display. *Liou, J.-C., +, JDT Aug. 2014 629-634*

Effect of Bending on the Spectrum of Backlight Transmitted Through Flexible ITO/PET Substrate. *Singh, G., +, JDT Aug. 2014 666-671*

Feedback Reversing Design Method for Uniform Illumination in LED Backlighting With Extended Source. *Wu, D., +, JDT Jan. 2014 43-48*

GaN-Based LEDs With Hot/Cold Factor Improved by the Electron Blocking Layer. *Lam, K.-T., +, JDT Dec. 2014 1078-1082*

GaN-Based LEDs With Rough Surface and Selective KOH Etching. *Chang, S.-J., +, JDT Jan. 2014 27-32*

High-Efficiency Near Ultraviolet and Blue Organic Light-Emitting Diodes Using Star-Shaped Material as Emissive and Hosting Molecules. *Guo, K., +, JDT Aug. 2014 642-646*

Inverted Hybrid Inorganic–Organic Light-Emitting Diodes With Balanced Charge Injection. *Cao, X. A., +, JDT July 2014 548-552*

LED Collimation Module for Time Sequential Back Light System. *Ma, S.-H., +, JDT Dec. 2014 1036-1041*

Multi-User Autostereoscopic 2D/3D Switchable Flat-Panel Display. *Xue, Y., +, JDT Sept. 2014 737-745*

Source-Gated Transistors for Power- and Area-Efficient AMOLED Pixel Circuits. *Xu, X., +, JDT Nov. 2014 928-933*

LED lamps

Design of Diffuse Reflection Freeform Surface for Uniform Illumination. *Zhu, Z.-M., +, JDT Jan. 2014 7-12*

Design of Optical Module With High Stability, High Angular Color Uniformity, and Adjustable Light Distribution for Standard Lamps. *Chang, Y.-Y., +, JDT March 2014 223-227*

Dimmable and Cost-Effective DC Driving Technique for Flicker Mitigation in LED Lighting. *Wang, Q., +, JDT Sept. 2014 766-774*

Lenses

A Holographic Projection System With an Electrically Adjustable Optical Zoom and a Fixed Location of Zeroth-Order Diffraction. *Chen, M.-S., +, JDT June 2014 450-455*

A Low-Power Time-Synchronization Processor With Symmetric Even/Odd Timer for Charge-Shared LCD Driving of 3DTV Active Shutter Glasses. *Park, D., +, JDT Dec. 2014 1047-1054*

A Study of Integrated Optical Design and Optimization for LED Backlight Module With Prism Patterns. *Fang, Y.-C., +, JDT Oct. 2014 840-846*

Blue Phase LC/Polymer Fresnel Lens Fabricated by Holography. *Tan, J., +, JDT Feb. 2014 157-161*

- Dynamic LED Backlight 2D/3D Switchable Autostereoscopic Multi-View Display. *Liou, J.-C., +, JDT Aug. 2014 629-634*
- Feedback Reversing Design Method for Uniform Illumination in LED Backlighting With Extended Source. *Wu, D., +, JDT Jan. 2014 43-48*
- LED Collimation Module for Time Sequential Back Light System. *Ma, S.-H., +, JDT Dec. 2014 1036-1041*
- Suppression of Petzval Aberration in a Projector Lens by Using Genetic Algorithm. *Tsai, C.-M., JDT May 2014 380-387*
- Three-Dimensional Holographic Display Using Dense Ray Sampling and Integral Imaging Capture. *Xiao, X., +, JDT Aug. 2014 688-694*

Light absorption

- Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

Light diffraction

- Diffraction Influence on the Field of View and Resolution of Three-Dimensional Integral Imaging. *Ehsan Ashari, Z., +, JDT July 2014 553-559*
- MGSA-Type Computer-Generated Holography for Vision Training With Head-Mounted Display. *Deng, Q.-L., +, JDT June 2014 433-437*
- Tailoring 3-Component Photoinitiating Systems for Use as Efficient Photopolymerizable Holographic Material. *Ibrahim, A., +, JDT June 2014 456-463*

Light emitting diodes

- A Dimmable LED Driver Based on Current Balancing Transformer With Magnetizing Energy Recycling Considered. *Hwu, K. I., +, JDT May 2014 388-395*
- Analysis on the Light-Extraction Efficiency of GaN-Based Light-Emitting Diodes With Deep-Hole Amorphous Photonic Crystals Structures. *Yue, Q., +, JDT Dec. 2014 1070-1077*
- Block-Based Gradient Descent for Local Backlight Dimming and Flicker Reduction. *Burini, N., +, JDT Jan. 2014 71-79*
- Carrier Transport Improvement in Blue InGaN Light-Emitting Diodes Via Reduced Polarization Using a Band-Engineered Electron Blocking Layer. *Sun, P., +, JDT Dec. 2014 1101-1105*
- Dimmable AC LED Driver With Efficiency Improved Based on Switched LED Module. *Hwu, K. I., +, JDT March 2014 171-181*
- Effect of Stair-Case Electron Blocking Layer on the Performance of Blue InGaN Based LEDs. *Lu, T., +, JDT Feb. 2014 146-150*
- Enhanced Electrostatic Discharge Reliability in GaN-Based Light-Emitting Diodes by the Electrode Engineering. *Chen, S.-L., JDT Oct. 2014 807-813*
- Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With TiO₂/SiO₂-Al Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*
- GaN-Based Light-Emitting Diodes With Staircase Electron Injector Structure. *Chang, S.-J., +, JDT Feb. 2014 162-166*
- GaN-Based Light-Emitting-Diode With a p-InGaN Layer. *Chen, P. H., +, JDT March 2014 204-207*

- Imaging and Confocal Systems for in vivo Measurements of Human-Iris Spectral Reflectance. *Chen, Y.-C., +, JDT July 2014 595-600*

- Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals. *Ding, Q.-A., +, JDT Nov. 2014 909-916*

- Polarization-Preserving Light Guide Plate for a Linearly Polarized Backlight. *Luo, Z., +, JDT March 2014 208-214*

- Self-Adaptive Structure of Remote Phosphor for Phosphor-Converted White LEDs. *Lei, Q., +, JDT Dec. 2014 1042-1046*

- Single Power-Conversion LED Backlight Driving System With High Power Factor Control. *Cha, W.-J., +, JDT May 2014 407-413*

- Ultra-Bright Heads-Up Displays Using a Method of Projected Color Images by Combination of LEDs and Polymer-Dispersed Liquid Crystals. *Hou, S.-L., +, JDT March 2014 228-234*

Light polarization

- Ghosting Impingements in 3D Dual-View Projection Systems. *Silva, V. N. H., +, JDT July 2014 540-547*

- Influence of a Light Pipe on a Linearly Polarized Light Beam and Its Effect on a Laser Projector System. *Zhao, P. F., +, JDT Oct. 2014 847-852*

- Polarization-Preserving Light Guide Plate for a Linearly Polarized Backlight. *Luo, Z., +, JDT March 2014 208-214*

- Video-Rate Holographic Display Using Azo-Dye-Doped Liquid Crystal. *Li, X., +, JDT June 2014 438-443*

Light propagation

- Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation. *Chang, C., +, JDT Feb. 2014 107-113*

- Laser Based Projection System for Displays, Signage and Illumination. *Madamopoulos, N., +, JDT Oct. 2014 832-839*

Light reflection

- A Transflective Display Using Blue Phase Liquid Crystal. *Zhong, E.-W., +, JDT May 2014 357-361*

- Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

Light scattering

- Dynamical LED Backlight 2D/3D Switchable Autostereoscopic Multi-View Display. *Liou, J.-C., +, JDT Aug. 2014 629-634*

- Polarization-Preserving Light Guide Plate for a Linearly Polarized Backlight. *Luo, Z., +, JDT March 2014 208-214*

- Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

Light sources

- A Novel Partitioned Light Guide Backlight LCD for Mobile Devices and Local Dimming Method With Nonuniform Backlight Compensation. *Li, Y., +, JDT April 2014 321-328*

- LED Collimation Module for Time Sequential Back Light System. *Ma, S.-H., +, JDT Dec. 2014 1036-1041*

Light transmission

- A Transflective Display Using Blue Phase Liquid Crystal. *Zhong, E.-W., +, JDT May 2014 357-361*

- Effect of Bending on the Spectrum of Backlight Transmitted Through Flexible ITO/PET Substrate. *Singh, G., +, JDT Aug. 2014 666-671*

- Local Luminance Boosting of an RGBW LCD. *Hammer, M., +, JDT Jan. 2014 33-42*

Lighting

- Design of Diffuse Reflection Freeform Surface for Uniform Illumination. *Zhu, Z.-M., +, JDT Jan. 2014 7-12*

- Dimmable and Cost-Effective DC Driving Technique for Flicker Mitigation in LED Lighting. *Wang, Q., +, JDT Sept. 2014 766-774*

- Feedback Reversing Design Method for Uniform Illumination in LED Backlighting With Extended Source. *Wu, D., +, JDT Jan. 2014 43-48*

- Laser Based Projection System for Displays, Signage and Illumination. *Madamopoulos, N., +, JDT Oct. 2014 832-839*

Lighting control

- Multi-User Autostereoscopic 2D/3D Switchable Flat-Panel Display. *Xue, Y., +, JDT Sept. 2014 737-745*

Liquid crystal devices

- A Simple Method to Measure Pretilt Angles of Inverse Twisted Nematic Liquid Crystal Cells. *Wang, S.-Y., +, JDT Dec. 2014 1024-1029*

- Blue Phase LC/Polymer Fresnel Lens Fabricated by Holographics. *Tan, J., +, JDT Feb. 2014 157-161*

- Extracting the Physical Optical Parameters of TNLC Cell Using Effective Parameters and Stokes Polarimetry Method. *Lo, Y.-L., +, JDT June 2014 478-483*

- Improved Viewing Zones for Projection Type Integral Imaging 3D Display Using Adaptive Liquid Crystal Prism Array. *Chen, C.-W., +, JDT March 2014 198-203*

- Phase-Shift Imaging Polarimetry for Measuring the Physical Parameters of a Twisted Nematic Liquid Crystal Device Without Periodic Ambiguity. *Yu, C.-J., +, JDT Sept. 2014 758-765*

Liquid crystal displays

- A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*

- A Continuous Viewing Angle Controllable Blue Phase Liquid Crystal Display. *Li, Y., +, JDT Oct. 2014 827-831*

- A Highly Directional Light Guide Plate Based on V-Groove Microstructure Cell. *Chen, C.-F., +, JDT Dec. 2014 1030-1035*

- A Low Operating Electric Field Blue-Phase Liquid Crystal Display With Wedge Protrusion. *Sun, Y., +, JDT Sept. 2014 797-801*

- A Low Voltage and Continuous Viewing Angle Controllable Blue Phase Liquid Crystal Display. *Sun, Y., +, JDT June 2014 484-487*

- A Novel Partitioned Light Guide Backlight LCD for Mobile Devices and Local Dimming Method With Nonuniform Backlight Compensation. *Li, Y., +, JDT April 2014 321-328*

- A Power-Efficient Driving Method for In-Plane Switching-Mode TFT-LCD Using a Negative Liquid Crystal. *Kim, D.-S., +, JDT Dec. 2014 1093-1100*

- A Spatiotemporal Four-Primary Color LCD With Quantum Dots. *Luo, Z., +, JDT May 2014 367-372*

- A Transflective Display Using Blue Phase Liquid Crystal. *Zhong, E.-W., +, JDT May 2014 357-361*
- A Unified Method for Crosstalk Reduction in Multiview Displays. *Zhou, M., +, JDT June 2014 500-507*
- An Autostereoscopic Device for Mobile Applications Based on a Liquid Crystal Microlens Array and an OLED Display. *Algorri, J. F., +, JDT Sept. 2014 713-720*
- Block-Based Gradient Descent for Local Backlight Dimming and Flicker Reduction. *Burini, N., +, JDT Jan. 2014 71-79*
- Color Correction in Color Sequential LCDs. *Zhang, Y., +, JDT Aug. 2014 623-628*
- Comparative Evaluation of the Imaging Performance of Multi-Primary Color LCDs With RGBCW and RGBCY Pixel Units by Simulation. *Wang, Y.-C., +, JDT Sept. 2014 729-736*
- Compensation Film Designs for High Contrast Wide-View Blue Phase Liquid Crystal Displays. *Liu, Y., +, JDT Jan. 2014 3-6*
- Emerging Quantum-Dots-Enhanced LCDs. *Luo, Z., +, JDT July 2014 526-539*
- LED Collimation Module for Time Sequential Back Light System. *Ma, S.-H., +, JDT Dec. 2014 1036-1041*
- Local Luminance Boosting of an RGBW LCD. *Hammer, M., +, JDT Jan. 2014 33-42*
- Low-Power Displays With Dye-Doped Bistable Chiral-Tilted Homeotropic Nematic Liquid Crystals. *Lee, Y.-H., +, JDT Dec. 2014 1106-1109*
- Multi-User Autostereoscopic 2D/3D Switchable Flat-Panel Display. *Xue, Y., +, JDT Sept. 2014 737-745*
- Polarization-Preserving Light Guide Plate for a Linearly Polarized Backlight. *Luo, Z., +, JDT March 2014 208-214*
- Polymer-Dispersed Liquid Crystal Applied in Active-Matrix Transparent Display. *Su, C.-W., +, JDT Aug. 2014 683-687*
- Quantum Dots Enhanced Liquid Displays. *Luo, Z., +, JDT Dec. 2014 987-990*
- Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*
- Segmentation-Based Clipped Error Control Algorithm for Global Backlight Dimming. *Kang, S.-J., +, JDT July 2014 568-573*
- Sub-Millisecond Switching of Hybrid-Aligned Nematic Liquid Crystals. *Choi, T.-H., +, JDT Dec. 2014 1088-1092*
- The Frequency Modulation Electro-Optical Response of Holographic Polymer Dispersed Liquid Crystal Display Doped With Nano Ag. *Zheng, J., +, JDT March 2014 215-222*
- Twisted Nematic Dual-View Liquid Crystal Display Based on Patterned Electrodes. *Hsieh, C.-T., +, JDT June 2014 464-469*
- Video-Rate Holographic Display Using Azo-Dye-Doped Liquid Crystal. *Li, X., +, JDT June 2014 438-443*
- Viewing Distance-Aware Backlight Dimming of Liquid Crystal Displays. *Yoo, D.-G., +, JDT Oct. 2014 867-874*
- Liquid crystal on silicon**
- A Holographic Projection System With an Electrically Adjustable Optical Zoom and a Fixed Location of Zeroth-Order Diffraction. *Chen, M.-S., +, JDT June 2014 450-455*
- Liquid crystal polymers**
- Blue Phase LC/Polymer Fresnel Lens Fabricated by Holographics. *Tan, J., +, JDT Feb. 2014 157-161*
- Liquid crystals**
- A Power-Efficient Driving Method for In-Plane Switching-Mode TFT-LCD Using a Negative Liquid Crystal. *Kim, D.-S., +, JDT Dec. 2014 1093-1100*
- Video-Rate Holographic Display Using Azo-Dye-Doped Liquid Crystal. *Li, X., +, JDT June 2014 438-443*
- Lithography**
- Fabrication of High-Performance Poly-Si Thin-Film Transistors With Sub-Lithographic Channel Dimensions. *Lee, K.-H., +, JDT Nov. 2014 966-970*
- Low noise amplifiers**
- A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology. *Kim, S. Y., +, JDT Dec. 2014 1110-1114*
- Low-power electronics**
- A Low-Power Time-Synchronization Processor With Symmetric Even/Odd Timer for Charge-Shared LCD Driving of 3DTV Active Shutter Glasses. *Park, D., +, JDT Dec. 2014 1047-1054*
- Low Power Programmable Shift Register With Depletion Mode Oxide TFTs for High Resolution and High Frame Rate AMFPDs. *Song, E., +, JDT Oct. 2014 862-866*

Low-Power Bi-Side Scan Driver Integrated by IZO TFTs Including a Clock-Controlled Inverter. *Wu, W.-J., +, JDT July 2014 523-525*

Luminescence

Comparative Evaluation of the Imaging Performance of Multi-Primary Color LCDs With RGBCW and RGBCY Pixel Units by Simulation. *Wang, Y.-C., +, JDT Sept. 2014 729-736*

M

Machining

LED Collimation Module for Time Sequential Back Light System. *Ma, S.-H., +, JDT Dec. 2014 1036-1041*

Materials preparation

Visible Light-Emitting $\text{Er}^{3+}-\text{Tm}^{3+}-\text{Yb}^{3+}$ Codoped ZrO_2 Phosphor for Sensing and Photonics Applications. *Pandey, A., +, JDT June 2014 494-499*

Matrix algebra

A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*

Mean square error methods

SSIM Preservation-Based Backlight Dimming. *Kang, S.-J., JDT April 2014 247-250*

Measurement errors

Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. *Huang, K.-T., +, JDT July 2014 609-614*

Measurement systems

Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. *Huang, K.-T., +, JDT July 2014 609-614*

Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

Medical image processing

Effect of Veiling Glare on Detectability in High-Dynamic-Range Medical Images. *Choi, M., +, JDT May 2014 420-428*

Microcontrollers

Multi-User Autostereoscopic 2D/3D Switchable Flat-Panel Display. *Xue, Y., +, JDT Sept. 2014 737-745*

Microdisplays

A 128×96 Pixel CMOS Microdisplay Utilizing Hot Carrier Electroluminescence From Junctions in Reach Through. *Venter, P. J., +, JDT Sept. 2014 721-728*

A Highly Directional Light Guide Plate Based on V-Groove Microstructure Cell. *Chen, C.-F., +, JDT Dec. 2014 1030-1035*

Curved Holographic Combiner for Color Head Worn Display. *Guillaumee, M., +, JDT June 2014 444-449*

Microlenses

An Autostereoscopic Device for Mobile Applications Based on a Liquid Crystal Microlens Array and an OLED Display. *Algorri, J. F., +, JDT Sept. 2014 713-720*

Curved Holographic Combiner for Color Head Worn Display. *Guillaumee, M., +, JDT June 2014 444-449*

Mie scattering

Laser Speckle Reduction Using a Motionless Despeckle Element Based on Random Mie Scattering. *Xu, M., +, JDT Feb. 2014 151-156*

Mobile handsets

A Novel Partitioned Light Guide Backlight LCD for Mobile Devices and Local Dimming Method With Nonuniform Backlight Compensation. *Li, Y., +, JDT April 2014 321-328*

Low-Power Displays With Dye-Doped Bistable Chiral-Tilted Homeotropic Nematic Liquid Crystals. *Lee, Y.-H., +, JDT Dec. 2014 1106-1109*

Modal analysis

Ghosting Impingements in 3D Dual-View Projection Systems. *Silva, V. N. H., +, JDT July 2014 540-547*

Moire fringes

Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. *Huang, K.-T., +, JDT July 2014 609-614*

Motion compensation

An Artifact Information Based Motion Vector Processing Method for Motion Compensated Frame Interpolation. *Lu, Q., +, JDT Sept. 2014 775-784*

Multi-Channel Mixed-Pattern Based Frame Rate Up-Conversion Using Spatio-Temporal Motion Vector Refinement and Dual-Weighted Overlapped Block Motion Compensation. *Li, R., +, JDT Dec. 2014 1010-1023*

Motion estimation

An Artifact Information Based Motion Vector Processing Method for Motion Compensated Frame Interpolation. *Lu, Q., +, JDT Sept. 2014 775-784*

Multiplexing

A Frontal Multi-Projection Autostereoscopic 3D Display Based on a 3D-Image-Guided Screen. *Zang, S.-F., +, JDT Oct. 2014 882-886*

Ghosting Impingements in 3D Dual-View Projection Systems. *Silva, V. N. H., +, JDT July 2014 540-547*

N

Nanofabrication

Fabrication of Carbon Nanotube Field-Emission Cathodes by Laser-Induced Transfer of Carbon Nanotubes and Silver Paste. *Liao, H.-Y., +, JDT Dec. 2014 1083-1087*

Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. *Sun, C., +, JDT Aug. 2014 660-665*

Nanophotonics

The Frequency Modulation Electro-Optical Response of Holographic Polymer Dispersed Liquid Crystal Display Doped With Nano Ag. *Zheng, J., +, JDT March 2014 215-222*

Nanowires

Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. *Sun, C., +, JDT Aug. 2014 660-665*

Natural scenes

Fuzzy Integral Imaging Camera Calibration for Real Scale 3D Reconstructions. *Navarro, H., +, JDT July 2014 601-608*

Stereoscopic Visual Attention Guided Disparity Control for Multiview Images. *Lei, J., +, JDT May 2014 373-379*

Nematic liquid crystals

A Simple Method to Measure Pretilt Angles of Inverse Twisted Nematic Liquid Crystal Cells. *Wang, S.-Y., +, JDT Dec. 2014 1024-1029*

Emerging Quantum-Dots-Enhanced LCDs. *Luo, Z., +, JDT July 2014 526-539*

Extracting the Physical Optical Parameters of TNLC Cell Using Effective Parameters and Stokes Polarimetry Method. *Lo, Y.-L., +, JDT June 2014 478-483*

Low-Power Displays With Dye-Doped Bistable Chiral-Tilted Homeotropic Nematic Liquid Crystals. *Lee, Y.-H., +, JDT Dec. 2014 1106-1109*

Phase-Shift Imaging Polarimetry for Measuring the Physical Parameters of a Twisted Nematic Liquid Crystal Device Without Periodic Ambiguity. *Yu, C.-J., +, JDT Sept. 2014 758-765*

Sub-Millisecond Switching of Hybrid-Aligned Nematic Liquid Crystals. *Choi, T.-H., +, JDT Dec. 2014 1088-1092*

Twisted Nematic Dual-View Liquid Crystal Display Based on Patterned Electrodes. *Hsieh, C.-T., +, JDT June 2014 464-469*

Network analysis

Flexible TFT Circuit Analyzer Considering Process Variation, Aging, and Bending Effects. *Ma, E.-H., +, JDT Jan. 2014 19-27*

Neurophysiology

Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Nonlinear equations

Design of Diffuse Reflection Freeform Surface for Uniform Illumination. *Zhu, Z.-M., +, JDT Jan. 2014 7-12*

Numerical analysis

Carrier Transport Improvement in Blue InGaN Light-Emitting Diodes Via Reduced Polarization Using a Band-Engineered Electron Blocking Layer. *Sun, P., +, JDT Dec. 2014 1101-1105*

Digital Holography Using Spectral Estimation Technique. *Xia, P., +, JDT March 2014 235-242*

Efficient Simulation Model for Amorphous In-Ga-Zn-O Thin-Film Transistors. *Tsuji, H., +, JDT Feb. 2014 101-106*

Source-Gated Transistors for Power- and Area-Efficient AMOLED Pixel Circuits. *Xu, X., +, JDT Nov. 2014 928-933*

O

Object detection

Tolerance Evaluation for Defocused Images to Optical Watermarking Technique. *Ishikawa, Y., +, JDT Feb. 2014 94-100*

Transforming a Regular Screen Into a Touch Screen Using a Single Webcam. *Zhang, L., +, JDT Aug. 2014 647-659*

Object tracking

Multi-Zone Digital Crosstalk Reduction by Image Processing in 3D Display. *Ma, C.-Y., +, JDT June 2014 488-493*

Ohmic contacts

Threshold Voltage Extraction in the Saturation Regime Insensitive to the Contact Properties for Organic Thin-Film Transistors. *Cui, Q., +, JDT July 2014 615-618*

Optical arrays

An Autostereoscopic Device for Mobile Applications Based on a Liquid Crystal Microlens Array and an OLED Display. *Algorri, J. F., +, JDT Sept. 2014 713-720*

Curved Holographic Combiner for Color Head Worn Display. *Guillaumee, M., +, JDT June 2014 444-449*

Optical collimators

LED Collimation Module for Time Sequential Back Light System. *Ma, S.-H., +, JDT Dec. 2014 1036-1041*

Optical computing

Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation. *Chang, C., +, JDT Feb. 2014 107-113*

Optical crosstalk

A Frontal Multi-Projection Autostereoscopic 3D Display Based on a 3D-Image-Guided Screen. *Zang, S.-F., +, JDT Oct. 2014 882-886*

A Novel Architecture for Autostereoscopic 2D/3D Switchable Display Using Dual Layer Strip Patterned OLED Backlight Module. *Wang, Y.-J., +, JDT May 2014 352-356*

A Unified Method for Crosstalk Reduction in Multiview Displays. *Zhou, M., +, JDT June 2014 500-507*

An Autostereoscopic Device for Mobile Applications Based on a Liquid Crystal Microlens Array and an OLED Display. *Algorri, J. F., +, JDT Sept. 2014 713-720*

Multi-Zone Digital Crosstalk Reduction by Image Processing in 3D Display. *Ma, C.-Y., +, JDT June 2014 488-493*

Optimizing Time-Multiplexing Auto-Stereoscopic Displays With a Genetic Algorithm. *Liang, H., +, JDT Aug. 2014 695-699*

Polarizer Parallax Barrier 3D Display With High Brightness, Resolution and Low Crosstalk. *Lv, G.-J., +, JDT Feb. 2014 120-124*

Optical design techniques

Design and Assessment of a Depth-Fused Multi-Focal-Plane Display Prototype. *Hu, X., +, JDT April 2014 308-316*

Design of Diffuse Reflection Freeform Surface for Uniform Illumination. *Zhu, Z.-M., +, JDT Jan. 2014 7-12*

Design of Optical Module With High Stability, High Angular Color Uniformity, and Adjustable Light Distribution for Standard Lamps. *Chang, Y.-Y., +, JDT March 2014 223-227*

Multi-User Autostereoscopic 2D/3D Switchable Flat-Panel Display. *Xue, Y., +, JDT Sept. 2014 737-745*

Optical elements

Design of Diffuse Reflection Freeform Surface for Uniform Illumination. *Zhu, Z.-M., +, JDT Jan. 2014 7-12*

Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With TiO₂/SiO₂-Al Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*

Submillisecond-Response Light Shutter for Solid-State Volumetric 3D Display Based on Polymer-Stabilized Cholesteric Texture. *Lu, H., +, JDT May 2014 396-401*

Optical fabrication

A Transflective Display Using Blue Phase Liquid Crystal. *Zhong, E.-W., +, JDT May 2014 357-361*

A Unified Method for Crosstalk Reduction in Multiview Displays. *Zhou, M., +, JDT June 2014 500-507*

Blue Phase LC/Polymer Fresnel Lens Fabricated by Holography. *Tan, J., +, JDT Feb. 2014 157-161*

Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

Optical fiber cladding

Laser Based Projection System for Displays, Signage and Illumination.
Madamopoulos, N., +, JDT Oct. 2014 832-839

Optical fiber couplers

Laser Based Projection System for Displays, Signage and Illumination.
Madamopoulos, N., +, JDT Oct. 2014 832-839

Optical filters

Distant Binocular Filters for Full-Resolution Autostereoscopic Viewing and for Single-Aperture Stereo Glasses. *Ezhov, V. A., JDT Feb. 2014 114-119*

Local Luminance Boosting of an RGBW LCD. *Hammer, M., +, JDT Jan. 2014 33-42*

Quantum Dots Enhanced Liquid Displays. *Luo, Z., +, JDT Dec. 2014 987-990*

Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

Optical focusing

An Autostereoscopic Device for Mobile Applications Based on a Liquid Crystal Microlens Array and an OLED Display. *Algorri, J. F., +, JDT Sept. 2014 713-720*

Curved Holographic Combiner for Color Head Worn Display. *Guillaumee, M., +, JDT June 2014 444-449*

Imaging and Confocal Systems for in vivo Measurements of Human-Iris Spectral Reflectance. *Chen, Y.-C., +, JDT July 2014 595-600*

Optical glass

Attention Tunneling: Effects of Limiting Field of View Due to Beam Combiner Frame of Head-Up Display. *Karar, V., +, JDT July 2014 582-589*

Optical images

Ghosting Impingements in 3D Dual-View Projection Systems. *Silva, V. N. H., +, JDT July 2014 540-547*

Tolerance Evaluation for Defocused Images to Optical Watermarking Technique. *Ishikawa, Y., +, JDT Feb. 2014 94-100*

Optical information processing

Hardware Engine for Supporting Gray-Tone Paintbrush Function on Electrophoretic Papers. *Kao, W.-C., +, JDT Feb. 2014 138-145*

Optical modulation

Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation. *Chang, C., +, JDT Feb. 2014 107-113*

Three-Dimensional Holographic Display Using Dense Ray Sampling and Integral Imaging Capture. *Xiao, X., +, JDT Aug. 2014 688-694*

Optical multilayers

Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

Optical polarizers

Low-Power Displays With Dye-Doped Bistable Chiral-Tilted Homeotropic Nematic Liquid Crystals. *Lee, Y.-H., +, JDT Dec. 2014 1106-1109*

Polarizer Parallax Barrier 3D Display With High Brightness, Resolution and Low Crosstalk. *Lv, G.-J., +, JDT Feb. 2014 120-124*

Optical polymers

Blue Phase LC/Polymer Fresnel Lens Fabricated by Holography. *Tan, J., +, JDT Feb. 2014 157-161*

Tailoring 3-Component Photoinitiating Systems for Use as Efficient Photopolymerizable Holographic Material. *Ibrahim, A., +, JDT June 2014 456-463*

Optical prisms

Improved Viewing Zones for Projection Type Integral Imaging 3D Display Using Adaptive Liquid Crystal Prism Array. *Chen, C.-W., +, JDT March 2014 198-203*

Optical projectors

Curved Holographic Combiner for Color Head Worn Display. *Guillaumee, M., +, JDT June 2014 444-449*

Ghosting Impingements in 3D Dual-View Projection Systems. *Silva, V. N. H., +, JDT July 2014 540-547*

Influence of a Light Pipe on a Linearly Polarized Light Beam and Its Effect on a Laser Projector System. *Zhao, P. F., +, JDT Oct. 2014 847-852*

Laser Based Projection System for Displays, Signage and Illumination. *Madamopoulos, N., +, JDT Oct. 2014 832-839*

Laser Speckle Reduction Using a Motionless Despeckle Element Based on Random Mie Scattering. *Xu, M., +, JDT Feb. 2014 151-156*

MulDiRoH: A Multi-View Human Representation System Using a QDA Screen With Multiple Cameras. *Ozawa, S., +, JDT Feb. 2014 87-93*

Suppression of Petzval Aberration in a Projector Lens by Using Genetic Algorithm. *Tsai, C.-M., JDT May 2014 380-387*

Optical retarders

A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*

A Transflective Display Using Blue Phase Liquid Crystal. *Zhong, E.-W., +, JDT May 2014 357-361*

Multi-Zone Digital Crosstalk Reduction by Image Processing in 3D Display. *Ma, C.-Y., +, JDT June 2014 488-493*

Optical rotation

Holographic Image Projection on Tilted Planes by Phase-Only Computer Generated Hologram Using Fractional Fourier Transformation. *Chang, C., +, JDT Feb. 2014 107-113*

Optical sensors

Bare Finger 3D Air-Touch System Using an Embedded Optical Sensor Array for Mobile Displays. *Wang, G.-Z., +, JDT Jan. 2014 13-18*

Hybrid Sensor and Display Pixel Circuits for Mobile Near-to-Eye Applications. *Papadopoulos, N. P., +, JDT July 2014 574-581*

Optical switches

Hybrid Sensor and Display Pixel Circuits for Mobile Near-to-Eye Applications. *Papadopoulos, N. P., +, JDT July 2014 574-581*

Optical transfer function

Tolerance Evaluation for Defocused Images to Optical Watermarking Technique. *Ishikawa, Y., +, JDT Feb. 2014 94-100*

Optical variables control

Stereoscopic Visual Attention Guided Disparity Control for Multiview Images. *Lei, J., +, JDT May 2014 373-379*

Optical variables measurement

Phase-Shift Imaging Polarimetry for Measuring the Physical Parameters of a Twisted Nematic Liquid Crystal Device Without Periodic Ambiguity. *Yu, C.-J., +, JDT Sept. 2014 758-765*

Optical waveguides

Polarization-Preserving Light Guide Plate for a Linearly Polarized Backlight. *Luo, Z., +, JDT March 2014 208-214*

Optimization

A Spatiotemporal Four-Primary Color LCD With Quantum Dots. *Luo, Z., +, JDT May 2014 367-372*

A Study of Integrated Optical Design and Optimization for LED Backlight Module With Prism Patterns. *Fang, Y.-C., +, JDT Oct. 2014 840-846*

A Transflective Display Using Blue Phase Liquid Crystal. *Zhong, E.-W., +, JDT May 2014 357-361*

Feedback Reversing Design Method for Uniform Illumination in LED Backlighting With Extended Source. *Wu, D., +, JDT Jan. 2014 43-48*

Organic compounds

High-Efficiency Near Ultraviolet and Blue Organic Light-Emitting Diodes Using Star-Shaped Material as Emissive and Hosting Molecules. *Guo, K., +, JDT Aug. 2014 642-646*

Organic field effect transistors

Solution Processed Organic Thin-Film Transistors With Hybrid Low/High Voltage Operation. *Feng, L., +, JDT Nov. 2014 971-974*

Organic light emitting diodes

A Hybrid a-Si and Poly-Si TFTs Technology for AMOLED Pixel Circuits. *Wang, L., +, JDT April 2014 317-320*

A Low-Power Contrast Enhancement Algorithm Using Histogram Segmentation and Circuit Implementation for AMOLED Applications. *Qiang, W., +, JDT Sept. 2014 785-791*

A New Compensation Method for Emission Degradation in an AMOLED Display Via an External Algorithm, New Pixel Circuit, and Models of Prior Measurements. *Lee, K.-Y., +, JDT March 2014 189-197*

A New Voltage Driving Scheme to Suppress Non-Idealities of Polycrystalline Thin-Film Transistors for AMOLED Displays. *Liu, W., +, JDT Dec. 2014 991-994*

A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio. *Kim, Y., +, JDT Jan. 2014 80-83*

A Novel Architecture for Autostereoscopic 2D/3D Switchable Display Using Dual Layer Strip Patterned OLED Backlight Module. *Wang, Y.-J., +, JDT May 2014 352-356*

A Novel p-Type LTPS TFT Pixel Circuit Compensating for Threshold Voltage and Mobility Variations. *Kim, Y., +, JDT Dec. 2014 995-1000*

An a-InGaZnO TFT Pixel Circuit Compensating Threshold Voltage and Mobility Variations in AMOLEDs. *Kim, Y., +, JDT May 2014 402-406*

- An Autostereoscopic Device for Mobile Applications Based on a Liquid Crystal Microlens Array and an OLED Display. *Algorri, J. F.*, +, *JDT Sept. 2014* 713-720
- An Enhanced Voltage Programming Pixel Circuit for Compensating GB-Induced Variations in Poly-Si TFTs for AMOLED Displays. *Ho, C.-H.*, +, *JDT May 2014* 345-351
- Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T.*, +, *JDT June 2014* 514-520
- Flexible TFT Circuit Analyzer Considering Process Variation, Aging, and Bending Effects. *Ma, E.-H.*, +, *JDT Jan. 2014* 19-27
- High-Efficiency Near Ultraviolet and Blue Organic Light-Emitting Diodes Using Star-Shaped Material as Emissive and Hosting Molecules. *Guo, K.*, +, *JDT Aug. 2014* 642-646
- Hybrid Sensor and Display Pixel Circuits for Mobile Near-to-Eye Applications. *Papadopoulos, N. P.*, +, *JDT July 2014* 574-581
- Inverted Hybrid Inorganic–Organic Light-Emitting Diodes With Balanced Charge Injection. *Cao, X. A.*, +, *JDT July 2014* 548-552
- Source-Gated Transistors for Power- and Area-Efficient AMOLED Pixel Circuits. *Xu, X.*, +, *JDT Nov. 2014* 928-933
- Storage Lifetime of Polymer-Carbon Nanotube Inks for Use as Charge Transport Layers in Organic Light Emitting Diodes. *Mills, C. A.*, +, *JDT Feb. 2014* 125-131

P

P-n junctions

A 128×96 Pixel CMOS Microdisplay Utilizing Hot Carrier Electroluminescence From Junctions in Reach Through. *Venter, P. J.*, +, *JDT Sept. 2014* 721-728

Parallel architectures

GPU-Parallel Implementation of the Edge-Directed Adaptive Intra-Field Deinterlacing Method. *Wu, J.*, +, *JDT Sept. 2014* 746-753

Passivation

Investigation of Amorphous Indium Zinc Oxide Thin Film Transistors Grown by Triple-Targets Magnetron Co-Sputtering. *Lee, C.-T.*, +, *JDT April 2014* 293-298

Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. *Sun, C.*, +, *JDT Aug. 2014* 660-665

Performance evaluation

Flexible TFT Circuit Analyzer Considering Process Variation, Aging, and Bending Effects. *Ma, E.-H.*, +, *JDT Jan. 2014* 19-27

Permittivity

A Continuous Viewing Angle Controllable Blue Phase Liquid Crystal Display. *Li, Y.*, +, *JDT Oct. 2014* 827-831

High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. *Furuta, M.*, +, *JDT Nov. 2014* 934-938

Phase separation

Solution Processed Organic Thin-Film Transistors With Hybrid Low/High Voltage Operation. *Feng, L.*, +, *JDT Nov. 2014* 971-974

Phase shifting interferometry

Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. *Huang, K.-T.*, +, *JDT July 2014* 609-614

Phosphorescence

Inverted Hybrid Inorganic–Organic Light-Emitting Diodes With Balanced Charge Injection. *Cao, X. A.*, +, *JDT July 2014* 548-552

Phosphors

Laser-Driven Visible Solid-State Light Source for Etendue-Limited Applications. *Abu-Ageel, N.*, +, *JDT Aug. 2014* 700-703

Self-Adaptive Structure of Remote Phosphor for Phosphor-Converted White LEDs. *Lei, Q.*, +, *JDT Dec. 2014* 1042-1046

Visible Light-Emitting Er³⁺-Tm³⁺-Yb³⁺ Codoped ZrO₂ Phosphor for Sensing and Photonics Applications. *Pandey, A.*, +, *JDT June 2014* 494-499

Photoconductivity

Amorphous Oxide Semiconductor TFTs for Displays and Imaging. *Nathan, A.*, +, *JDT Nov. 2014* 917-927

Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. *Sun, C.*, +, *JDT Aug. 2014* 660-665

Photoelasticity

Photoelastic Analysis of Partially Occluded Objects With an Integral-Imaging Polariscopic. *Navarro Fructuoso, H.*, +, *JDT April 2014* 255-262

Photoelectricity

Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C.*, +, *JDT Oct. 2014* 821-826

Photoluminescence

Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H.*, +, *JDT Oct. 2014* 814-820

Photometry

Emerging Quantum-Dots-Enhanced LCDs. *Luo, Z.*, +, *JDT July 2014* 526-539

Photonic crystals

Analysis on the Light-Extraction Efficiency of GaN-Based Light-Emitting Diodes With Deep-Hole Amorphous Photonic Crystals Structures. *Yue, Q.*, +, *JDT Dec. 2014* 1070-1077

Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals. *Ding, Q.-A.*, +, *JDT Nov. 2014* 909-916

Photoreists

Fabrication of High-Performance Poly-Si Thin-Film Transistors With Sub-Lithographic Channel Dimensions. *Lee, K.-H.*, +, *JDT Nov. 2014* 966-970

Phototransistors

Amorphous Oxide Semiconductor TFTs for Displays and Imaging. *Nathan, A.*, +, *JDT Nov. 2014* 917-927

Hybrid Sensor and Display Pixel Circuits for Mobile Near-to-Eye Applications. *Papadopoulos, N. P.*, +, *JDT July 2014* 574-581

Plasma CVD

Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. *Sun, C.*, +, *JDT Aug. 2014* 660-665

Plasma displays

Development of a Ray-Tracing Optical Simulation Model of Plasma Display Panel. *Joo, B.-Y.*, +, *JDT Jan. 2014* 49-56

Plasma materials processing

Fabrication of p-Channel Amorphous Tin Oxide Thin-Film Transistors Using a Thermal Evaporation Process. *Lee, H.-N.*, +, *JDT April 2014* 288-292

Improvement in Characteristic Variability of TFTs Using Grain Growth Control by Micro Thermal Plasma Jet Irradiation on a-Si Strips. *Morisaki, S.*, +, *JDT Nov. 2014* 950-955

Plastics

Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T.*, +, *JDT June 2014* 514-520

Poisson equation

Efficient Simulation Model for Amorphous In-Ga-Zn-O Thin-Film Transistors. *Tsuiji, H.*, +, *JDT Feb. 2014* 101-106

Polarimeters

Influence of a Light Pipe on a Linearly Polarized Light Beam and Its Effect on a Laser Projector System. *Zhao, P. F.*, +, *JDT Oct. 2014* 847-852

Photoelastic Analysis of Partially Occluded Objects With an Integral-Imaging Polariscopic. *Navarro Fructuoso, H.*, +, *JDT April 2014* 255-262

Polarimetry

Extracting the Physical Optical Parameters of TNLC Cell Using Effective Parameters and Stokes Polarimetry Method. *Lo, Y.-L.*, +, *JDT June 2014* 478-483

Phase-Shift Imaging Polarimetry for Measuring the Physical Parameters of a Twisted Nematic Liquid Crystal Device Without Periodic Ambiguity. *Yu, C.-J.*, +, *JDT Sept. 2014* 758-765

Polarization

Carrier Transport Improvement in Blue InGaN Light-Emitting Diodes Via Reduced Polarization Using a Band-Engineered Electron Blocking Layer. *Sun, P.*, +, *JDT Dec. 2014* 1101-1105

Polymer dispersed liquid crystals

Dynamic LED Backlight 2D/3D Switchable Autostereoscopic Multi-View Display. *Liou, J.-C.*, +, *JDT Aug. 2014* 629-634

Polymer-Dispersed Liquid Crystal Applied in Active-Matrix Transparent Display. *Su, C.-W.*, +, *JDT Aug. 2014* 683-687

- The Frequency Modulation Electro-Optical Response of Holographic Polymer Dispersed Liquid Crystal Display Doped With Nano Ag. *Zheng, J., +, JDT March 2014 215-222*
- Ultra-Bright Heads-Up Displays Using a Method of Projected Color Images by Combination of LEDs and Polymer-Dispersed Liquid Crystals. *Hou, S.-L., +, JDT March 2014 228-234*

Polymer electrolytes

- Fabrication and Characteristic Analysis of Arrayed Electrochromic Display Based on Tertiary Colors. *Chou, J.-C., +, JDT Oct. 2014 853-861*

Polymer films

- Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. *Huang, K.-T., +, JDT July 2014 609-614*
- Dynamic LED Backlight 2D/3D Switchable Autostereoscopic Multi-View Display. *Liou, J.-C., +, JDT Aug. 2014 629-634*
- Single-Grain Si TFTs Fabricated From Sputtered Si on a Polyimide Substrate. *Zhang, J., +, JDT Nov. 2014 945-949*

Polymerization

- Tailoring 3-Component Photoinitiating Systems for Use as Efficient Photopolymerizable Holographic Material. *Ibrahim, A., +, JDT June 2014 456-463*

Polymers

- A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology. *Kim, S. Y., +, JDT Dec. 2014 1110-1114*
- Performance Investigation of Amorphous InGaZnO Flexible Thin-Film Transistors Deposited on PET Substrates. *Lee, H.-Y., +, JDT Sept. 2014 792-796*
- Storage Lifetime of Polymer-Carbon Nanotube Inks for Use as Charge Transport Layers in Organic Light Emitting Diodes. *Mills, C. A., +, JDT Feb. 2014 125-131*

Portable instruments

- Bare Finger 3D Air-Touch System Using an Embedded Optical Sensor Array for Mobile Displays. *Wang, G.-Z., +, JDT Jan. 2014 13-18*

Power consumption

- A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*
- SSIM Preservation-Based Backlight Dimming. *Kang, S.-J., JDT April 2014 247-250*

Power control

- Single Power-Conversion LED Backlight Driving System With High Power Factor Control. *Cha, W.-J., +, JDT May 2014 407-413*

Power converters

- A Dimmable LED Driver Based on Current Balancing Transformer With Magnetizing Energy Recycling Considered. *Hwu, K. I., +, JDT May 2014 388-395*
- Single Power-Conversion LED Backlight Driving System With High Power Factor Control. *Cha, W.-J., +, JDT May 2014 407-413*

Power factor

- Dimmable AC LED Driver With Efficiency Improved Based on Switched LED Module. *Hwu, K. I., +, JDT March 2014 171-181*
- Single Power-Conversion LED Backlight Driving System With High Power Factor Control. *Cha, W.-J., +, JDT May 2014 407-413*

Precipitation (physical chemistry)

- Visible Light-Emitting Er^{3+} - Tm^{3+} - Yb^{3+} Codoped ZrO_2 Phosphor for Sensing and Photonics Applications. *Pandey, A., +, JDT June 2014 494-499*

Principal component analysis

- A Study of Integrated Optical Design and Optimization for LED Backlight Module With Prism Patterns. *Fang, Y.-C., +, JDT Oct. 2014 840-846*

Programmable circuits

- Low Power Programmable Shift Register With Depletion Mode Oxide TFTs for High Resolution and High Frame Rate AMFPDs. *Song, E., +, JDT Oct. 2014 862-866*

PWM power converters

- Dimmable and Cost-Effective DC Driving Technique for Flicker Mitigation in LED Lighting. *Wang, Q., +, JDT Sept. 2014 766-774*

Q**Q-factor**

- A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology. *Kim, S. Y., +, JDT Dec. 2014 1110-1114*

+ Check author entry for coauthors

Quantum dots

- A Spatiotemporal Four-Primary Color LCD With Quantum Dots. *Luo, Z., +, JDT May 2014 367-372*
- Quantum Dots Enhanced Liquid Displays. *Luo, Z., +, JDT Dec. 2014 987-990*

R**Radiation therapy**

- Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Radiofrequency amplifiers

- A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology. *Kim, S. Y., +, JDT Dec. 2014 1110-1114*

Random processes

- An Enhanced Voltage Programming Pixel Circuit for Compensating GB-Induced Variations in Poly-Si TFTs for AMOLED Displays. *Ho, C.-H., +, JDT May 2014 345-351*

Rapid thermal annealing

- Fabrication of p-Channel Amorphous Tin Oxide Thin-Film Transistors Using a Thermal Evaporation Process. *Lee, H.-N., +, JDT April 2014 288-292*

Ray tracing

- Design of Diffuse Reflection Freeform Surface for Uniform Illumination. *Zhu, Z.-M., +, JDT Jan. 2014 7-12*
- Development of a Ray-Tracing Optical Simulation Model of Plasma Display Panel. *Joo, B.-Y., +, JDT Jan. 2014 49-56*
- Suppression of Petzval Aberration in a Projector Lens by Using Genetic Algorithm. *Tsai, C.-M., JDT May 2014 380-387*

Recrystallization

- Thin-Film Bipolar Transistors on Recrystallized Polycrystalline Silicon Without Impurity Doped Junctions: Proposal and Investigation. *Nadda, K., +, JDT July 2014 590-594*

Red shift

- Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*

Reflectivity

- Digital Holography Using Spectral Estimation Technique. *Xia, P., +, JDT March 2014 235-242*
- Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With $\text{TiO}_2/\text{SiO}_2$ -Al Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*
- Imaging and Confocal Systems for *in vivo* Measurements of Human-Iris Spectral Reflectance. *Chen, Y.-C., +, JDT July 2014 595-600*
- Polarization-Preserving Light Guide Plate for a Linearly Polarized Backlight. *Luo, Z., +, JDT March 2014 208-214*

Refractive index

- Effect of Bending on the Spectrum of Backlight Transmitted Through Flexible ITO/PET Substrate. *Singh, G., +, JDT Aug. 2014 666-671*
- Suppression of Petzval Aberration in a Projector Lens by Using Genetic Algorithm. *Tsai, C.-M., JDT May 2014 380-387*

Refractive index measurement

- Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

Regression analysis

- Relationship of Just Noticeable Difference (JND) in Black Level and White Level With Image Content. *Yang, H., +, JDT June 2014 470-477*

Reliability

- An Artifact Information Based Motion Vector Processing Method for Motion Compensated Frame Interpolation. *Lu, Q., +, JDT Sept. 2014 775-784*
- Inverted Hybrid Inorganic–Organic Light-Emitting Diodes With Balanced Charge Injection. *Cao, X. A., +, JDT July 2014 548-552*

Rendering (computer graphics)

- Comparative Evaluation of the Imaging Performance of Multi-Primary Color LCDs With RGBCW and RGBCY Pixel Units by Simulation. *Wang, Y.-C., +, JDT Sept. 2014 729-736*
- Design and Assessment of a Depth-Fused Multi-Focal-Plane Display Prototype. *Hu, X., +, JDT April 2014 308-316*
- HSI-Based Color Error-Aware Subpixel Rendering Technique. *Kang, S.-J., JDT April 2014 251-254*

Multiple Orthographic Frustum Combing for Real-Time Computer-Generated Integral Imaging System. *Li, S.-L., +, JDT Aug. 2014 704-709*

Response surface methodology

A Flexible TFT Circuit Yield Optimizer Considering Process Variation, Aging, and Bending Effects. *Wei, W.-E., +, JDT Dec. 2014 1055-1063*

Reviews

Emerging Quantum-Dots-Enhanced LCDs. *Luo, Z., +, JDT July 2014 526-539*

Rough surfaces

GaN-Based LEDs With Rough Surface and Selective KOH Etching. *Chang, S.-J., +, JDT Jan. 2014 27-32*

Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

S

Screens (display)

A Frontal Multi-Projection Autostereoscopic 3D Display Based on a 3D-Image-Guided Screen. *Zang, S.-F., +, JDT Oct. 2014 882-886*

Ghosting Impingements in 3D Dual-View Projection Systems. *Silva, V. N. H., +, JDT July 2014 540-547*

Hardware Engine for Supporting Gray-Tone Paintbrush Function on Electrophoretic Papers. *Kao, W.-C., +, JDT Feb. 2014 138-145*

MulDiRoH: A Multi-View Human Representation System Using a QDA Screen With Multiple Cameras. *Ozawa, S., +, JDT Feb. 2014 87-93*

Search problems

Segmentation-Based Clipped Error Control Algorithm for Global Backlight Dimming. *Kang, S.-J., +, JDT July 2014 568-573*

Semiconductor device models

AIM-Spice Integration of a Recursive Model for Threshold Voltage Shift in Thin Film Transistors. *Raghuraman, M., +, JDT June 2014 508-513*

Efficient Simulation Model for Amorphous In-Ga-Zn-O Thin-Film Transistors. *Tsuji, H., +, JDT Feb. 2014 101-106*

Semiconductor device reliability

Enhanced Electrostatic Discharge Reliability in GaN-Based Light-Emitting Diodes by the Electrode Engineering. *Chen, S.-L., JDT Oct. 2014 807-813*

Semiconductor device testing

Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence. *Domen, K., +, JDT Nov. 2014 975-978*

Semiconductor doping

Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process. *Kim, Y. G., +, JDT Nov. 2014 939-944*

Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*

Semiconductor growth

Effect of Stair-Case Electron Blocking Layer on the Performance of Blue InGaN Based LEDs. *Lu, T., +, JDT Feb. 2014 146-150*

Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process. *Kim, Y. G., +, JDT Nov. 2014 939-944*

Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. *Sun, C., +, JDT Aug. 2014 660-665*

Semiconductor materials

Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. *Sun, C., +, JDT Aug. 2014 660-665*

Semiconductor thin films

Efficient Simulation Model for Amorphous In-Ga-Zn-O Thin-Film Transistors. *Tsuji, H., +, JDT Feb. 2014 101-106*

Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*

Sensitivity analysis

An Analysis of Electrode Patterns in Capacitive Touch Screen Panels. *Lee, J., +, JDT May 2014 362-366*

Sensor arrays

Bare Finger 3D Air-Touch System Using an Embedded Optical Sensor Array for Mobile Displays. *Wang, G.-Z., +, JDT Jan. 2014 13-18*

Shift registers

Low Power Programmable Shift Register With Depletion Mode Oxide TFTs for High Resolution and High Frame Rate AMFPDs. *Song, E., +, JDT Oct. 2014 862-866*

Short-range order

Analysis on the Light-Extraction Efficiency of GaN-Based Light-Emitting Diodes With Deep-Hole Amorphous Photonic Crystals Structures. *Yue, Q., +, JDT Dec. 2014 1070-1077*

Silicon

A 128×96 Pixel CMOS Microdisplay Utilizing Hot Carrier Electroluminescence From Junctions in Reach Through. *Venter, P. J., +, JDT Sept. 2014 721-728*

A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*

A Hybrid a-Si and Poly-Si TFTs Technology for AMOLED Pixel Circuits. *Wang, L., +, JDT April 2014 317-320*

A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology. *Kim, S. Y., +, JDT Dec. 2014 1110-1114*

A New Voltage Driving Scheme to Suppress Non-Idealities of Polycrystalline Thin-Film Transistors for AMOLED Displays. *Liu, W., +, JDT Dec. 2014 991-994*

A Novel p-Type LTPS TFT Pixel Circuit Compensating for Threshold Voltage and Mobility Variations. *Kim, Y., +, JDT Dec. 2014 995-1000*

Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With TiO₂/SiO₂-Al Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*

Fabrication of High-Performance Poly-Si Thin-Film Transistors With Sub-Lithographic Channel Dimensions. *Lee, K.-H., +, JDT Nov. 2014 966-970*

Flexible TFT Circuit Analyzer Considering Process Variation, Aging, and Bending Effects. *Ma, E.-H., +, JDT Jan. 2014 19-27*

Hybrid Sensor and Display Pixel Circuits for Mobile Near-to-Eye Applications. *Papadopoulos, N. P., +, JDT July 2014 574-581*

Improvement in Characteristic Variability of TFTs Using Grain Growth Control by Micro Thermal Plasma Jet Irradiation on a-Si Strips. *Morisaki, S., +, JDT Nov. 2014 950-955*

Single-Grain Si TFTs Fabricated From Sputtered Si on a Polyimide Substrate. *Zhang, J., +, JDT Nov. 2014 945-949*

Source-Gated Transistors for Power- and Area-Efficient AMOLED Pixel Circuits. *Xu, X., +, JDT Nov. 2014 928-933*

Thin-Film Bipolar Transistors on Recrystallized Polycrystalline Silicon Without Impurity Doped Junctions: Proposal and Investigation. *Nadda, K., +, JDT July 2014 590-594*

Silicon compounds

Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With TiO₂/SiO₂-Al Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*

Silver

Fabrication of Carbon Nanotube Field-Emission Cathodes by Laser-Induced Transfer of Carbon Nanotubes and Silver Paste. *Liao, H.-Y., +, JDT Dec. 2014 1083-1087*

The Frequency Modulation Electro-Optical Response of Holographic Polymer Dispersed Liquid Crystal Display Doped With Nano Ag. *Zheng, J., +, JDT March 2014 215-222*

Smart phones

A Methodology for Evaluating Accuracy of Capacitive Touch Sensing Grid Patterns. *Akhtar, H., +, JDT Aug. 2014 672-682*

Smoothing methods

Multi-Channel Mixed-Pattern Based Frame Rate Up-Conversion Using Spatio-Temporal Motion Vector Refinement and Dual-Weighted Overlapped Block Motion Compensation. *Li, R., +, JDT Dec. 2014 1010-1023*

Solid lasers

Laser-Driven Visible Solid-State Light Source for Etendue-Limited Applications. *Abu-Ageel, N., +, JDT Aug. 2014 700-703*

Spatial light modulators

Laser Based Projection System for Displays, Signage and Illumination. *Madamopoulos, N., +, JDT Oct. 2014 832-839*

Local Luminance Boosting of an RGBW LCD. *Hammer, M., +, JDT Jan. 2014 33-42*

Spatiotemporal phenomena

A Spatiotemporal Four-Primary Color LCD With Quantum Dots. *Luo, Z., +, JDT May 2014 367-372*

Speckle

- Laser Based Projection System for Displays, Signage and Illumination. *Madamopoulos, N., +, JDT Oct. 2014 832-839*
 Laser Speckle Reduction Using a Motionless Despeckle Element Based on Random Mie Scattering. *Xu, M., +, JDT Feb. 2014 151-156*

Spectral line intensity

- Visible Light-Emitting Er^{3+} - Tm^{3+} - Yb^{3+} Codoped ZrO_2 Phosphor for Sensing and Photonics Applications. *Pandey, A., +, JDT June 2014 494-499*

SPICE

- A Flexible TFT Circuit Yield Optimizer Considering Process Variation, Aging, and Bending Effects. *Wei, W.-E., +, JDT Dec. 2014 1055-1063*
 An Enhanced Voltage Programming Pixel Circuit for Compensating GB-Induced Variations in Poly-Si TFTs for AMOLED Displays. *Ho, C.-H., +, JDT May 2014 345-351*
 Flexible TFT Circuit Analyzer Considering Process Variation, Aging, and Bending Effects. *Ma, E.-H., +, JDT Jan. 2014 19-27*

Spin coating

- Storage Lifetime of Polymer-Carbon Nanotube Inks for Use as Charge Transport Layers in Organic Light Emitting Diodes. *Mills, C. A., +, JDT Feb. 2014 125-131*

Sputter deposition

- Performance Investigation of Amorphous InGaZnO Flexible Thin-Film Transistors Deposited on PET Substrates. *Lee, H.-Y., +, JDT Sept. 2014 792-796*
 Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence. *Domen, K., +, JDT Nov. 2014 975-978*

Sputter etching

- Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals. *Ding, Q.-A., +, JDT Nov. 2014 909-916*

Sputtered coatings

- Investigation of Amorphous Indium Gallium Zinc Oxide Thin Film Transistors Grown by Triple-Targets Magnetron Co-Sputtering. *Lee, C.-T., +, JDT April 2014 293-298*

Stability

- Design of Optical Module With High Stability, High Angular Color Uniformity, and Adjustable Light Distribution for Standard Lamps. *Chang, Y.-Y., +, JDT March 2014 223-227*

Stereo image processing

- A Low-Power Time-Synchronization Processor With Symmetric Even/Odd Timer for Charge-Shared LCD Driving of 3DTV Active Shutter Glasses. *Park, D., +, JDT Dec. 2014 1047-1054*

- A Novel Architecture for Autostereoscopic 2D/3D Switchable Display Using Dual Layer Strip Patterned OLED Backlight Module. *Wang, Y.-J., +, JDT May 2014 352-356*

- Design and Assessment of a Depth-Fused Multi-Focal-Plane Display Prototype. *Hu, X., +, JDT April 2014 308-316*

- Distant Binocular Filters for Full-Resolution Autostereoscopic Viewing and for Single-Aperture Stereo Glasses. *Ezhov, V. A., JDT Feb. 2014 114-119*
 Dynamic LED Backlight 2D/3D Switchable Autostereoscopic Multi-View Display. *Liou, J.-C., +, JDT Aug. 2014 629-634*

- MGSA-Type Computer-Generated Holography for Vision Training With Head-Mounted Display. *Deng, Q.-L., +, JDT June 2014 433-437*

- Novel Estimation Method of Three-Dimensional Vertical View Angle for Polarized Stereoscopic Display. *Zhan, H., +, JDT Oct. 2014 899-904*

- Polarizer Parallax Barrier 3D Display With High Brightness, Resolution and Low Crosstalk. *Lv, G.-J., +, JDT Feb. 2014 120-124*

- Stereoscopic Visual Attention Guided Disparity Control for Multiview Images. *Lei, J., +, JDT May 2014 373-379*

- Visual Comfort Modeling for Disparity in 3D Contents Based on Weber-Fechner's Law. *Chen, Z., +, JDT Dec. 2014 1001-1009*

Stress analysis

- Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. *Huang, K.-T., +, JDT July 2014 609-614*

- Photoelastic Analysis of Partially Occluded Objects With an Integral-Imaging Polarimicroscope. *Navarro Fructuoso, H., +, JDT April 2014 255-262*

- Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence. *Domen, K., +, JDT Nov. 2014 975-978*

Stress measurement

- Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. *Huang, K.-T., +, JDT July 2014 609-614*

Strontium

- Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process. *Kim, Y. G., +, JDT Nov. 2014 939-944*

Substrates

- Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*

Surface morphology

- Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

Surface roughness

- Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

Surface texture

- Submillisecond-Response Light Shutter for Solid-State Volumetric 3D Display Based on Polymer-Stabilized Cholesteric Texture. *Lu, H., +, JDT May 2014 396-401*

Synchronization

- A Low-Power Time-Synchronization Processor With Symmetric Even/Odd Timer for Charge-Shared LCD Driving of 3DTV Active Shutter Glasses. *Park, D., +, JDT Dec. 2014 1047-1054*

T**Tactile sensors**

- A Methodology for Evaluating Accuracy of Capacitive Touch Sensing Grid Patterns. *Akhtar, H., +, JDT Aug. 2014 672-682*

- Bare Finger 3D Air-Touch System Using an Embedded Optical Sensor Array for Mobile Displays. *Wang, G.-Z., +, JDT Jan. 2014 13-18*

Taguchi methods

- A Study of Integrated Optical Design and Optimization for LED Backlight Module With Prism Patterns. *Fang, Y.-C., +, JDT Oct. 2014 840-846*

Teleconferencing

- MulDiRoH: A Multi-View Human Representation System Using a QDA Screen With Multiple Cameras. *Ozawa, S., +, JDT Feb. 2014 87-93*

Television displays

- A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*

Temperature sensors

- Visible Light-Emitting Er^{3+} - Tm^{3+} - Yb^{3+} Codoped ZrO_2 Phosphor for Sensing and Photonics Applications. *Pandey, A., +, JDT June 2014 494-499*

Ternary semiconductors

- Contact Effects in Amorphous InGaZnO Thin Film Transistors. *Valletta, A., +, JDT Nov. 2014 956-961*

- Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process. *Kim, Y. G., +, JDT Nov. 2014 939-944*

Text analysis

- Hardware Engine for Supporting Gray-Tone Paintbrush Function on Electrophoretic Papers. *Kao, W.-C., +, JDT Feb. 2014 138-145*

Thermal conductivity

- Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With $\text{TiO}_2/\text{SiO}_2$ -Al Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*

Thermal engineering

- Improvement in Characteristic Variability of TFTs Using Grain Growth Control by Micro Thermal Plasma Jet Irradiation on a-Si Strips. *Morisaki, S., +, JDT Nov. 2014 950-955*

Thickness measurement

- Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

Thin film circuits

- A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*
 A Hybrid a-Si and Poly-Si TFTs Technology for AMOLED Pixel Circuits. *Wang, L., +, JDT April 2014 317-320*

Thin film devices

- Compensation Film Designs for High Contrast Wide-View Blue Phase Liquid Crystal Displays. *Liu, Y., +, JDT Jan. 2014 3-6*
 Fabrication and Characteristic Analysis of Arrayed Electrochromic Display Based on Tertiary Colors. *Chou, J.-C., +, JDT Oct. 2014 853-861*
 Fabrication of Carbon Nanotube Field-Emission Cathodes by Laser-Induced Transfer of Carbon Nanotubes and Silver Paste. *Liao, H.-Y., +, JDT Dec. 2014 1083-1087*
 Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals. *Ding, Q.-A., +, JDT Nov. 2014 909-916*
 Novel Estimation Method of Three-Dimensional Vertical View Angle for Polarized Stereoscopic Display. *Zhan, H., +, JDT Oct. 2014 899-904*

Thin film transistors

- A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*
 A Flexible TFT Circuit Yield Optimizer Considering Process Variation, Aging, and Bending Effects. *Wei, W.-E., +, JDT Dec. 2014 1055-1063*
 A Hybrid a-Si and Poly-Si TFTs Technology for AMOLED Pixel Circuits. *Wang, L., +, JDT April 2014 317-320*
 A Low-Cost Low-Noise Amplifier in Poly-Si TFT Technology. *Kim, S. Y., +, JDT Dec. 2014 1110-1114*
 A New Voltage Driving Scheme to Suppress Non-Idealities of Polycrystalline Thin-Film Transistors for AMOLED Displays. *Liu, W., +, JDT Dec. 2014 991-994*
 A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio. *Kim, Y., +, JDT Jan. 2014 80-83*
 A Novel p-Type LTPS TFT Pixel Circuit Compensating for Threshold Voltage and Mobility Variations. *Kim, Y., +, JDT Dec. 2014 995-1000*
 A Power-Efficient Driving Method for In-Plane Switching-Mode TFT-LCD Using a Negative Liquid Crystal. *Kim, D.-S., +, JDT Dec. 2014 1093-1100*
 AIM-Spice Integration of a Recursive Model for Threshold Voltage Shift in Thin Film Transistors. *Raghuraman, M., +, JDT June 2014 508-513*
 Amorphous Oxide Semiconductor TFTs for Displays and Imaging. *Nathan, A., +, JDT Nov. 2014 917-927*
 An a-InGaZnO TFT Pixel Circuit Compensating Threshold Voltage and Mobility Variations in AMOLEDs. *Kim, Y., +, JDT May 2014 402-406*
 An Enhanced Voltage Programming Pixel Circuit for Compensating GB-Induced Variations in Poly-Si TFTs for AMOLED Displays. *Ho, C.-H., +, JDT May 2014 345-351*
 Application of Flexible OLED Display Technology for Electro-Optical Stimulation and/or Silencing of Neural Activity. *Smith, J. T., +, JDT June 2014 514-520*
 Contact Effects in Amorphous InGaZnO Thin Film Transistors. *Valletta, A., +, JDT Nov. 2014 956-961*
 Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process. *Kim, Y. G., +, JDT Nov. 2014 939-944*
 Effects of High-Temperature Annealing on Operation Characteristics of a-In-Ga-Zn-O TFTs. *Hanyu, Y., +, JDT Nov. 2014 979-983*
 Efficient Simulation Model for Amorphous In-Ga-Zn-O Thin-Film Transistors. *Tsuji, H., +, JDT Feb. 2014 101-106*
 Fabrication of High-Performance Poly-Si Thin-Film Transistors With Sub-Lithographic Channel Dimensions. *Lee, K.-H., +, JDT Nov. 2014 966-970*
 Fabrication of p-Channel Amorphous Tin Oxide Thin-Film Transistors Using a Thermal Evaporation Process. *Lee, H.-N., +, JDT April 2014 288-292*
 Flexible TFT Circuit Analyzer Considering Process Variation, Aging, and Bending Effects. *Ma, E.-H., +, JDT Jan. 2014 19-27*
 High Mobility Field-Effect Thin Film Transistor Using Room-Temperature High- κ Gate Dielectrics. *Hsu, H.-H., +, JDT Oct. 2014 875-881*
 High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. *Furuta, M., +, JDT Nov. 2014 934-938*
 Hybrid Sensor and Display Pixel Circuits for Mobile Near-to-Eye Applications. *Papadopoulos, N. P., +, JDT July 2014 574-581*

Improvement in Characteristic Variability of TFTs Using Grain Growth Control by Micro Thermal Plasma Jet Irradiation on a-Si Strips. *Morisaki, S., +, JDT Nov. 2014 950-955*

Investigation of Amorphous Indium Gallium Zinc Oxide Thin Film Transistors Grown by Triple-Targets Magnetron Co-Sputtering. *Lee, C.-T., +, JDT April 2014 293-298*

Low Power Programmable Shift Register With Depletion Mode Oxide TFTs for High Resolution and High Frame Rate AMFPDs. *Song, E., +, JDT Oct. 2014 862-866*

Low-Power Bi-Side Scan Driver Integrated by IZO TFTs Including a Clock-Controlled Inverter. *Wu, W.-J., +, JDT July 2014 523-525*

Performance Investigation of Amorphous InGaZnO Flexible Thin-Film Transistors Deposited on PET Substrates. *Lee, H.-Y., +, JDT Sept. 2014 792-796*

Polymer-Dispersed Liquid Crystal Applied in Active-Matrix Transparent Display. *Su, C.-W., +, JDT Aug. 2014 683-687*

Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence. *Domen, K., +, JDT Nov. 2014 975-978*

Refractive Index and Effective Thickness Measurement System for the RGB Color Filter Coatings With Absorption and Scattering Properties. *Lee, Y.-M., +, JDT Jan. 2014 57-70*

Single-Grain Si TFTs Fabricated From Sputtered Si on a Polyimide Substrate. *Zhang, J., +, JDT Nov. 2014 945-949*

Solution Processed Organic Thin-Film Transistors With Hybrid Low/High Voltage Operation. *Feng, L., +, JDT Nov. 2014 971-974*

Thin-Film Bipolar Transistors on Recrystallized Polycrystalline Silicon Without Impurity Doped Junctions: Proposal and Investigation. *Nadda, K., +, JDT July 2014 590-594*

Threshold Voltage Extraction in the Saturation Regime Insensitive to the Contact Properties for Organic Thin-Film Transistors. *Cui, Q., +, JDT July 2014 615-618*

Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. *Sun, C., +, JDT Aug. 2014 660-665*

Thin films

Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

Three-dimensional displays

A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*

A Frontal Multi-Projection Autostereoscopic 3D Display Based on a 3D-Image-Guided Screen. *Zang, S.-F., +, JDT Oct. 2014 882-886*

A Novel Architecture for Autostereoscopic 2D/3D Switchable Display Using Dual Layer Strip Patterned OLED Backlight Module. *Wang, Y.-J., +, JDT May 2014 352-356*

A Unified Method for Crosstalk Reduction in Multiview Displays. *Zhou, M., +, JDT June 2014 500-507*

An Autostereoscopic Device for Mobile Applications Based on a Liquid Crystal Microlens Array and an OLED Display. *Algorri, J. F., +, JDT Sept. 2014 713-720*

Bare Finger 3D Air-Touch System Using an Embedded Optical Sensor Array for Mobile Displays. *Wang, G.-Z., +, JDT Jan. 2014 13-18*

Design and Assessment of a Depth-Fused Multi-Focal-Plane Display Prototype. *Hu, X., +, JDT April 2014 308-316*

Dynamic LED Backlight 2D/3D Switchable Autostereoscopic Multi-View Display. *Liou, J.-C., +, JDT Aug. 2014 629-634*

Ghosting Impingements in 3D Dual-View Projection Systems. *Silva, V. N. H., +, JDT July 2014 540-547*

Improved Viewing Zones for Projection Type Integral Imaging 3D Display Using Adaptive Liquid Crystal Prism Array. *Chen, C.-W., +, JDT March 2014 198-203*

MGSAs-Type Computer-Generated Holography for Vision Training With Head-Mounted Display. *Deng, Q.-L., +, JDT June 2014 433-437*

Multi-User Autostereoscopic 2D/3D Switchable Flat-Panel Display. *Xue, Y., +, JDT Sept. 2014 737-745*

Multi-Zone Digital Crosstalk Reduction by Image Processing in 3D Display. *Ma, C.-Y., +, JDT June 2014 488-493*

Multiple Orthographic Frustum Combing for Real-Time Computer-Generated Integral Imaging System. *Li, S.-L., +, JDT Aug. 2014 704-709*

Novel Estimation Method of Three-Dimensional Vertical View Angle for Polarized Stereoscopic Display. *Zhan, H., +, JDT Oct. 2014 899-904*

- Optimizing Time-Multiplexing Auto-Stereoscopic Displays With a Genetic Algorithm. *Liang, H., +, JDT Aug. 2014 695-699*
- Stereoscopic Visual Attention Guided Disparity Control for Multiview Images. *Lei, J., +, JDT May 2014 373-379*
- Submillisecond-Response Light Shutter for Solid-State Volumetric 3D Display Based on Polymer-Stabilized Cholesteric Texture. *Lu, H., +, JDT May 2014 396-401*
- Three-Dimensional Holographic Display Using Dense Ray Sampling and Integral Imaging Capture. *Xiao, X., +, JDT Aug. 2014 688-694*
- Video-Rate Holographic Display Using Azo-Dye-Doped Liquid Crystal. *Li, X., +, JDT June 2014 438-443*
- Visual Comfort Modeling for Disparity in 3D Contents Based on Weber-Fechner's Law. *Chen, Z., +, JDT Dec. 2014 1001-1009*
- Vivid-DIBR Based 2D-3D Image Conversion System for 3D Display. *Fan, Y.-C., +, JDT Oct. 2014 887-898*
- Three-dimensional television**
- A 2D-3D Switchable Driving Method for Reducing Power Consumption of Thin-Film Transistor Liquid Crystal Display TV With Film-Type Patterned Retarder. *Kim, D.-S., +, JDT April 2014 299-307*
- A Low-Power Time-Synchronization Processor With Symmetric Even/Odd Timer for Charge-Shared LCD Driving of 3DTV Active Shutter Glasses. *Park, D., +, JDT Dec. 2014 1047-1054*
- Thium**
- Visible Light-Emitting Er^{3+} - Tm^{3+} - Yb^{3+} Codoped ZrO_2 Phosphor for Sensing and Photonics Applications. *Pandey, A., +, JDT June 2014 494-499*
- Time division multiplexing**
- Optimizing Time-Multiplexing Auto-Stereoscopic Displays With a Genetic Algorithm. *Liang, H., +, JDT Aug. 2014 695-699*
- Tin compounds**
- Automatic Measurement and Stress Analysis of ITO/PET Flexible Substrate by Shadow Moiré Interferometer With Phase-Shifting Interferometry. *Huang, K.-T., +, JDT July 2014 609-614*
- Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process. *Kim, Y. G., +, JDT Nov. 2014 939-944*
- Fabrication of p-Channel Amorphous Tin Oxide Thin-Film Transistors Using a Thermal Evaporation Process. *Lee, H.-N., +, JDT April 2014 288-292*
- Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. *Sun, C., +, JDT Aug. 2014 660-665*
- Titanium compounds**
- Enhancement of GaN-Based Light-Emitting Diodes Transferred From Si (111) Substrate Onto Electroplating Cu Submount With $\text{TiO}_2/\text{SiO}_2\text{-Al}$ Omnidirectional Reflector. *Yang, Y., +, JDT Dec. 2014 1064-1069*
- Touch sensitive screens**
- A Methodology for Evaluating Accuracy of Capacitive Touch Sensing Grid Patterns. *Akhtar, H., +, JDT Aug. 2014 672-682*
- An Analysis of Electrode Patterns in Capacitive Touch Screen Panels. *Lee, J., +, JDT May 2014 362-366*
- Hardware Engine for Supporting Gray-Tone Paintbrush Function on Electrophoretic Papers. *Kao, W.-C., +, JDT Feb. 2014 138-145*
- Transforming a Regular Screen Into a Touch Screen Using a Single Webcam. *Zhang, L., +, JDT Aug. 2014 647-659*
- Transforms**
- Efficient FPGA-Based Fresnel Transform Architecture for Digital Holography. *Cheng, C.-J., +, JDT April 2014 272-281*
- Transistor circuits**
- A Flexible TFT Circuit Yield Optimizer Considering Process Variation, Aging, and Bending Effects. *Wei, W.-E., +, JDT Dec. 2014 1055-1063*
- Transistors**
- Source-Gated Transistors for Power- and Area-Efficient AMOLED Pixel Circuits. *Xu, X., +, JDT Nov. 2014 928-933*
- Transmission lines**
- Contact Effects in Amorphous InGaZnO Thin Film Transistors. *Valletta, A., +, JDT Nov. 2014 956-961*
- Transparency**
- Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*
- Polymer-Dispersed Liquid Crystal Applied in Active-Matrix Transparent Display. *Su, C.-W., +, JDT Aug. 2014 683-687*

Tungsten compounds

- Inverted Hybrid Inorganic–Organic Light-Emitting Diodes With Balanced Charge Injection. *Cao, X. A., +, JDT July 2014 548-552*
- Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

Tunneling

- Attention Tunneling: Effects of Limiting Field of View Due to Beam Combiner Frame of Head-Up Display. *Karar, V., +, JDT July 2014 582-589*

U**Ultraviolet sources**

- High-Efficiency Near Ultraviolet and Blue Organic Light-Emitting Diodes Using Star-Shaped Material as Emissive and Hosting Molecules. *Guo, K., +, JDT Aug. 2014 642-646*

Ultraviolet spectra

- Fabrication and Characteristic Analysis of Arrayed Electrochromic Display Based on Tertiary Colors. *Chou, J.-C., +, JDT Oct. 2014 853-861*
- Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*
- Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

V**Vacancies (crystal)**

- Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process. *Kim, Y. G., +, JDT Nov. 2014 939-944*

- Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*

- Top Down Scale-Up of Semiconducting Nanostructures for Large Area Electronics. *Sun, C., +, JDT Aug. 2014 660-665*

Video cameras

- Defeating Camcorder Piracy by Temporal Psychovisual Modulation. *Zhai, G., +, JDT Sept. 2014 754-757*

- MulDiRoH: A Multi-View Human Representation System Using a QDA Screen With Multiple Cameras. *Ozawa, S., +, JDT Feb. 2014 87-93*

Video coding

- An Adaptive Error Concealment Method Based on Fuzzy Reasoning for Multi-View Video Coding. *Lee, P.-J., +, JDT July 2014 560-567*

Video communication

- MulDiRoH: A Multi-View Human Representation System Using a QDA Screen With Multiple Cameras. *Ozawa, S., +, JDT Feb. 2014 87-93*

Video recording

- Video-Rate Holographic Display Using Azo-Dye-Doped Liquid Crystal. *Li, X., +, JDT June 2014 438-443*

Video signal processing

- Defeating Camcorder Piracy by Temporal Psychovisual Modulation. *Zhai, G., +, JDT Sept. 2014 754-757*

- GPU-Parallel Implementation of the Edge-Directed Adaptive Intra-Field Deinterlacing Method. *Wu, J., +, JDT Sept. 2014 746-753*

- Multi-Channel Mixed-Pattern Based Frame Rate Up-Conversion Using Spatio-Temporal Motion Vector Refinement and Dual-Weighted Overlapped Block Motion Compensation. *Li, R., +, JDT Dec. 2014 1010-1023*

Visible spectra

- Fabrication and Characteristic Analysis of Arrayed Electrochromic Display Based on Tertiary Colors. *Chou, J.-C., +, JDT Oct. 2014 853-861*

- Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*

- Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

Visible spectrometers

- Imaging and Confocal Systems for in vivo Measurements of Human-Iris Spectral Reflectance. *Chen, Y.-C., +, JDT July 2014 595-600*

Visual perception

- A Frontal Multi-Projection Autostereoscopic 3D Display Based on a 3D-Image-Guided Screen. *Zang, S.-F., +, JDT Oct. 2014 882-886*
 Dynamic LED Backlight 2D/3D Switchable Autostereoscopic Multi-View Display. *Liou, J.-C., +, JDT Aug. 2014 629-634*
 Multi-User Autostereoscopic 2D/3D Switchable Flat-Panel Display. *Xue, Y., +, JDT Sept. 2014 737-745*
 Novel Estimation Method of Three-Dimensional Vertical View Angle for Polarized Stereoscopic Display. *Zhan, H., +, JDT Oct. 2014 899-904*
 Perceived Color Impression for Spatially Mixed Colors. *Choi, S. H., +, JDT April 2014 282-287*
 Stereoscopic Visual Attention Guided Disparity Control for Multiview Images. *Lei, J., +, JDT May 2014 373-379*
 Visual Comfort Modeling for Disparity in 3D Contents Based on Weber-Fechner's Law. *Chen, Z., +, JDT Dec. 2014 1001-1009*

Voltammetry (chemical analysis)

- Fabrication and Characteristic Analysis of Arrayed Electrochromic Display Based on Tertiary Colors. *Chou, J.-C., +, JDT Oct. 2014 853-861*
 Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

W**Waveform analysis**

- An Autostereoscopic Device for Mobile Applications Based on a Liquid Crystal Microlens Array and an OLED Display. *Algorri, J. F., +, JDT Sept. 2014 713-720*

Wide band gap semiconductors

- A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio. *Kim, Y., +, JDT Jan. 2014 80-83*
 Carrier Transport Improvement in Blue InGaN Light-Emitting Diodes Via Reduced Polarization Using a Band-Engineered Electron Blocking Layer. *Sun, P., +, JDT Dec. 2014 1101-1105*
 Effect of Stair-Case Electron Blocking Layer on the Performance of Blue InGaN Based LEDs. *Lu, T., +, JDT Feb. 2014 146-150*
 Enhanced Electrostatic Discharge Reliability in GaN-Based Light-Emitting Diodes by the Electrode Engineering. *Chen, S.-L., JDT Oct. 2014 807-813*
 GaN-Based LEDs With Rough Surface and Selective KOH Etching. *Chang, S.-J., +, JDT Jan. 2014 27-32*
 GaN-Based Light-Emitting Diodes With Staircase Electron Injector Structure. *Chang, S.-J., +, JDT Feb. 2014 162-166*
 GaN-Based Light-Emitting-Diode With a p-InGaN Layer. *Chen, P. H., +, JDT March 2014 204-207*
 High Mobility Field-Effect Thin Film Transistor Using Room-Temperature High- κ Gate Dielectrics. *Hsu, H.-H., +, JDT Oct. 2014 875-881*
 High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. *Furuta, M., +, JDT Nov. 2014 934-938*
 Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals. *Ding, Q.-A., +, JDT Nov. 2014 909-916*
 Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*
 Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence. *Domen, K., +, JDT Nov. 2014 975-978*

Workstations

- Enhanced Natural Visual Perception for Augmented Reality-Workstations by Simulation of Perspective. *Radkowski, R., +, JDT May 2014 333-344*

X**X-ray chemical analysis**

- Photoelectric Characteristics and Equivalent Circuit Analysis of Flexible Tungsten Oxide Electrochromic Thin Film. *Chou, J.-C., +, JDT Oct. 2014 821-826*

X-ray diffraction

- Visible Light-Emitting Er³⁺-Tm³⁺-Yb³⁺ Codoped ZrO₂ Phosphor for Sensing and Photonics Applications. *Pandey, A., +, JDT June 2014 494-499*

Y**Ytterbium**

- Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*

- Visible Light-Emitting Er³⁺-Tm³⁺-Yb³⁺ Codoped ZrO₂ Phosphor for Sensing and Photonics Applications. *Pandey, A., +, JDT June 2014 494-499*

Yttrium compounds

- High Mobility Field-Effect Thin Film Transistor Using Room-Temperature High- κ Gate Dielectrics. *Hsu, H.-H., +, JDT Oct. 2014 875-881*

Z**Zinc compounds**

- A Novel a-InGaZnO TFT Pixel Circuit for AMOLED Display With the Enhanced Reliability and Aperture Ratio. *Kim, Y., +, JDT Jan. 2014 80-83*

- Contact Effects in Amorphous InGaZnO Thin Film Transistors. *Valletta, A., +, JDT Nov. 2014 956-961*

- Effect of Strontium Addition on Stability of Zinc-Tin-Oxide Thin-Film Transistors Fabricated by Solution Process. *Kim, Y. G., +, JDT Nov. 2014 939-944*

- Effects of High-Temperature Annealing on Operation Characteristics of a-In-Ga-Zn-O TFTs. *Hanyu, Y., +, JDT Nov. 2014 979-983*

- Efficient Simulation Model for Amorphous In-Ga-Zn-O Thin-Film Transistors. *Tsuji, H., +, JDT Feb. 2014 101-106*

- High Mobility Field-Effect Thin Film Transistor Using Room-Temperature High- κ Gate Dielectrics. *Hsu, H.-H., +, JDT Oct. 2014 875-881*

- High-Performance Solution-Processed InGaZnO Thin-Film Transistor Fabricated by Ozone-Assisted Atmospheric Pressure Mist Deposition. *Furuta, M., +, JDT Nov. 2014 934-938*

- Performance of Highly Transparent and Stable Zinc Oxide Co-Doped Thin-Film by Aluminum and Ytterbium. *Cheng, C.-H., +, JDT Oct. 2014 814-820*

- Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence. *Domen, K., +, JDT Nov. 2014 975-978*

Zirconium compounds

- Visible Light-Emitting Er³⁺-Tm³⁺-Yb³⁺ Codoped ZrO₂ Phosphor for Sensing and Photonics Applications. *Pandey, A., +, JDT June 2014 494-499*